

[illegible]

A		B		C		D
1	Part Number	Description		Comments		MSRP
				Package includes 4-port GVMU2A Voice Mail system, 8 DKT3220-SD digital telephones, CTX28 Cabinet with power supply and GCTU processor with interfaces for: 3 CO lines with Caller ID, 8 Digital Telephones, 1 Standard Telephone, External Page, MOH, Control R		
34	CTX28 VM PKG8	CTX28, 3x8, 4-port GVMU, 8-DKT3220-SD Package.				4,212.00
				Package includes 4-port GVMU2A Voice Mail system, 8 DKT3020-SD(W) digital telephones, CTX28 Cabinet with power supply and GCTU processor with interfaces for: 3 CO lines with Caller ID, 8 Digital Telephones, 1 Standard Telephone, External Page, MOH, Contro		4,212.00
35	CTX28 VM PKG8W	CTX28, 3x8, 4-portGVMU, 8-DKT3020-SD(W) Package.				
				Package includes 4-port GVMU2A Voice Mail system, 4 DKT3210-S digital telephones, 4 DKT3210-SD digital telephones, CTX28 Cabinet with power supply and GCTU processor with interfaces for: 3 CO lines with Caller ID, 8 Digital Telephones, 1 Standard Telephone		3,526.00
36	CTX28 VM PKG9	CTX28, 3x8, 4-port GVMU, 4-DKT3210-S, 4-DKT3210-SD Pkg.				
				Package includes 4-port GVMU2A Voice Mail system, 4 DKT3010-S(W) digital telephones, 4 DKT3010-SD(W) digital telephones, CTX28 Cabinet with power supply and GCTU processor with interfaces for: 3 CO lines with Caller ID, 8 Digital Telephones, 1 Standard Te		3,526.00
37	CTX28 VM PKG9W	CTX28, 3x8, 4-portGVMU, 4-DKT3010-S(W), 4-DKT3010-SD(W) Package.				
				CTX28 System includes: Cabinet with built-in power supply, built-in GCTU processor, and built-in interfaces for: 3 CO lines with Caller ID, 8 Digital Telephones, 1 Standard Telephone, External Page, MOH, Control Relay, Power Failure Telephone and modem fo		1,169.00
38	CHSU28A	CTX28 3x8 Cabinet & Processor - no Doc. Pack				
				CTX28 System includes: Cabinet with built-in power supply, built-in GCTU processor, and built-in interfaces for: 3 CO lines with Caller ID, 8 Digital Telephones, 1 Standard Telephone, External Page, MOH, Control Relay, Power Failure Telephone and modem fo		1,169.00
39	CHSU28A-SYS	CTX28 3x8 Cabinet & Processor with Doc. Pack				
40	CTX-GVMU-MODEM	Remote modem for GVMU		Zoom modem model 3049. See Installation and Maintenance manual for cable wiring diagram		240.00
41	GCDU1A	CTX28 3 CO line & 8 digital telephone interface card.		Plug-on circuit card that provides 3 loop start lines with Caller ID and 8 digital telephone interface circuits for CTX28.		626.00
				Plug-on Network Interface Card subassembly provides one circuit for 100base-TX Ethernet LAN connection of the CTX WinAdmin computer, ACD Server, CTX Attendant Console, Stratagy ES, and CSTA applications.		143.00
42	GETS1A	CTX28 100base-TX Ethernet interface card.				
				Plug-on circuit card that provides one interface circuit for standard telephones, FAX or analog modems. The CTX28 standard telephone interfaces do not support message waiting lamps but do support the audible message waiting indicator.		89.00
43	GSTU1A	CTX28 one-circuit standard telephone interface card.				
				Plug-in 4-port Voice Processing circuit card that can be added to the Strata CTX28 cabinet (only) to provide comprehensive Auto Attendant/Voice Mail capabilities. Provides VM Call Monitoring, VM Call Record, VM telephone LCD softkeys and 20 hours of voice		1,221.00
44	GVMU2A	CTX28 4-port Voice Mail PCB. English/Spanish prompts.				
				Plug-in 4-port Voice Processing circuit card that can be added to the Strata CTX28 cabinet (only) to provide comprehensive Auto Attendant/Voice Mail capabilities. Provides VM Call Monitoring, VM Call Record, VM telephone LCD softkeys and 20 hours of voice		1,221.00
45	GVMU2A-SYS	CTX28 4-port Voice Mail PCB with docs. English/Spanish prompts.				
46	GVMU-MDM-CBL	Cable to connect remote maintenance modem to GVMU		Cable to connect an external maintenance modem to the Strata CTX28 GVMU voice processing system.		15.00
47	HPFB-6	Battery Back-up Module for CTX28.		Up to 2 per system when battery back-up is desired. For CTX28 and DK14 systems. Each provide about one hour of reserve power in case of an AC power loss.		263.00
48	CTX28-PWR-ADPTR	120-240 VAC power adaptor for CTX28 cabinet.		As desired for replacements or spares.		117.00
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , and 8 DKT3210-S telephones.		2,816.00
49	CIX100-S PKG1	CIX100-S 4x8, 8 DKT3210-S Pkg.				
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , and 8 DKT3210-SD telephones.		3,459.00
50	CIX100-S PKG2	CIX100-S 4x8, 8 DKT3210-SD Pkg.				
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , and 8 DKT3220-SD telephones.		3,887.00
51	CIX100-S PKG3	CIX100-S 4x8, 8 DKT3220-SD Pkg.				
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , 4 DKT3210-S telephones and 4 DKT3210-SD telephones.		3,245.00
52	CIX100-S PKG4	CIX100-S 4x8, 4 DKT3210-S, 4 DKT3210-SD Pkg				
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , 4 DKT3210-SD telephones and 4 DKT3220-SD telephones.		3,674.00
53	CIX100-S PKG5	CIX100-S 4x8, 4 DKT3210-SD, 4 DKT3220-SD Pkg				
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , 8 DKT3210-S telephones and a 2-port Stratagy IVP8.		4,101.00
54	CIX100-S VM1	CIX100-S 4x8, 2-port IVP8, 8 DKT3210-S Pkg.				
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , 4 DKT3210-SD telephones, 4 DKT3220-SD telephones and a 4-port Stratagy IVP8.		5,249.00
55	CIX100-S VM10	CIX100-S 4x8, 4-port IVP8,4 DKT3210-SD,4 DKT3220-SD Pkg				
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , 8 DKT3210-SD telephones and a 2-port Stratagy IVP8.		4,745.00
56	CIX100-S VM2	CIX100-S 4x8, 2-port IVP8, 8 DKT3210-SD Pkg.				
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , 8 DKT3220-SD telephones and a 2-port Stratagy IVP8.		5,174.00
57	CIX100-S VM3	CIX100-S 4x8, 2-port IVP8, 8 DKT3220-SD Pkg.				
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , 4 DKT3210-S telephones, 4 DKT3210-SD telephones and a 2-port Stratagy IVP8.		4,530.00
58	CIX100-S VM4	CIX100-S 4x8, 2-port IVP8, 4 DKT3210-S,4 DKT3210-SD Pkg				
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , 4 DKT3210-SD telephones, 4 DKT3220-SD telephones and a 2-port Stratagy IVP8.		4,959.00
59	CIX100-S VM5	CIX100-S 4x8, 2-port IVP8,4 DKT3210-SD,4 DKT3220-SD Pkg				
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , 8 DKT3210-S telephones and a 4-port Stratagy IVP8.		4,392.00
60	CIX100-S VM6	CIX100-S 4x8, 4-port IVP8, 8 DKT3210-S Pkg.				
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , 8 DKT3210-SD telephones and a 4-port Stratagy IVP8.		5,034.00
61	CIX100-S VM7	CIX100-S 4x8, 4-port IVP8, 8 DKT3210-SD Pkg.				
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , 8 DKT3220-SD telephones and a 4-port Stratagy IVP8.		5,463.00
62	CIX100-S VM8	CIX100-S 4x8, 4-port IVP8, 8 DKT3220-SD Pkg.				
				Package includes ACTU3A-S Processor, 512MB SD card, Base Cabinet with power supply, 16-port license, 1 RCOU3A, 1 ADKU1A, 1 ABCS1A Battery Charger with ABTC1A-3M cable , 4 DKT3210-S telephones, 4 DKT3210-SD telephones and a 4-port Stratagy IVP8.		4,821.00
63	CIX100-S VM9	CIX100-S 4x8, 4-port IVP8, 4 DKT3210-S,4 DKT3210-SD Pkg				
				Package includes processor (with 512MB SD card, one external page output, one MOH/BGM interface, one relay contact), base cabinet, power supply, 32-port CO line/station license, and 1 BDKU1A card.		1,500.00
64	CIX100-0x8PKG	CIX100 0x8, System Package (Cabinet/PS, ACTU3A & BDKU).				
				Package includes processor (with 512MB SD card, one external page output, one MOH/BGM interface, one relay contact), base cabinet, power supply, 32-port CO line/station license, 1 RCOU1A, and 1 ADKU1A card.		1,702.50
65	CIX100-ECONOPAC	CIX100 4x8, Package (Cabine/PS, ACTU3A, ADKU & RCOU)				
				Package includes processor (with 512MB SD card, one external page output, one MOH/BGM interface, one relay contact), base cabinet, power supply, 32-port CO line/station license, 1 RCOU1A, 1 RCOS1A, and 2 ADKU1A cards.		2,295.00
66	CIX100-ECONOTWO	CIX100 8x16 Pkg (Cabinet/PS,ACTU3A, 2 ADKU, RCOU/RCOS)				
				Package includes processor (with 512MB Secure Digital card and 32-port CO line/station TDM licenses), base cabinet (with power supply), expansion cabinet (with power supply), 2 ABCS1A battery charger subassemblies with 2 ABTC1A-3M cables, LIPU-X1A IP inte		4,305.00
67	CIX100IPPKGLG	CIX100 IP Base Package Large.				
				Package includes processor (with 512MB Secure Digital card and 32-port CO line/station TDM licenses), base cabinet (with power supply), ABCS1A battery charger subassembly with ABTC1A-3M cable, and LIPU-X1A IP interface.		2,093.00
68	CIX100IPPKGSM	CIX100 IP Base Package Small.				

A		B		C		D
1	Part Number	Description		Comments		MSRP
133	CIX10012x24SY5	CIX100 12x24, iES32SYS, 5 DKT3210-SD, 5 DKT3220-SD Pkg.		Includes Processor, 512MB SD card, Base Cabinet & power supply, Expansion Cabinet & power supply, 32-port license, 2 RCOU3A, 1 RCOS3A, 1 BDKU1A, 1 BWDKU1A, 2 ABCS1A Battery Charger Sub, Strategy iES32-04-SYS, 5 DKT3210-SD, 5 DKT3220-SD.		11,460.00
134	CIX10012x24SY6	CIX100 12x24, iES32SYS, 10 DKT3220-SD Pkg.		Includes Processor, 512MB SD card, Base Cabinet & power supply, Expansion Cabinet & power supply, 32-port license, 2 RCOU3A, 1 RCOS3A, 1 BDKU1A, 1 BWDKU1A, 2 ABCS1A Battery Charger Subassembly, Strategy iES32-04-SYS, 10 DKT3220-SD.		11,707.50
135	CIX10012x24SY8	CIX100 12x24, iES32SYS, 10 DKT3220-S Pkg.		Includes Processor, 512MB SD card, Base Cabinet & power supply, Expansion Cabinet & power supply, 32-port license, 2 RCOU3A, 1 RCOS3A, 1 BDKU1A, 1 BWDKU1A, 2 ABCS1A Battery Charger Subassembly, Strategy iES32-04-SYS, 10 DKT3220-S.		11,137.50
136	CIX10012x24SY9	CIX100 12x24, iES32SYS, 10 DKT3214-SDL Pkg.		Includes Processor, 512MB SD card, Base Cabinet & power supply, Expansion Cabinet & power supply, 32-port license, 2 RCOU3A, 1 RCOS3A, 1 BDKU1A, 1 BWDKU1A, 2 ABCS1A Battery Charger Subassembly, Strategy iES32-04-SYS, 10 DKT3214-SDL.		13,087.50
137	ABCS1A	Battery Charger Subassembly for CIX/CTX100.		1 per cabinet required to trickle charge reserve batteries for battery backup.		128.00
138	ABTC1A-3M	Reserve Power Cable - CIX/CTX100 charger to batteries.		1 per cabinet to connect power supply CIX/CTX100 battery charger to customer-supplied reserve batteries.		38.00
139	ADKU1A	8-circuit Digital Station Interface Unit for CIX/CTX100.		Provides 8 digital station ports on CIX/CTX100.		398.00
140	AETS1A	Network Interface Card Subassembly for CIX/CTX100 ACTU1A.		Provides a 10base-T Ethernet LAN connection to CIX/CTX100. Mounts on the ACTU1A processor only. Not required for ACTU2A, ACTU2A-S, ACTU3A or ACTU3A-S processor.		143.00
141	ARCS1A	16-DTMF/ABR Receiver Subassembly for CIX/CTX100 ACTU1A.		1 per processor PCB for connection of DTMF standard telephones, DISA lines, DTMF DID lines, Tie lines, or Voice Mail/auto attendant devices. Mounts on the ACTU1A processor only. Not required for ACTU2A processor.		210.00
142	ASTU1A	2-circuit Standard Telephone Interface Unit for CIX/CTX100.		Does not occupy a card slot. Provides 2 standard telephone station ports. 1 port per DTMF or rotary telephone (no message waiting), or peripheral device such as Voice Mail, Auto Attendant, fax, etc. Requires Release 1.3 or higher software in CIX/CTX100.		297.00
143	CHSUE112A2	CIX/CTX100 Expansion Cabinet with Power Supply.		Maximum 1 per CIX/CTX100 system.		863.00
144	ACTU3A	CIX100 Common Control Processor Unit for R4.x software.		One per CIX100 system support R4.x software.		1,193.00
145	ACTU3A-S	CIX100-S System Common Control Processor Unit for R4.x software.		One per CIX100- S system - supports R4.x software.		1,193.00
146	APSU112A	Power Supply for CIX100 Base or Expansion Cabinet.		Used for replacement or spares.		278.00
147	CHSUB112A2	CIX/CTX100 Base Cabinet with Power Supply.		For replacement or spares. 1 per system. Requires ACTU1A processor.		765.00
148	CIX670-BASEPKG	CIX670 Basic System Package		Package includes system BCTU2A processor, AMDS1A modem, 512MB SD card, base cabinet, power supply, 64-port CO line/station license, and 4-DTMF receivers activated.		3,165.00
149	CIX670IPPKGLG	CIX670 IP Base Package Large.		Package includes processor (with 512MB Secure Digital card and 64-port CO line/station TDM licenses), BEXU1A expansion processor, base cabinet (with power supply), 2 expansion cabinets (with power supply), AMDS1A modem, 2 LIPU-X1A IP interfaces, and 2 LIP		9,870.00
150	CIX670IPPKGMED	CIX670 IP Base Package Medium.		Package includes processor (with 512MB Secure Digital card and 64-port CO line/station TDM licenses), base cabinet (with power supply), expansion cabinet (with power supply), AMDS1A modem, LIPU-X1A IP interface, and LIPS-X1A subassembly.		6,008.00
151	CIX670IPPKGSM	CIX670 IP Base Package Small.		Package includes processor (with 512MB Secure Digital card and 64-port CO line/station TDM licenses), base cabinet (with power supply), AMDS1A modem, and LIPU-X1A IP interface.		3,945.00
152	CIX670RM-BASEPK	CIX670 Rack Mount Basic System Package.		Package includes system BCTU2A processor, AMDS1A modem, 512MB SmartMedia card, Rack Mount base cabinet, power supply, 64-port CO line/station license, and 4-DTMF receivers activated.		3,216.00
153	CIX670RMIPPKGLG	CIX670 Rack-mount IP Base Package Large.		Package includes processor (with 512MB Secure Digital card and 64-port CO line/station TDM licenses), BEXU1A expansion processor, rack-mount base cabinet (with power supply), 2 rack-mount expansion cabinets (with power supply), AMDS1A modem, 2 LIPU-X1A IP		10,073.00
154	CIX670RMIPPKGMD	CIX670 Rack-mount IP Base Package Medium.		Package includes processor (with 512MB Secure Digital card and 64-port CO line/station TDM licenses), rack-mount base cabinet (with power supply), rack-mount expansion cabinet (with power supply), AMDS1A modem, LIPU-X1A IP interface, and LIPS-X1A subassem		6,135.00
155	CIX670RMIPPKGSM	CIX670 Rack-mount IP Base Package Small.		Package includes processor (with 512MB Secure Digital card and 64-port CO line/station TDM licenses), rack-mount base cabinet (with power supply), AMDS1A modem, and LIPU-X1A IP interface.		3,998.00
156	CIX670-IES16-LG	CIX670 iES16 Large System Package.		Package includes system BCTU2A & BEXU2A processor, AMDS1A modem, 512MB SD card , base cabinet & power supply, 192-port license, 4-DTMF receivers activated, Strategy iES16 12-port workstation + UM, and documentation.		14,009.00
157	CIX670-IES16-SM	CIX670 iES16 Small System Package.		Package includes system BCTU2A processor, AMDS1A modem, 512MB SD card, base cabinet & power supply, 64-port license, 4-DTMF receivers activated, Strategy iES16 8-port workstation + UM, and documentation.		9,354.00
158	CIX670-IES32-LG	CIX670 iES32 Large System Package.		Package includes system BCTU2A & BEXU2A processor, AMDS1A modem, 512MB SD card , base cabinet & power supply, 192-port license, 4-DTMF receivers activated, Strategy iES 32 12-port + UM, and documentation.		14,009.00
159	CIX670-IES32-SM	CIX670 iES32 Small System Package.		Package includes system BCTU2A processor, AMDS1A modem, 512MB SD card, base cabinet & power supply, 64-port license, 4-DTMF receivers activated, Strategy iES32 8-port + UM, and documentation.		9,354.00
160	CIX670RM-IES16L	CIX670 Rack Mount iES16 Large System Package.		Package includes system BCTU2A & BEXU2A processor, AMDS1A modem, 512MB SD card , Rack Mount base cabinet & power supply, 192-port license, 4-DTMF receivers activated, Strategy iES16 12-port workstation + UM, and documentation.		14,061.00
161	CIX670RM-IES16S	CIX670 Rack Mount iES16 Small System Package.		Package includes system BCTU2A processor, AMDS1A modem, 512MB SD card, Rack Mount base cabinet & power supply, 64-port license, 4-DTMF receivers activated, Strategy iES16 8-port workstation + UM, and documentation.		9,411.00
162	CIX670RM-IES32L	CIX670 Rack Mount iES32 Large System Package.		Package includes system BCTU2A & BEXU2A processor, AMDS1A modem, 512MB SD card , Rack Mount base cabinet & power supply, 192-port license, 4-DTMF receivers activated, Strategy iES 32 12-port + UM, and documentation.		14,061.00
163	CIX670RM-IES32S	CIX670 Rack Mount iES32 Small System Package.		Package includes system BCTU2A processor, AMDS1A modem, 512MB SD card, Rack Mount base cabinet & power supply, 64-port license, 4-DTMF receivers activated, Strategy iES32 8-port + UM, and documentation.		9,411.00
164	B50MT1A	Metal Mesh Shielding Kit for 25 pair cables..		1 for each Remote Cabinet stack when CHSUE672 is used.		45.00
165	BACL240A	208/240VAC Power Cord.		Required to connect Power Supply to 208 or 240VAC power.		53.00
166	BBDB1A	Battery Distribution Box.		1 per system required when 3 to 7 cabinets are connected to reserve batteries. Includes seven Power Supply to BBDB cables (5 ft.).		570.00
167	BBMS1A	Expansion Memory Module for CIX670 processor unit.		One per CIX670 system required to support over 192 ports or more than two cabinets if using BBCU processor. Requires BEXS1A. Mounts on BBCU processor card.		885.00
168	BBTC1A-2.0M	Reserve Power Cable (BBDB to Battery Terminal - 6.5ft.)		See BBDB. Need 1cable for 1~4 cabinets, and 2 cables for 5~7 cabinets to connect BBDB to reserve batteries.		135.00
169	BCCB120A	120VAC Conduit Connection Box.		Required for AC and battery connection when 3 to 5 cabinets are floor mounted. Not required for wall mounting.		585.00
170	BCCB240A	240VAC Conduit Connection Box.		Required for AC and battery connection when 3 to 5 cabinets are floor mounted. Not required for wall mounting.		555.00
171	BCTC1A	Remote Cabinet Top Cover.		As desired for CIX/CTX670/DK424i remote Expansion Cabinets.		98.00
172	BDCL1A-M2	Remote Cabinet Data Cable M2.		Connects M2 connector of an RRCU to a Data Highway Connector.		135.00
173	BDCL1A-MS1	Remote Cabinet Data Cable M1/S1.		Connects M1 or S1 connector of an RRCU to a Data Highway Connector.		120.00
174	BDCL1A-S2	Remote Cabinet Data Cable S2.		Connects S2 connector of an RRCU to a Data Highway Connector.		135.00
175	BEXS1A	Expansion Switching Module for CTX670 processor unit.		One per CTX670 system required to support over 192 ports or more than 2 cabinets if using BECU processor. Requires BBMS1A. Mounts on BECU processor card.		1,035.00
176	BFIF1A	Floor Mount Fixture Kit.		1 per system required when floor mounted. Includes 3 pairs of wall securing brackets for safety		150.00
177	BPSB240A	3-outlet 240VAC Power Strip Box (208 or 240VAC Cord).		1 required with 2 or 3 Base/Expansion Cabinets. 2 required with 4 or 5-cabinet system		255.00
178	BRPSB120A	3-outlet 120VAC Power strip for CIX/CTX Rack Mount Cab.		One Required for 3 Rack Mount cabinets, two required for 4 or 5 Rack Mount cabinets (two isolated 120vac AC outlets required).		150.00

A		B		C		D
1	Part Number	Description		Comments		MSRP
179	BRPSB240A	3-outlet 240VAC Power strip for CIX/CTX Rack Mount Cab		Always Required for 6 or 7 Rack Mount cabinet CIX/CTX670 systems. Two required for 4 or 5 Rack Mount cabinets (one isolated 240vac AC outlet required.) Three required for 6 or 7 Rack Mount cabinets (one isolated 240vac AC outlet required).		326.00
180	DPFT-102	8-Circuit Power Failure Transfer Unit.		1 per 8 CO lines (switched to customer-supplied standard telephones if AC power fails). 1 RSTU or RDSU required for each DPFT.		240.00
181	PBTC-3M	Reserve Power Cable - Cabinet PS to Battery Terminal.		1 per cabinet (maximum 2) to connect power supply battery charger to customer-supplied reserve batteries. 3 and more cabinet configurations require the BBTC1A-2.0M cable.		53.00
182	RDCC1A	Remote Cabinet Daisy Chain Cable.		1 required at the intermediate site of a daisy chain configuration to connect the S2 data cable from one RRCU to the M1 of the other.		188.00
183	RPSB2A	3-Outlet AC Power Strip Box (Standard 120VAC Cord).		1 required with 2 or 3 Base/Expansion Cabinets when one 120 VAC power cord from system is allowed. 1 req. with 3 or 4 Base/Exp. Cabinets when 2 120 VAC power cords are allowed. 2 required with 5 Base/Exp. Cabinets when 2 120 VAC power cords are allowed.		135.00
184	RRCU1A	Remote Cabinet Interface Unit.		1 required in the master location and 1 in the slave location for each remote site. 1 pair supports up to 2 Expansion Cabinets at the remote location.		2,220.00
185	RWBF1A	Wall Brackets (1 pair).		Used with floor mounting to secure cabinets to wall. 3 pairs included in BFIF for up to 6 cabinets		18.00
186	BCTU2A	CIX670 Basic R4.x Processor (Ports 1-192).		One per CIX670 system required to support 4.x software and up to 192 ports and up to 2 cabinets with out Remote Maintenance Modem.		2,430.00
187	BEXU1A	CIX/CTX670 R3.x Expansion Processor for BCTU1A (Ports 193-672)		One per CIX670 system required to support over 192 ports or more than 2 cabinets. Requires BCTU1A (not compatible with BCTU2A)		1,800.00
188	BEXU2A	CIX670 R4.x Expansion Processor for BCTU2A (Ports 193-672).		One per CIX670 system required to support Release 4.x software and over 192 ports or more than 2 cabinets. Requires BCTU2A (not compatible with BCTU1A)		1,800.00
189	BPSU672A	Power Supply for CIX/CTX670/DK424i Base or Exp. Cabinet.		Used for replacement or spares.		525.00
190	BRPSU672A	Power Supply for CIX/CTX670A/DK424i Rack Mount Cabinet.		Spare Power Supply for CIX/CTX670 Base or Expansion Rack Mount cabinet. This power supply comes equipped from factory in Rack Mount cabinets.		581.00
191	CHSUB672A	CIX670/DK424i Base Cabinet without Power Supply.		Used for replacement or spares.		720.00
192	CHSUB672A+PS	CIX/CTX670/DK424i Base Cabinet with Power Supply.		1 per system. CIX/CTX670 Base cabinet requires the BCTU2A processor - this processor will support up to 1 expansion cabinet. If Remote maintenance is needed on a CIX/CTX670 with a BCTU2A processor, an AMDS1A subassembly is required. DK424i requires either		1,095.00
193	CHSUE672A	CIX/CTX670/DK424i Expansion Cabinet without Power Supply.		Used for replacement or spares.		885.00
194	CHSUE672A+PS	CIX/CTX670/DK424i Expansion Cabinet with Power Supply.		Maximum 6 per CIX/CTX670 system. If 1 expansion cabinet is needed for the CIX/CTX670, the Base cabinet is required to have the BCTU2A processor. If 2 or more expansion cabinets are needed for CIX/CTX670, the Base cabinet is required to have the BCTU2A an		1,133.00
195	CRSUB672A	CIX670 Rack Mount Base Cabinet with Power Supply		1 per system. CIX/CTX670 Rack Mount Base cabinet requires the BCTU2A processor - this processor will support up to 1 expansion cabinet. If Remote maintenance is needed on a CIX/CTX670 with a BCTU2A processor, an AMDS1A subassembly is required. DK424i requ		1,140.00
196	CRSUE672A	CIX670 Rack Mount Exp. Cabinet with Power Supply		Maximum 6 per CIX/CTX670/DK424i system. If 1 Rack Mount expansion cabinet is needed for the CIX/CTX670/DK424i, the Rack Mount Base cabinet is required to have the BCTU2A processor. If 2 or more Rack Mount expansion cabinets are needed for CIX/CTX670, t		1,215.00
197	CIX200IPPKGLG	CIX200 IP Base Package Large.		Package includes processor (with 64MB Smart Media card and 32-port CO line/station TDM licenses), base cabinet (with power supply), expansion cabinet (with power supply), LIPU-X1A IP interface, LIPS-X1A IP subassembly, and LEXU1A connector.		4,305.00
198	CIX200IPPKGSM	CIX200 IP Base Package Small.		Package includes processor (with 64MB Smart Media card and 32-port CO line/station TDM licenses), base cabinet (with power supply), LIPU-X1A IP interface and LEXU1A connector.		2,693.00
199	CHSUB192A	CIX200 Base Cabinet with Power Supply.		1 required per system. Rack-mounted cabinet contains 1 dedicated processor slot plus 3 universal slots. Requires LCTU1A processor.		801.00
200	CHSUE192A	CIX200 Expansion Cabinet with Power Supply.		Maximum 1 per system. Rack-mounted cabinet contains 4 universal slots. Requires CHSUB192A.		899.00
201	LCNU-A1A	Connector for BDKU (without BDKS) or RSTU.		1 required per BDKU (without BDKS) or RSTU card installed in a Strata CIX200 slot to provide 8 RJ-45 connectors. Not required when using amphenol connectors.		59.00
202	LCNU-B1A	Connector for BWDKU or BDKU with BDKS.		1 required per BWDKU or BDKU with BDKS card installed in a Strata CIX200 slot to provide 16 RJ-45 connectors. Not required when using amphenol connectors.		59.00
203	LCNU-C1A	Connector for RCOU or RGLU or RDDU.		1 required per RCOU or RGLU or RDDU card installed in a CIX200 slot to provide RJ-45 connectors. Not required when using amphenol connectors.		59.00
204	LCNU-D1A	Connector for RBSU or RBUU or REMU.		1 required per RBSU or RBUU or REMU card installed in a CIX200 slot to provide RJ-45 connectors. Not required when using amphenol connectors.		59.00
205	LCNU-E1A	Connector for RCIU.		1 required per RCIU card installed in a Strata CIX200 slot to provide RJ-45 connectors. Not required when using amphenol connectors.		59.00
206	LCTU1A	CIX200 Common Control Processor Unit for R3.x or R4.x software.		1 required per system. Installs in base cabinet. Requires CHSUB192A. Includes 32 TDM port licenses (8 x LIC-4 BASIC). Supports CIX R3.x and R4.x software.		1,169.00
207	LEXU-A1A	Extender for LIPU-X1A.		1 required per LIPU-X1A card installed in a Strata CIX200 slot.		59.00
208	LEXU-B1A	Extender for BPTU or RDTU.		1 required per BPTU or RDTU card installed in a Strata CIX200 slot.		59.00
209	LEXU-C1A	Extender for iES32 or IVP8.		1 required for iES32 or IVP8 installed in a Strata CIX200 slot.		59.00
210	LPFU1A	8-circuit CIX200 Power Failure Transfer Unit.		1 per 8 CO lines (switched to customer-supplied standard telephones if AC power fails). 1 BSTU or LSLU or RDSU required for each LPFU1A.		579.00
211	LSLU1A	2-circuit Standard Station Interface Unit without MW.		For analog device connection to Strata CIX200 without message waiting light functionality. One per system maximum. Installs in dedicated slot in base cabinet. Requires CHSU192A		311.00
212	LIC100S-8 PORTS	8-port Line/Station License CIX100S (17-24/25-32 Ports)		Required for CO Line/Station Ports 17-24 and 25-32 on a ACTU2A-S processor.		938.00
213	LIC100-STRATA N	CIX/CTX100 Strata® Net Networking Application License.		One per CTX or CIX 100 system (node) required to network multiple systems using Strata® Net networking.		1,500.00
214	LIC200-STRATA N	CIX200 Strata® Net Networking Application License.		One per CIX 200 system (node) required to network multiple systems using Strata® Net networking		1,500.00
215	LIC-4 BASIC	4-port CO Line/Station License for Strata CIX/CTX Systems		Required for every 4 ports used for CO lines, DKT or SLT stations, Attendant Consoles, voice mail ports, Strata Net and ACD announcement ports beyond the ports bundled with the system processor.		113.00
216	LIC-4 DTMF	4-port DTMF Receiver License for Strata CIX/CTX Systems.		Required for activation of 4 DTMF receiver ports number 5 and above on system. Maximum is determined by the CTU card in use.		218.00
217	LIC670-STRATA N	CIX/CTX670 Strata® Net Networking Application License.		One per CTX or CIX 670 system (node) required to network multiple systems using Strata® Net networking.		3,000.00
218	LIC-ACD	ACD Server License for Strata CIX/CTX Systems.		Required to activate ACD support in a Strata CIX/CTX system (This license is included with ACD turnkey packages and software packages).		900.00
219	LIC-CIX-FF	FeatureFlex license for Strata CIX.		Strata CIX license to activate FeatureFlex. Requires one per CIX system to run FeatureFlex applications.		210.00
220	LIC-CIX-IP PORT	IP Endpoint License for Strata CIX.		IP Endpoint License required per IP telephone connected to LIPU/S-X.		90.00
221	LIC-SER PORT	Serial Port License required for 2nd BSIS Port on Strata CIX/CTX.		One each required to activate serial ports 2-4 in Strata CTX and CIX systems (license for serial port 1 included with BSIS).		191.00
222	LIC-SOFTIPT	License for one SoftIPT user on Strata CIX/CTX systems.		1 required for each SoftIPT application interfaced to the Strata CTX or CIX. 1 LIPU-X or LIPS-X or BIPU-M port required for each SoftIPT. Requires IP endpoint license when connected to LIPU/S-X.		198.00
223	AMDS1A	Remote Maintenance Modem for ACTU, ACTU-S, LCTU, or BCTU.		1 per system, required if remote maintenance modem is needed. Mounts on the CIX100 with ACTU1A, ACTU2A or ACTU2A-S, ACTU3A or ACTU3A-S processor. Mounts on CIX200 on LCTU1A. Mounts on CIX670 with BCTU1Aor BCTU2A processor. Not needed for CTX670 with BECU1		225.00
224	BCOCIS1A	4-circuit analog Loop Start CO Line with MW&Caller ID Interface.		Provides 4 CO/PBX/Centrex loop start line circuits with built-in Caller ID interface. Plug onto BCOCIU assembly. BCOCIU with BCOCIS provide 8 CO/PBX/Centrex loop start line circuits with built-in Caller ID.		642.00
225	BCOCIU1A	4-circuit analog Loop Start CO Line with MW&Caller ID Interface.		Provides 4 CO/PBX/Centrex loop start line circuits with built-in Caller ID interface. Accepts BCOCIS subassembly.		833.00
226	BDKS1A	8-circuit Digital Station Interface Subassembly.		Provides 8 additional digital station ports. Mounts on BDKU1A.		533.00

A		B		C		D
1	Part Number	Description		Comments		MSRP
227	BDKU1A	8-circuit Digital Station Interface Unit.		Provides 8 digital station ports for connection of 3000-series or 2000-series DKTs, DSS Console, DDCB, or CTX Attendant Console. Has connectors for an 8-circuit subassembly (BDKS1A) for use with Strata CTX.		548.00
228	BIOU1A	Option Paging, Relay Control and MOH Interface Unit.		Provides four-zone paging, three MOH inputs with volume control, four control relays, Background Music (BGM) mute, and a 600 ohm or 3-watt amplifier page output. Maximum 2 BIOU per CIX670 system.		525.00
229	BPTU1A	ISDN Primary Rate Interface Unit.		Provides 23 channels for ISDN PRI service on CIX670, CIX200, CIX100 or DK424i, and 12 channels for DK40i (requires R4.3). Strata® Net network connection using BPTU1A PRI interface always requires an external CSU. Requires RPRI-CBL-KIT.		2,475.00
230	BPTU1F	30 channel E1 ISDN Primary Rate Interface card.		Provides 30 channels for E1 ISDN PRI service on CIX (used in Mexico). Requires one external SP201-SA-02-A1 Signal Gateway Unit and one RPRI-CBL-KIT (see E1 Package).		2,174.00
231	BSIS1A	4-port Serial Interface Subassembly.		Provides two RS-232 serial ports with modular jacks. Required for SMDR or SMDI. Mounts on ACTU or BECU processor card. Includes 1 serial port license. Additional serial port license required to activate serial port 2.		330.00
232	BSLS1A	8-circuit Standard Telephone Interface Unit without MW.		Provides 8 standard telephone station ports, requires and mounts on BSLU1A. 1 port per DTMF or rotary telephone, or peripheral device such as Voice Mail, Auto Attendant, fax, etc. Does not support message waiting lamp control or OPS.		510.00
233	BSLU1A	8-circuit Standard Telephone Interface Unit without MW.		Provides 8 standard telephone station ports, accepts BSLS1A subassembly. 1 port per DTMF or rotary telephone, or peripheral device such as Voice Mail, Auto Attendant, fax, etc. Does not support message waiting lamp control or OPS.		600.00
234	BSTCIU1A	8-circuit Standard Telephone Interface with MW..		Provides 8 standard telephone station ports with Message Waiting and built-in Caller ID interface. 1 port per DTMF or rotary telephone. 1 port per off-premises station, type OL13B line.		1,193.00
235	BSTU1A	8-circuit Standard Telephone Interface Unit with MW.		Provides 8 standard telephone station ports. 1 port per DTMF or rotary telephone, or peripheral device such as Voice Mail, Auto Attendant, fax, etc. 1 port per off-premises station, type OL13B line.		848.00
236	BVPU1A	4-port Toshiba Voice Over IP Interface Unit.		One BVPU required per Strata CTX or Strata DK system connected to the VoIP network.		4,425.00
237	BWDKU1A	16-Circuit Digital Station Interface Unit.		Provides 16 digital station ports for connection of 3000/3200-series or 2000-series DKTs, DSS Console, DDCB, or CTX Attendant Console on Strata CIX/CTX systems. It also supports Toshiba Cordless and Spectralink Wireless interface units and Handsets. It pr		1,065.00
238	E1 Package	E1 ISDN Primary Rate Interface Kit.		Provides 31 channels of E1 ISDN PRI service on CIX (used in Mexico). Includes one CIX BPTU1F E1 PRI Interface Unit, one external Encore Networks SP201-SA-02-A1 converter and RPRI-CBL-KIT cable kit.		4,793.00
239	FER-CORE-ISDN	Ferrite Core for ISDN Circuit Cards.		1 required for each TBSU, TBUU, RBSU, or RBUU.		15.00
240	LIPS-X1A	16-channel IP Interface Sub-assembly.		Mounts on LIPU-X and shares the same Strata CIX slot. Requires LIPU-X1A, and the same port licensing applies.		1,199.00
241	LIPU-X1A	16-channel IP Interface Unit.		1 LIPU/LIPS channel required for each IP telephone, each MAS voice mail port, each MAS ACD voice announce port, and each Strata® Net IP networking channel in a Strata CIX system. One LIC-CIX-IP PORT license is required for each IP telephone. A LIC-4 BASIC		1,199.00
242	NDTU CABLE	T1 Interface Cable for RDTU2A or RDTU1A.		1 for each RDTU2A or RDTU1A. Not compatible with RDTU3A.		113.00
243	R40S1A	Local ISDN PS1 Power Supply		Provides local power for one ISDN device.		285.00
244	R48S1A	48 Volt Subassembly - Mounts on RSTU2 or RDSU.		1 per RSTU or RDSU. Required for use of OL13C OPS lines (instead of OL13B).		98.00
245	RBSS1A	2-circuit ISDN S/T-type Basic Rate Interface Sub.		Attaches to the RBSU to provide 2 additional BRI S/T interfaces that can be used for station side ISDN connections only. Requires R4.1 or higher and 1 Ferrite Core for each BRI line connected to the RBSS.		420.00
246	RBSU2A	2-circuit ISDN S/T-type Basic Rate Interface Unit.		Provides 2 BRI S/T (4-wire) interfaces for network or station side ISDN. Accepts RBSS 2-port subassembly. BRI S/T network connections require external NT-1 for each BRI line. Requires R4.1 or higher and 1 Ferrite Core for each BRI line connected to RBSU.		758.00
247	RBUS1A	2-circuit ISDN U-type Basic Rate Interface Subassembly.		Attaches to the RBUU to provide 2 additional BRI U interfaces that can be used for network- or station-side ISDN connections. Requires R4.3 or higher and 1 Ferrite Core for each BRI line connected to the RBUS.		465.00
248	RBUU1A	2-circuit ISDN U-type Basic Rate Interface Unit.		Provides 2 BRI U (2-wire) interfaces that can be used for network- or station-side ISDN connections. The RBUU has connectors for a 2-port add-on subassembly. Requires Rel. 4.3 or higher and 1 Ferrite Core for each BRI line connected to RBUU.		825.00
249	RCIS1A	4-circuit Caller ID Interface Subassembly for RCOS or RGLU.		1 per RCIU2. The RCIS installs piggyback onto the RCIU2 to provide an additional 4 Caller ID circuits, totaling 8 per slot. Promo price effective through March 31, 2006.		300.00
250	RCIU2A	4-circuit Caller ID Interface Unit for RCOU or RGLU		1 RCIU2 for each 4 loop start lines on RCOU or RGLU or each 4 ground/loop start lines on RGLU to provide Caller ID. The RCIU2 accepts the RCIS subassembly. Promo price effective through March 31, 2006.		435.00
251	RCMS1A	2-circuit E911 CAMA Interface Subassembly.		Attaches to the RMCU to provide 2 CAMA trunk circuits. Maximum 2 RCMS subassemblies per RMCU card. Requires R4.3 or higher software.		428.00
252	RCOS3A	4-circuit analog Loop Start CO Line Subassembly		1 per RCOU. The RCOS attaches to the RCOU to provide 4 additional loop start CO/PBX/Centrex line circuits.		321.00
253	RCOU3A	4-circuit analog Loop Start CO Line Interface Unit		Provides 4 CO/PBX/Centrex loop start line circuits. Accepts RCOS subassembly.		398.00
254	RDDU2A	4-circuit analog Direct Inward Dialing Interface Unit		1 for each 4 DID line circuits. Primary protectors required. See General Description for maximums. No ABR available.		735.00
255	RDSU1A	Digital/Standard Telephone Interface Unit.		1 per 4 digital station ports plus 2 standard station ports.		600.00
256	RDTU3A	T1/DS-1 Interface Unit.		Provides 24 channels for T1 Service on CIX200, CIX/CTX670, CIX/CTX100, or DK424i, and 12-channels on DK40i (requires R4.3). Network connection requires an external CSU. Each RDTU3A requires 1 RDTU3-CBL-KIT cable kit.		1,575.00
257	RDTU3-CBL-KIT	T1 Interface Cable Kit for RDTU3A.		1 required for each RDTU3A. Not compatible with RDTU2A or RDTU1A.		105.00
258	REMU1A	4-circuit analog Tie Line Interface Unit.		1 for each 4 E&M Tie line circuits (type 1 or 2, 2-wire or 4-wire). Primary protectors required		1,065.00
259	RGLU3A	4-circuit Ground/Loop Start CO Line Interface Unit.		1 for each 4 ground start/loop start analog CO lines. Type of lines can be mixed		615.00
260	RMCU1A	Enhanced 911CAMA Trunk Interface Unit (requires 1 or 2		Requires 1 or 2 RMCS subassemblies to provide 2 or 4 CAMA trunk circuits. Requires R4.3 or higher software.		450.00
261	RPRI-CBL-KIT	ISDN PRI Cable Kit with Ferrite Core.		1 required for each BPTU or RPTU PRI interface.		113.00
262	RSTS1A	2-circuit Standard Telephone Interface Subassembly.		1 per RDSU. The RSTS attaches to the RDSU to provide 2 additional standard station ports.		270.00
263	RUPTU2	Firmware Upgrade Kit for RPTU1 PRI (Qsig networking).		Required to upgrade the RPTU1 PRI interface for StrataNet QSIG networking using DS-1 circuits.		150.00
264	SD-512MB	512MB Secure Digital Media Card for CIX R4.0 Processors		One 512MB Secure Digital Media Card for CIX R4.0 Processors is shipped with each Strata CIX bundled package system (Used on ACTU3A and BCTU2A). This part can be ordered for spares or replacements.		135.00
265	SM0064MB	64MB SmartMedia flash memory card for CIX/CTX R1 to R3 processors		For replacements or spares. Installs on R3.x or earlier processors for CIX/CTX100, CIX/CTX670, or CIX200. (Used on ACTU1A, ACTU2A, BCTU1A and LCTU1A)		41.00
266	SP201-SA-02-A1	E1 ISDN PRI Signal Gateway Unit for BPTU1F interface card.		Encore Networks ET1 PRI Signal Gateway Unit - one required for each CIX BPTU1F PRI interface (used in Mexico).		3,833.00
267	PPTC	Modular Connector (Male) to DB25 (25-pin).		Required to connect a terminal device to the RS-232, SMDR or TTY maintenance port on the WSIU, TSIU, BSIS, RSSU, RSIU, RSIS, PIOU, or PIOUS. 6-wire modular cord required.		30.00
268	PPTC-25F	ModularConnector (Female) to DB25 (25-pin).		Required to connect a 25-pin PC COM port to the RS-232, SMDI or SMDR, or TTY maintenance port on the WSIU, TSIU, BSIS, RSSU, RSIU, RSIS, PIOU, or PIOUS. 6-wire modular cord required.		30.00
269	PPTC-9	Modular DB9 connector for connecting an SMDI or SMDR PC		Required to connect a 9-pin PC COM port to the RS-232, SMDI or SMDR, or TTY maintenance port on the WSIU, TSIU, BSIS, RSSU, RSIU, RSIS, PIOU, or PIOUS. 6-wire modular cord required.		30.00
270	MAS-12VM-PKG	Media Application Server with software and 12 Port VM licenses.		Strata Media Application Server with 12 HMP port licenses. Includes pre-loaded software for 12-port Strategy ES Voice Processing, eManager browser-based Administration/Management, plus the Unified Messaging Feature Group with 5 client seats. Additional voi		12,113.00
271	MAS-16VM-PKG	Media Application Server with software and 16 Port VM licenses.		Strata Media Application Server with 16 HMP port licenses. Includes pre-loaded software for 16-port Strategy ES Voice Processing, eManager browser-based Administration/Management, plus the Unified Messaging Feature Group with 5 client seats. Additional voi		16,013.00
272	MAS-20VM-PKG	Media Application Server with software and 20 Port VM licenses.		Strata Media Application Server with 20 HMP port licenses. Includes pre-loaded software for 20-port Strategy ES Voice Processing, eManager browser-based Administration/Management, plus the Unified Messaging Feature Group with 5 client seats. Additional voi		19,913.00

A		B	C	D
1	Part Number	Description	Comments	MSRP
273	MAS-24VM-PKG	Media Application Server with software and 24 Port VM licenses.	Strata Media Application Server with 24 HMP port licenses. Includes pre-loaded software for 24-port Strategy ES Voice Processing, eManager browser-based Administration/Management, plus the Unified Messaging Feature Group with 5 client seats. Additional voi	23,813.00
274	MAS-28VM-PKG	Media Application Server with software and 28 Port VM licenses.	Strata Media Application Server with 28 HMP port licenses. Includes pre-loaded software for 28-port Strategy ES Voice Processing, eManager browser-based Administration/Management, plus the Unified Messaging Feature Group with 5 client seats. Additional voi	27,713.00
275	MAS-32VM-PKG	Media Application Server with software and 32 Port VM licenses.	Strata Media Application Server with 32 HMP port licenses. Includes pre-loaded software for 32-port Strategy ES Voice Processing, eManager browser-based Administration/Management, plus the Unified Messaging Feature Group with 5 client seats. Additional voi	31,613.00
276	MAS-4VM-PKG	Media Application Server with software and 4 Port VM licenses.	Strata Media Application Server with 4 HMP port licenses. Includes pre-loaded software for 4-port Strategy ES Voice Processing, eManager browser-based Administration/Management, plus the Unified Messaging Feature Group with 5 client seats. Additional voice	4,313.00
277	MAS-8VM-PKG	Media Application Server with software and 8 Port VM licenses.	Strata Media Application Server with 8 HMP port licenses. Includes pre-loaded software for 8-port Strategy ES Voice Processing, eManager browser-based Administration/Management, plus the Unified Messaging Feature Group with 5 client seats. Additional voice	8,213.00
278	LICMAS4PORTUPG	4 port voice mail upgrade for MAS.	Upgrade license for the Media Application Server available on FYI. Provides 4 additional voice mail ports to a maximum of 32 ports.	4,500.00
279	LICMASFGASRAA	Auto Speech Recognition Auto Attendant for MAS.	This Feature Group for the Media Application Server includes the first 2 channels. Maximum 8 Channels.	2,250.00
280	LICMASFGTTSETI	Text-To-Speech Feature Group for MAS.	This Feature Group for the Media Application Server uses ETI Eloquence TTS to provide 2 channels of Text To Speech for reading email messages. REQUIRES Release 4 Strategy ES/iES32 system software and the Unified Messaging (UM) Feature Group to be install	2,418.00
281	LICMASUM10SEATS	10 Seat Unified Messaging Upgrade for MAS.	Upgrade license for the Media Application Server available on FYI. Requires UM Feature Group. Unified Messaging Seat Upgrades are added incrementally in the Strategy ES. The UM Feature Group includes 5 UM client seats. With LICMASUM10SEATS, total UM seat	750.00
282	LICMASUM25SEATS	25 Seat Unified Messaging Upgrade for MAS.	Upgrade license for the Media Application Server available on FYI. Requires UM Feature Group. Unified Messaging Seat Upgrades are added incrementally in the Strategy ES. The UM Feature Group includes 5 UM client seats. With LICMASUM25SEATS, total UM seats	1,125.00
283	LICMASUM50SEATS	50 Seat Unified Messaging Upgrade for MAS.	Upgrade license for the Media Application Server available on FYI. Requires UM Feature Group. Unified Messaging Seat Upgrades are added incrementally in the Strategy ES. The UM Feature Group includes 5 UM client seats. With LICMASUM50SEATS, total UM seat	2,700.00
284	LICMASUMUNLIMIT	Unlimited Seat Unified Messaging Upgrade for MAS.	Upgrade license for the Media Application Server available on FYI. Requires UM Feature Group	7,500.00
285	LICMASUPASRAA-2	2 Channel upgrade for ASR AA for MAS.	Upgrade license for the Media Application Server available on FYI. Requires ASR AA Feature Group. Maximum 8 Channels .	1,125.00
286	LICMASUPTTSETI	2 Channel upgrade for Text To Speech for MAS.	Upgrade license for the Media Application Server available on FYI. Requires prior installation of LICMASFGTTSETI. Maximum 8 Channels.	2,418.00
287	SES-SPANISH	Optional Spanish system voice prompts for Strategy ES/iES32/MAS	As desired for installing neutral Spanish prompts on a Strategy iES32, ES standalone, or Media Application Server system. One copy required for each system upgrade.	450.00
288	LICMAS-FF-ACLK	FeatureFlex application license for FF Alarm Clock.	Application license to run FeatureFlex Alarm Clock application to provide the alarm clock funtion on the DKT and IPT phone.	105.00
289	LICMAS-FF-APBD1	FeatureFlex application license for FF Application Bundle #1.	FeatureFlex application license bundle that includes FF Call Monitor, FF Call Return, FF Alarm Clock, FF One Number Access, and FF Call Screen.	419.00
290	LICMAS-FF-CMON	FeatureFlex application license for FF Call Monitor.	Application license to run FeatureFlex Call Monitor application which enables the user to listen to the voice message being recorded by the caller.	210.00
291	LICMAS-FF-CRET	FeatureFlex application license for FF Call Return.	Application license to run FeatureFlex Call Return application which enables the user to respond to the caller while listening to the messaeg and return to the voice mail.	210.00
292	LICMAS-FF-CSCR	FeatureFlex application license for FF Call Screen.	Application license to run FeatureFlex Call Screen application where the call is screened selectively by the caller ID.	300.00
293	LICMAS-FF-ONUM	FeatureFlex application license for FF One Number Access.	Application license to run FeatureFlex One Number Access application where the system contacts multiple destinations sequentially to reach the party.	300.00
294	MAS-ACDBA10-PKG	Strata ACD MAS turnkey (10 basic agent, 1 VA, 1 HMP).	Strata ACD turnkey package includes MAS platform, SW, and LICMAS-ACDBA10A (LICMAS-ACDBA10/1 HMP/CIX ACD license). Used when VA port exceeds 16 on the MAS with Voice Mail. Requires keyboard, nouse and monitor when Remote Desktop is not available.	5,144.00
295	MAS-ACDBA20-PKG	Strata ACD MAS turnkey (20 basic agent, 2 VA, 2 HMP).	Strata ACD turnkey package includes MAS platform, SW, and LICMAS-ACDBA20A (LICMAS-ACDBA20/2 HMP/CIX ACD license). Used when VA port exceeds 16 on the MAS with Voice Mail. Requires keyboard, nouse and monitor when Remote Desktop is not available.	5,894.00
296	MAS-ACDEN20-PKG	Strata ACD MAS turnkey (20 enhanced agent, 2 VA, 2 HMP).	Strata ACD turnkey package includes MAS platform, SW, and LICMAS-ACDEN20A (LICMAS-ACDEN20/2HMP/CIX ACD license). Used when VA port exceeds 16 on the MAS with Voice Mail. Requires keyboard, mouse and monitor when Remote Desktop is not available.	6,426.00
297	LICMAS-ACDBA10A	Strata ACD MAS license (10 basic agent, 1 VA, 1 HMP).	Strata ACD license for MAS with pre installed Toshiba application SW includes LICMAS-ACDBA10 (Basic 10 agent/1 VA), 1 HMP, and CIX ACD license. Requires Media Application Server with Stratagy Voice Mailsystem.	1,929.00
298	LICMAS-ACDBA20A	Strata ACD MAS license (20 basic agent, 2 VA, 2 HMP).	Strata ACD license for MAS with pre installed Toshiba application SW includes LICMAS-ACDBA20 (Basic 20 agent/2 VA), 2 HMP, and CIX ACD license. Requires Media Application Server with Stratagy Voice Mail system.	2,571.00
299	LICMAS-ACDEN20A	Strata ACD MAS license (20 enhanced agent, 2 VA, 2 HMP).	Strata ACD license for MAS with pre installed Toshiba application SW includes LICMAS-ACDEN20 (Enhanced 20 agent/2 VA), 2 HMP, and CIX ACD license. Requires Media Application Server with Stratagy Voice Mail system.	3,215.00
300	LICMAS-ACDVA	VA port license with HMP license.	1 VA port license and 1 HMP license used for announcement. Requires MAS based ACD system.	750.00
301	LICMAS-BA10AON	Strata ACD SW addon (basic 10 agent, 1 VA port)	Strata ACD SW addon module includes Basic ACD 10 agent/1 VA port license only. Used for adding ACD application to existing NetPhone system or make Basic 10 agent system eligible for upgrade to Enhanced system.	1,500.00
302	LICMAS-BA20AON	Strata ACD SW addon (basic 20 agent, 2 VA port)	Strata ACD SW addon module includes Basic ACD 20 agent/2 VA port license only. Used for adding ACD application to existing NetPhone system.	2,144.00
303	LICMAS-BASADD20	Strata ACD Basic ACD 20 agent add-on license for MAS.	Requires Strata ACD Basic license. One add-on license is required for each additional 20 basic agent and 10 group.	525.00
304	LICMAS-EN20AON	Strata ACD SW addon (enhanced 20 agent, 2 VA port)	Strata ACD SW addon module includes Enahanced ACD 20 agent/2 VA port license only. Used for adding ACD application to existing NetPhone system.	2,786.00
305	LICMAS-ENADD20	Strata ACD Enhanced ACD 20 agent add-on license for MAS.	Requires Sytara ACD Enhanced license. One add-on license is required for each additional 20 enhanced agent and 10 group.	825.00
306	LICMAS-UPGADD20	Strata ACD upgrade to enhanced for MAS, add 20 agents.	Upgrades additioanl 20 agent/10 group Strata ACD Basic for MAS to Enhanced ACD. Required for each additional 20 agents/10 group beyond the initial 20 agent/10 group.	338.00
307	LICMAS-UPGENHD	Strata ACD upgrade to enhanced for MAS, 1st 20 agents.	Upgrade initial 20 agent/10 group Strata ACD Basic for MAS to Enhanced ACD.	675.00
308	LICMAS-ACDIVR	OAISYS IVR Option with Database Assistant & Text Reader.	Provides IVR operation with customer's existing ODBC database. Requires custom development quote from Computer Telephony Solutions, Inc. to create the IVR application. Requires Strata ACD for MAS.	3,525.00
309	LICMAS-CALLRUTR	OAISYS Call Router License for Strata ACD for MAS.	Provides advanced call routing capabilities for ACD or CTI applications. Requires Strata ACD for MAS.	1,943.00
310	LICMAS-CHATSEAT	OAISYS Chat Text Messaging License.	Provides Text Messaging capabilities. Requires Strata ACD for MAS. One license is required for each user.	69.00
311	LICMAS-NETPHA	OAISYS NetPhone server and client.	OAISYS Netphone server and 3 client licenses (LICMAS-NETPH) and LIC-ACD to be used on the MAS platform without ACD software.	1,629.00
312	LICMAS-NETPH-VO	Voice plug-in for NetPhone for MAS	Voice plug-in license to support VoIP for NetPhone for MAS. Requires the NetPhone license (LICMAS-NETSEAT) as well as IP end point license (LIC-CIX-IP-PORT).	80.00
313	LICMAS-NETSEAT	OAISYS NetPhone and chat license for MAS.	Provides desktop call control, PC phone functionality, and Chat text messaging capabilities. Requires Strata ACD for MAS. One license is required for each user.	189.00
314	LICMAS-INSIGHT	Insight license for MAS	Includes the license to activate Insight for MAS. Requires Strata ACD for MAS.	3,750.00

A		B	C	D
1	Part Number	Description	Comments	MSRP
315	LICMAS-INSITSUB	Additional Supervisor license for Insight Plus for MAS.	Includes the license to activate additional one Supervisor for Insight for MAS. Requires Insight Plus for MAS.	3,300.00
316	LICMAS-INSITUPG	Insight upgrade to Plus for Strata ACD for MAS.	Includes the license to upgra to Insight Plus. Requires Insight for MAS.	2,250.00
317	LICMAS-INVIEW1	inView client license for one user.	Includes the license to activate one concurrent inView client.	600.00
318	LICMAS-INVIEW10	inView client license for ten users.	Includes the license to activate ten concurrent inView clients.	3,450.00
319	LICMAS-INVIEW20	inView client license for twenty users.	Includes the license to activate twenty concurrent inView clients.	6,300.00
320	LICMAS-INVIEW30	inView client license for thirty users.	Includes the license to activate thirty concurrent inView clients.	8,100.00
321	LICMAS-INVIEW40	inView client license for forty users.	Includes the license to activate forty concurrent inView clients.	9,750.00
322	LICMAS-INVIEW5	inView client license for five users.	Includes the license to activate five concurrent inView clients.	1,875.00
323	LICMAS-INVIEW50	inView client license for fifty users.	Includes the license to activate fifty concurrent inView clients.	11,250.00
324	LICMAS-TASAGENT	TASKE Contact Agent for MAS	License to add an agent in TASKE reporting for MAS.	215.00
325	LICMAS-TASBASE	TASKE Contact Base System for MAS	TASKE Contact software package includes 10 agents, 1 supervisor, and 1 year free upgrades/tech support for MAS.	5,355.00
326	LICMAS-TASBPINT	TASKE Blue Pumpkin Integration for MAS	Plug-in for Blue Pumpkin Director Essential integration with TASKE for MAS.	4,286.00
327	LICMAS-TASBPWF	TASKE Contact Blue Pumpkin Director integration for MAS	Provides an interface between TASKE Contact and Blue Pumpkin Director Enterprise or Director Professional for MAS. Used to transfer historical data for forecasting and scheduling and real-time data for agent adherence.	8,625.00
328	LICMAS-TASCONA	Contact - Per Agent for MAS	Annual maintenance for ongoing support and free upgrades for TASKE for MAS.	21.00
329	LICMAS-TASCONB	Contact - Base Renewal for MAS	Annual maintenance for ongoing support and free upgrades for smaller sites (guide line:less than 150 agents) for TASKE for MAS.	1,071.00
330	LICMAS-TASCONM	Contact - Per Month for MAS	Order number of months that makes the period align with Strata ACD for TSKE for MAS.	354.00
331	LICMAS-TASCONR	Contact - Re-enlist Site for MAS	Order 1 if the maintenance for the license on your site has been expired for at least 3 months for TASKE for MAS.	1,071.00
332	LICMAS-TASCONS	Contact - Per Site for MAS	Annual maintenance for ongoing support and free upgrades. Recommended for larger TASKE Site (guide line:more than 150 agents) in lieu of the Base plus agent model for TASKE for MAS.	4,286.00
333	LICMAS-TASCONV	TASKE Contact Conversion (Change PBX) for MAS	Used to convert an existing site from one PBX to another. The result will be the equivalent number of licensed seats, Agent Desktops, and Supervisors, an Enterprise Supervisor as the original site.	5,355.00
334	LICMAS-TASCOREM	TASKE Contact COREMedia integration	Provide the reporting on the COREMedia COREDIRECT package by integrating with COREDIRECT product.	6,000.00
335	LICMAS-TASENTER	TASKE Enterprise Client Software for MAS	Allows the supervisor to manage multiple contact centers simultaneously. Requires TASKE Contact for MAS at each site and a TCP/IP network connection.	3,215.00
336	LICMAS-TASIEXWF	TASKE Contact IEX TotalView integration for MAS	Provides an interface between TASKE Contact and IEX TotalView for MAS. Used to transfer historical data for forecasting and scheduling and real-time data for agent adherence.	8,625.00
337	LICMAS-TASLBWF	TASKE Contact Left Bank integration for MAS	Provides an interface between TASKE Contact and Left Bank Solutions Monet for MAS. Used to transfer historical data for forecasting and scheduling and real-time data for agent adherence.	8,625.00
338	LICMAS-TASSIGN	TASKE Contact Desktop Sign for MAS	Concurrent user license for an agent to view customizable real-time contact center information on the agent's desktop for TASKE for MAS.	195.00
339	LICMAS-TASSUP1	TASKE Supervisor Client, 1 license for MAS	Concurrent user license for monitoring, reporting, database searches, database administration, and forecasting for TASKE for MAS.	2,036.00
340	LICMAS-TASSUP10	TASKE Supervisor Client, 10 license for MAS	Supervisor client license package including 10 supervisors for TASKE for MAS.	10,178.00
341	LICMAS-TASSUP3	TASKE Supervisor Client, 3 license for MAS	Supervisor client license package including 3 supervisors for TASKE for MAS.	4,071.00
342	LICMAS-TASSUP5	TASKE Supervisor Client, 5 license for MAS	Supervisor client license package including 5 supervisors for TASKE for MAS.	6,105.00
343	LICMAS-TASTRAN	TASKE Contact conversion from other PBX without data	Used to transfer the license for the site from one PBX to another. The result will be the equivalent number of licensed seats, Agent Desktops, and Supervisors, an Enterprise Supervisor as the original site without historical data preserved.	1,073.00
344	LIC-VCSBASIC5	VCS Starter - 1 Server License (No Charge), 5 User License	This includes the VCS Server license and 5 User licenses. Add additional User licenses as needed.	1,125.00
345	LIC-VCSUSER1	1 VCS User License	1 additional VCS User License beyond the 5 included with the VCS Server license.	225.00
346	LIC-VCSUSER10	10 VCS User License	10 additional VCS User Licenses beyond the 5 included with the VCS Server license.	2,025.00
347	LIC-VCSUSER20	20 VCS User License	20 additional VCS User Licenses beyond the 5 included with the VCS Server license.	4,050.00
348	VCS-CD-LIBRY-VA	VCS Installer CD with Documentation	This CD contains VCS Installer software and all VCS documentation. Required only for installation of VCS on an existing MAS. Software and documentation can also be downloaded from FYI. New MAS systems come with VCS software pre-installed.	15.00
349	RAM-2-1GB-MAS	MAS 2GB RAM (2 pieces of MT18VDDT12872AG-40BD1)	2 of 1GB DDR PC3200 memory pair for 2GB RAM. Generic part number is MT18VDDT12872AG-40BD1.	897.00
350	RAM-2-256MB-MAS	MAS 512MB RAM (2 pieces of MT9VDDT3272AG-40BG4).	2 of 256MB DDR PC3200 memory pair for 512MB RAM. Generic part number is MT9VDDT3272AG-40BG4.	236.00
351	RAM-2-512MB-MAS	MAS 1GB RAM (2 pieces of MT9VDDT6472AG-40BD1)	2 of 512MB DDR PC3200 memory pair for 1GB RAM. Generic part number is MT9VDDT6472AG-40BD1.	465.00
352	CIX-CD-MASRE-VC	Strata MAS Recover CDs (set of 3).	CD-ROM that contains the MAS recovery software applications and drivers.	45.00
353	MAS-SRVR-2P4G80	Media Application Server and SW without VM/ACD/VCS licenses.	Strata Media Application Server with pre-loaded software for eManager browser-based Administration/Management.	4,200.00
354	SYS-USB-MODEM	External 56K USB modem	As desired for remote access ability for the Media Application Server.	132.00
355	BADP120-1A	120 VAC power adaptor for IPT-1020-SD.	As needed for replacements or spares.	68.00
356	IADM2020	20-button IP Add-On Module - Charcoal Gray.	Connects to 2000-series IP telephone.	225.00
357	IDSS2060	60-button IP Direct Station Select Console - Charcoal Gray.	Connects to 2000-series IP telephone.	495.00
358	IPT2008-SDL	8-button IP Speakerphone Large LCD - Charcoal Gray.	Uses 1-channel on LIPU-X or LIPS-X in CIX.	645.00
359	IPT2008-SDLLIC	8-button IP Speakerphone Large LCD with IP Endpoint License.	Charcoal gray color. Telephone uses 1-channel on LIPU-X or LIPS-X in Strata CIX. LIC-CIX-IP PORT endpoint license included. Promo price effective through June 30, 2006.	563.00
360	IPT2010-SD	10-button IP Speakerphone LCD - Charcoal Gray.	Uses 1-channel on LIPU-X or LIPS-X in CIX. Uses 1-channel on BIPU-M in CTX.	404.00
361	IPT2010-SDLIC	10-button IP Speakerphone LCD with IP Endpoint License.	Charcoal gray color. Telephone uses 1-channel on LIPU-X or LIPS-X in Strata CIX. LIC-CIX-IP PORT endpoint license included. Promo price effective through June 30, 2006.	375.00
362	IPT2020-SD	20-button IP Speakerphone LCD - Charcoal Gray.	Uses 1-channel on LIPU-X or LIPS-X in CIX. Uses 1-channel on BIPU-M in CTX.	524.00
363	IPT2020-SDLIC	20-button IP Speakerphone LCD with IP Endpoint License.	Charcoal gray color. Telephone uses 1-channel on LIPU-X or LIPS-X in Strata CIX. LIC-CIX-IP PORT endpoint license included. Promo price effective through June 30, 2006.	465.00
364	IPTAP-INFOM-BD1	InfoManager application bundle for IPT2008-SDL Telephones	InfoManager application supports all IPT2008-SDL telephones and includes Calendar, Stock Quote, Weather, and Corporate News application. Requires one license per system for use on all IPT2008-SDL telephones.	224.00
365	IPT-KS-20082020	Blank Keystrips for 20-button IPT2020&8-button IPT2008.	Package contains 80 keystrips (20 sheets, 4 per sheet). Suitable for printing on laser or ink jet printer.	20.00
366	IPT-KS-IPT2010	Blank Keystrips for 10-button IPT2010-SD.	Package contains 80 keystrips (20 sheets, 4 per sheet). Suitable for printing on laser or ink jet printer.	20.00
367	LADP2000-1A	120 VAC power adaptor for IPT2000 series telephones.	As needed for replacements or spares. Supports all models of IPT2000 series telephones.	53.00
368	AD200	UIP200 Power Adapter	Power Supply is optional for UIP200. Order this part if PoE will not be used.	36.00
369	UIP200	Uniden SIP IP Telephone	Uniden Deskset IP telephone with speakerphone, tilt display, 8 programmable keys with LCD labels, and PoE compatible. Power Adapter is not included.	341.00
370	27983473	10 Clear Plastic Number Covers for DKT3001	Package of 10. Used to cover the telephone number label under the handset of the 1-button, DKT3001 telephones.	11.00
371	27983474	10 Clear Plastic Keystrip Covers for DKT3014-SDL	Package of 10. Used to cover the Keystrip on the 14-button, DKT30014-SDL digital telephones	20.00
372	27983475	10 Clear Plastic Keystrip Covers for DKT3020, IPT1020	Package of 10. Used to cover the Keystrip on the 20-button, DKT3020-SD digital telephones and IPT-1020 IP telephones..	20.00
373	27983480	10 Clear Plastic Keystrip Covers for DKT3010-(S & SD)	Package of 10. Used to cover the Keystrip on the 10-button, DKT3010-SD and DKT3010-S digital telephones.	20.00
374	BHEU1A	Headset/HESB Interface for Digital Telephone.	1 per 3000-series or 2000-series DKT with headset or loud ringing bell option.	18.00
375	BTSA1A	Adjustable Tilt Stand for Digital phone & Add-On-Module	Attaches to the base of a 3000/3200-series or 2000-series digital telephone to provide flexible angle adjustment of the telephone body and attached Add-on Module.	27.00

A		B	C	D
1	Part Number	Description	Comments	MSRP
376	BTSD1A	Adjustable Tilt Stand for Digital Telephone - Gray.	Attaches to the base of a 3000/3200-series or 2000-series digital telephone to provide flexible angle adjustment of the telephone body.	21.00
377	BVSU1A	Off-hook Call Announce (OCA) interface for Digital Tele	1 per 3000/3200-series DKT where Speaker OCA is desired. Mounts inside telephone. Also compatible with 2000-series DKT.	68.00
378	DADM3020(W)	20-button Digital Add-On Module - Ash White.	Connects to DKT3000 series digital telephone, and shares the station port of the host telephone. Maximum 2 per telephone.	225.00
379	DADM3220	20-button IP/Digital Add-On Module - Charcoal Gray.	Connects to DKT3200 series digital telephone, and shares the station port of the host telephone. Maximum 2 per telephone.	225.00
380	DDCB3A	3-Circuit Digital Door Phone/Lock Control Box.	1 for each of 3 door phone stations. Each DDCB requires 1 digital station port. Maximum 2 DDCBs per CTX100, 3 or 8 DDCBs (with BEXS/BBMS) per CTX670, 4 DDCBs per DK424 and DK424i, 3 DDCBs per DK40i, and 2 DDCBs per DK14.	173.00
381	DDSS3060(W)	60-button Digital Direct Station Select Console - White	Requires a BDKU/BDKS or BWDKU port and license. Includes 7-ft. modular 2-wire cord.	495.00
382	DDSS3260	60-button Digital Direct Station Select Console - Gray.	Connects to BDKU/BDKS/BWDKU port. Includes 7-ft. modular 2-wire cord. For use with 3200 series digital telephones	495.00
383	DKT3001(W)	Single-line Digital Telephone - Ash White.	Includes 7-ft. modular 2-wire cord.	113.00
384	DKT3001(W)5	5-pk. Single-line Digital Telephones - Ash White.	Package of 5 telephones. Each includes 7-ft. modular 2-wire cord. Promo price effective through March 31, 2006.	465.00
385	DKT3010-S(W)	10-button Digital Speakerphone - Ash White.	Includes 7-ft. modular 2-wire cord.	203.00
386	DKT3010-S(W)5	5-pk. 10-Button Digital Speakerphones - Ash White.	Package of 5 telephones. Each includes 7-ft. modular 2-wire cord. Promo price effective through March 31, 2006.	840.00
387	DKT3010-SD(W)	10-button Digital Speakerphone with LCD - Ash White.	Includes 7-ft. modular 2-wire cord.	278.00
388	DKT3010-SD(W)5	5-pk. 10-Button Digital Speakerphones with LCD - Ash White.	Package of 5 telephones. Each includes 7-ft. modular 2-wire cord. Promo price effective through March 31, 2006.	1,155.00
389	DKT3014-SDL(W)	14-button Digital Speakerphone with large LCD Ash White	Includes 7-ft. modular 2-wire cord.	488.00
390	DKT3014-SDL(W)5	5-pk. 14-Button Digital Speakerphones with large LCD Ash White	Package of 5 telephones. Each includes 7-ft. modular 2-wire cord. Promo price effective through March 31, 2006.	2,025.00
391	DKT3020-S(W)	20-button Digital Speakerphone - Ash White.	Includes 7-ft. modular 2-wire cord.	285.00
392	DKT3020-S(W)5	5-pk. 20-Button Digital Speakerphones - Ash White.	Package of 5 telephones. Each includes 7-ft. modular 2-wire cord. Promo price effective through March 31, 2006.	1,185.00
393	DKT3020-SD(W)	20-button Digital Speakerphone with LCD - Ash White.	Includes 7-ft. modular 2-wire cord.	338.00
394	DKT3020-SD(W)5	5-pk. 20-Button Digital Speakerphones with LCD - Ash White.	Package of 5 telephones. Each includes 7-ft. modular 2-wire cord. Promo price effective through March 31, 2006.	1,403.00
395	DKT3201	Single-line Digital Telephone - Charcoal Gray.	Includes 7-ft. modular 2-wire cord.	113.00
396	DKT3207-SD	7-button Digital Speakerphone with LCD - Charcoal Gray	Includes 7-ft. modular 2-wire cord. Compatible with Strata CTX28 only. Not compatible with CIX/CTX100, CIX200 or CIX/CTX670.	173.00
397	DKT3210-S	10-button Digital Speakerphone - Charcoal Gray.	Includes 7-ft. modular 2-wire cord.	203.00
398	DKT3210-SD	10-button Digital Speakerphone with LCD - Charcoal Gray	Includes 7-ft. modular 2-wire cord.	278.00
399	DKT3214-SDL	14-button Digital Speakerphone with large LCD Char.Gray	Includes 7-ft. modular 2-wire cord.	488.00
400	DKT3220-S	20-button Digital Speakerphone - Charcoal Gray.	Includes 7-ft. modular 2-wire cord.	285.00
401	DKT3220-SD	20-button Digital Speakerphone with LCD - Charcoal Gray	Includes 7-ft. modular 2-wire cord.	338.00
402	DKT-KS-DKT3007	Blank Keystrips for DKT3007-SD Telephone	Package contains 20 sheets. Suitable for printing on laser or ink jet printer.	20.00
403	HESB	External Speaker Amplifier for Page or Loud Ringer.	Connected to the KSU for amplified external page. PIOUS, PIOUS, or PEPU required for DK424i. HHEU required for loud ringing bell application. MDFB required as talkback microphone.	263.00
404	HESC1A-65	HESB Connector Cable for Loud Ringing Bell Application.	1 per DKT to connect the HESB to the HHEU.	23.00
405	MDFB	Door Phone/Monitor Station Unit (Chocolate Brown).	Requires DDCB. Maximum 3 per DDCB.	60.00
406	TSD-KS-10K-3000	Blank Keystrips for 10-button DKT3000.	Package contains 60 keystrips (20 sheets, 3 per sheet). Suitable for printing on laser or ink jet printer.	20.00
407	TSD-KS-14203000	Blank Keystrips for 20-button and 14-button DKT3000.	Package contains 60 keystrips (20 sheets, 3 per sheet). Suitable for printing on laser or ink jet printer.	20.00
408	405FLEXSF-8000A	GN Netcom Flex SureFit headset with 8000 MPA Amp.	Includes ear hook, ear loops, flexible microphone boom, 8000 MPA Amplifier with built-in Headset/Handset/Mute switch and noise-canceling microphone. Requires BHEU in each 3000-series DKT, and BHEU or HHEU2 in each 2000-series DKT. Also compatible with the	324.00
409	GN1004831	SoftIPT PC sound card cord for GN Netcom wired headsets	Required to connect any GN Netcom headset to a PC that has a Toshiba SoftIPT.	45.00
410	GN1005324	Headset/Handset switch for GN Netcom wired headsets.	Required when connecting non-amplified GN Netcom Headsets to digital telephone BHEU or HHEU telephone headset interfaces.	42.00
411	GN405-FLEX-SF	GN Netcom Flex SureFit headset without an amplifier.	Includes ear hook, ear loops, flexible microphone boom, and noise-canceling microphone. Requires BHEU in each 3000-series DKT, and BHEU or HHEU2 in each 2000-series DKT. Requires GN Headset/Handset switch (GN1005324) and direct connect cord (GN8800-01) fo	167.00
412	GN8800-01	Direct connect cord for GN Netcom wired headsets.	Required when connecting non-amplified GN Netcom Headsets to digital telephone BHEU or HHEU telephone headset interfaces. Requires BHEU in each 3000-series DKT, and BHEU or HHEU2 in each 2000-series DKT.	45.00
413	GN8814-70	In-line mute switch for GN Netcom wired headsets.	Option to mute GN Netcom headset microphone (does not mute receiver) when connecting GN Netcom Headsets to digital telephone BHEU or HHEU telephone headset interfaces.	56.00
414	GN9120-28-05	GN Netcom 2.4GHz wireless headset with Flex NC boom.	2.4GHz digital spread spectrum wireless headset with flexible boom and noise canceling micphone that cancels distracting noise in a noisy area (call centers). Allows roaming up to 300 feet from your desk with 8 hours talk time. Requires BHEU in each 3	530.00
415	GN9120-30-05	GN Netcom 2.4GHz wireless headset - Sound Tube boom.	2.4GHz digital spread spectrum wireless headset with sound tube boom for areas with medium noise levels (office cubical). Allows roaming up to 300 feet from your desk with 8 hours talk time. Requires BHEU in each 3000-series DKT, and BHEU or HHEU2 in ea	501.00
416	GN9120-48-05	GN Netcom 2.4GHz Wireless Headset with Mid boom.	2.4GHz digital spread spectrum wireless headset with midi boom for quieter areas(private office). Allows roaming up to 300 feet from your desk with 8 hours talk time. Requires BHEU in each 3000-series DKT, and BHEU or HHEU2 in each 2000-series DKT.	501.00
417	HEADSET-AUD30NB	Plantronics .Audio30 stereo headset for PC with SoftIPT	A stereo headset that can be used with SoftIPTs installed on a Desktop, Laptop, or Tablet PC with Mic and Speaker jacks. Connects to standard PC Mic and Speaker connectors - not a USB connector.	30.00
418	HEADSET-MX150NB	Plantronics Flexible Grip mono headset for SoftIPT PC	Plantronics MX150 Mobile Headset combines Flex Grip(TM) design with advanced microphone technology plus bendable noise-canceling boom. Used with SoftIPTs installed on a Desktop, Laptop, or Tablet PC with standard Mic and Speaker jacks	65.00
419	DKT2020-FDSP	20-button Digital Full Duplex Speakerphone with LCD	Includes 7-ft. modular 2-wire cord.	458.00
420	RFDM1A	External Microphone for the DKT2020 Full Duplex Speakerphone.	Optional for use with the DKT2020-FDSP to provide enhanced full duplex microphone operation.	188.00
421	AC9500C	AC Adapter for DKT2104-CT Cordless Telephone Base Unit.	For replacement or spares.	45.00
422	AD970	AC Adapter for Cordless Charger Unit.	For replacements or spares. Compatible with DKT2204-CT or DKT2304-CT.	29.00
423	BT2499	800 mAh Rechargeable Battery for DKT2204-CT Cordless.	For replacements or spares. Provides about 6 hours maximum talk time. 90-day warranty on rechargeable battery.	59.00
424	BT930	750 mAh Rechargeable Battery for DKT2304-CT Cordless.	For replacements or spares. Provides about 7 hours maximum talk time. 90-day warranty on rechargeable battery.	29.00
425	DCU3	Upgrade Kit for DKT2004-CT Cordless Digital Telephone.	Used to upgrade DKT2004-CT to the Automatic Handset Off-hook Recognition feature.	300.00
426	DKT2204-CT	Cordless 900 Mhz Spread Spectrum Digital Telephone.	Includes handset, base unit with AC adapter, charging unit with AC adapter, telephone cord, 800 mAh rechargeable battery, belt clip, and wall mount for base unit. 1 per 2000-series DKT, or 1 per digital station port. Maximum 10 in simultaneous use. 2-year	645.00
427	DKT2304-CT	Cordless 900 Mhz Narrow Band Digital Telephone.	Includes handset, base unit with AC adapter, charging unit with AC adapter, telephone cord, 750 mAh rechargeable battery, belt clip, and wall mount for base unit. 1 per 2000-series DKT, or 1 per digital station port. Maximum 30 in simultaneous use. 2-year	413.00
428	DT9000	Rechargeable battery for the DKT2104-CT cordless phone.	Used for replacements or spares. 500mAh rechargeable battery provides about five hours maximum talk time. 90 day warranty on rechargeable battery. - replaces the discontinued BT9000B battery.	30.00

A		B	C	D
1	Part Number	Description	Comments	MSRP
429	EXP9302	Belt Clip for DKT2304-CT Cordless Digital Telephone.	For replacement or spares. Attaches to handset for belt mounting, while idle or during headset use	23.00
430	EXP9360	Wall Mount for DKT2304-CT Charger Unit.	For replacements, spares, or remote charging of handset at additional locations.	14.00
431	EXP9385	Handset Holder/Charger for DKT2304-CT (AC adapter not incl.)	For replacements, spares, or remote charging of handset battery. Requires AD970 AC Adapter (not included with charger). The battery must be installed in the DKT2304-CT Handset to be charged.	29.00
432	EXP9502	Belt Clip for DKT2004-CT Cordless Digital Telephone.	For replacements or spares. Attaches to handset for belt mounting, while idle or during headset use	23.00
433	EXP9504	AC Adapter for DKT2004-CT Cordless Digital Telephone.	For replacements or spares.	29.00
434	EXP9530	Headset (RFI modified) for Cordless Digital Telephones.	Plugs into DKT2004-CT, DKT2104-CT, DKT2204-CT, or DKT2304-CT cordless handset with special plug.	165.00
435	EXP9560	Base Wall Mount Kit for DKT2004-CT Cordless Phone.	Headsets with regular plugs will not fit.	45.00
436	EXP9585	Desktop/Wall Mount Charger for DKT2004-CT Cordless Ph.	Assembly for wall mounting of base unit. Contains cradle for handset.	180.00
437	EXP9590	800 mAh Rechargeable Battery for DKT2004-CT Cordless.	For remote charging of handset where base not accessible.	75.00
438	EXP9603	Belt Clip for DKT2104-CT Cordless Digital Telephone.	For replacements or spares. Provides about 6 hours maximum talk time. 90-day warranty on rechargeable battery.	23.00
439	EXP9660	Wall Mount Plate for Cordless Base Unit.	For replacement or spares. Attaches to handset for belt mounting, while idle or during headset use	14.00
440	EXP9685	Desktop/Wallmount Charger for DKT 2104-CT Cordless	For replacements or spares. Compatible with DKT2204-CT or DKT2304-CT.	83.00
441	EXP9702	Belt Clip for DKT2204-CT Cordless Digital Telephone.	For replacement, spares, or remote charging of handset or battery at additional locations	29.00
442	EXP9704	AC Adapter for Cordless Base Unit.	For replacement or spares. Attaches to handset for belt mounting, while idle or during headset use	29.00
443	EXP9783	Leather Carrying Case for DKT2204-CT.	For replacements or spares. Compatible with DKT2204-CT or DKT2304-CT.	59.00
444	EXP9785	Handset Holder/Charger for DKT2204-CT (AC adapter not incl.)	Fits DKT2204-CT cordless telephone.	59.00
445	BATHC1A(W)	CIX/CTX Attendant Console Handset & Cradle - Ash White.	For replacements, spares, or remote charging of handset battery. Requires AD970 AC Adapter (not included with charger). The battery must be installed in the DKT2204-CT Handset to be charged.	120.00
446	BAT11A(W)	CIX/CTX Attendant Console Interface Unit - Ash White.	Requires BAT11A(W). This part is used with standard Attendant Console CIX-ATTCONSOLR2 only. It is not compatible with the IP Attendant Console CIX-IPATTCONS	525.00
447	CIX-IPATTCONS	Strata CIX IP Attendant Console Turnkey Package.	Requires BATHC1A(W) and BDKU port. This part is used with standard Attendant Console CIX-ATTCONSOLR2 only. It is not compatible with the IP Attendant Console CIX-IPATTCONS.	3,540.00
448	CTX-ATTCONSOLE2	CIX/CTX Attendant Console Turnkey Package.	PC Attendant Console with IP talk-path for CIX systems only. Includes CIX IP Attendant Console License, ATT-CT2-PRO personal computer with Attendant Console application software, keyboard, mouse, PC Headset, keyboard labels and CD-ROM containing User an	3,240.00
449	CTX-KL-ATCON-VA	CTX Attendant Console Keyboard Labels (one set).	PC Attendant Console with digital talk-path for CIX or CTX systems. Includes CTX/CTX Attendant Console License, User Guide, ATT-CT2-PRO personal computer with Attendant Console application software, keyboard, mouse, and keyboard labels. Requires BDKU port	15.00
450	CTX-LCD-MONITOR	17" flat screen LCD monitor	Used for replacements or spares. Refer to the Strata CTX Attendant Console User Guide for proper label locations.	1,343.00
451	PTB400	Wireless Telephone with Regular Ringer for Link 150.	Option for CIX or CTX Attendant Console. But can be used with all other server based products.	810.00
452	PTB410	Wireless Telephone with Vibrating Ringer for Link 150 .	Wireless Telephone for Link 150 and Link 3000 systems. Includes 2x16 alphanumeric and multi-line icon display and regular ringer. Order Battery Pack separately.	857.00
453	PTB450	Link Wireless Telephone with Vibrating Ringer and Backlighting	Wireless Telephone for Link 150 and Link 3000 systems. Includes 2x16 alphanumeric and multi-line icon display and vibrating ringer. Order Battery Pack separately.	1,019.00
454	PTE100	NetLink e340 Wireless Telephone, SRP	Wireless Telephone for Link WTS Series 400 systems only. Includes vibrating ringer and backlit keypad and LCD. Order Battery Pack separately.	484.00
455	PTN150	NetLink h340 Wireless Telephone, SRP and Open IP w/o G.729	Enterprise-grade 802.11b Wireless Telephone for use with NetLink Telephony Gateway interfaces and the SpectraLink Radio Protocol (SRP). Order Battery Pack separately.	825.00
456	PTX150	NetLink i640 Wireless Telephone, SRP and Open IP	Light industrial-grade 802.11b Wireless Telephone for use with NetLink Telephony Gateway interfaces and the SpectraLink Radio Protocol (SRP) or open standard IP interfaces. Does not support the G.729 codec. Order Battery Pack separately.	741.00
457	BPE100	NetLink e340 Wireless Telephone Battery Pack	Industrial-grade 802.11b Wireless Telephone for use with NetLink Telephone Gateway interfaces and the SpectraLink Radio Protocol (SRP) or open standard IP interfaces. Order Battery Pack separately.	62.00
458	BPN100	NetLink h340 Wireless Telephone Battery Pack	Nickel Metal Hydride (NiMH) Battery Pack for NetLink e340 Wireless Telephones	105.00
459	BPX100	NetLink i640 Wireless Telephone Battery Pack	Nickel Metal Hydride (NiMH) Battery Pack for NetLink h340 Wireless Telephones.	95.00
460	DCE100	Desktop Charger for NetLink e340/h340 Wireless Telephones	Nickel Metal Hydride (NiMH) Battery Pack for NetLink i640 Wireless Telephones	62.00
461	DCE100	Desktop Charger for NetLink e340 Wireless Telephones	Charges NetLink e340/h340 Wireless Telephones in about one and a half (1-1/2) hours. Power supply (QPS100x) must be ordered separately.	62.00
462	DCN200	Dual Charging Stand for NetLink h340 Wireless Telephone	Charges NetLink e340 Wireless Telephone in about one and a half (1-1/2) hours. Power supply (QPS100x) must be ordered separately.	129.00
463	DCX100	Desktop Charger for NetLink i640 Wireless Telephone	Charges a NetLink h340 Wireless Telephone and one spare Battery Pack (BPN100). Full battery charging is complete in approximately one and a half (1-1/2) hours. Power supply (QPS100x) must be ordered separately.	62.00
464	DSE100	NetLink s340 Docking Station	Charges NetLink i640 Wireless Telephone in about one and a half (1-1/2) hours. Power supply (QPS100x) must be ordered separately.	411.00
465	DSX100	NetLink s640 Docking Station	Integrated handset charging cradle and speakerphone. Use with NetLink e340/h340 Wireless Telephones. Order NetLink e340/h340 Wireless Telephones and power supply (QPS100x) separately.	411.00
466	GCL100	Quad Charger for Link Wireless Telephone Battery Packs	Integrated handset charging cradle and speakerphone. Use with NetLink i640 Wireless Telephones. Order NetLink i640 Wireless Telephones and power supply (QPS100x) separately.	800.00
467	GCN100	Quad Charger for NetLink h340 Wireless Telephone Battery Packs	Simultaneously charges four PTS360 Battery Packs in about one hour. Power supply (QPS200A) must be ordered separately. Available in U.S. and Canada Only.	411.00
468	GCX100	Quad Charger for NetLink i640 Wireless Telephone Battery Packs	Simultaneously charges four NetLink h340 Wireless Telephone Battery Packs in about one and a half (1-1/2) hours. Power Supply (QPS200x) must be ordered separately.	369.00
469	GCX100	Gang Charger for NetLink i640 Wireless Phone Batt. Pack	Simultaneously charges four NetLink i640 Wireless Telephone Battery Packs in about one and a half (1-1/2) hours. Power	369.00
470	NCC100	NetLink Configuration Cradle	Simultaneously charges four NetLink i640 Wireless Telephone Battery Packs in about an hour. Power supply (QPS200x) must be ordered separately.	551.00
471	PTC400	Dual Charging Stand Battery Charger.	Allows configuration of all settings on a NetLink e340/h340/i640 Wireless Telephone via a Windows-based GUI interface.	123.00
472	PTH100	Noise Canceling Headset.	Contains slots to charge a Wireless Telephone and a spare High Capacity (NiMH) Battery (PTS360). Full charge takes about 2 hours. Requires Power Supply (QPS100A) ordered separately.	261.00
473	PTH160	2.5mm Headset Quick-Disconnect Cord for e340 & i640	Over-the-head design, includes quick disconnect assembly and clothing clip.	26.00
474	PTH200	Over-the-Ear Headset.	Spare adapter cord for use with Noise Canceling and Over-the-Ear Headsets	261.00
475	PTO310	Pouch with Shoulder Strap.	Includes quick disconnect assembly and clothing clip.	66.00
476	PTO315	Shoulder Strap for Carry Case.	Nylon cloth pouch. Includes belt loop and removable shoulder strap. Recommended primarily for office environments.	8.00
477	PTO320	Hands-Free Pouch.	Nylon cloth shoulder strap for carry case.	33.00
478	PTO335	Vinyl Carrying Case.	Nylon cloth pouch allows Wireless Telephone to be carried for hands-free use with headset.	47.00
479	PTO340	Vinyl Carrying Case with Plastic Keypad Cover.	Vinyl case with spring-steel belt clip and detachable plastic coiled cord lanyard.	47.00
480	PTO345	Yellow Vinyl Carrying Case	Vinyl case with spring-steel belt clip, detachable plastic coiled cord lanyard, and plastic keypad cover.	60.00
481	PTO350	Yellow Vinyl Carrying Case with Plastic Keypad Cover.	Black leather case with plastic display cover and integrated belt clip. Includes detachable plastic coiled cord lanyard.	51.00
482	PTO365	Leather Carrying Case	Black leather case with plastic display and keypad cover and integrated belt clip. Includes detachable plastic coiled cord lanyard.	51.00
483	PTO370	Leather Carrying Case with Plastic Keypad Cover	Spring-loaded plastic clothing clip with attached plastic coiled cord lanyard.	26.00
484	PTO410	Clothing Clip with Lanyard.	Clothing clip with Lanyard for NetLink e340 handset	26.00
485	PTO500	Clothing Clip with Lanyard for NetLink e340 handset	Clothing clip with Lanyard for NetLink e340 handset	26.00
486	PTO500	Clothing Clip for NetLink e340/h340 Telephones	Spring-loaded plastic clothing clip attaches to the back of the NetLink e340/h340 Wireless Telephones.	26.00

A		B	C	D
1	Part Number	Description	Comments	MSRP
487	PTO510	Clothing Clip with Lanyard for NetLink i640 Wireless	Spring-loaded plastic clothing clip attaches to the back of the i640 Wireless Telephone. Includes plastic coiled lanyard.	26.00
488	PTO520	Swivel Clip for NetLink e340/h340 Telephones	Two piece swivel-style clothing clip that attaches to the back of the NetLink e340/h340 Wireless Telephones.	26.00
489	PTO600	NetLink i640 yellow carrying case with keypad cover	Carrying Case with Keypad Cover for NetLink i640 Wireless Telephone - Yellow	50.00
490	PTO600	NetLink i640 black carrying case	Carrying Case for NetLink i640 Wireless Telephone - Black	50.00
491	PTO605	NetLink i640 yellow carrying case	Carrying Case for NetLink i640 Wireless Telephone - Yellow	54.00
492	PTO610	NetLink i640 black carrying case with keypad cover	Carrying Case with Keypad Cover for NetLink i640 Wireless Telephone - Black	54.00
493	PTO615	NetLink i640 yellow carrying case with keypad cover	Carrying Case with Keypad Cover for NetLink i640 Wireless Telephone - Yellow	54.00
494	PTO650	Swivel Carrying Case for e340/h340 Wireless Telephones, Black	Leather case with swivel-style quick release belt clip for NetLink e340/h340 Wireless Telephones	54.00
495	PTO655	Swivel Carrying Case for NetLink e340/h340 phones, Yellow	Yellow vinyl case with swivel-style quick release belt clip for NetLink e340/h340 Wireless Telephones.	54.00
496	PTO660	Swivel Carrying Case for e340/h340 phones, Black w/ Keypad Cover	Black vinyl case with keypad cover and swivel-style quick release belt clip for NetLink e340/h340 Wireless Telephones.	54.00
497	PTO665	Swivel Carrying Case for e340/h340 phones, Yellow w/ Keypad Cover	Yellow vinyl case with keypad cover and swivel-style quick release belt clip for NetLink e340/h340 Wireless Telephones.	54.00
498	PTQ360	Quick Charge Battery Charger (NiMH/NiCd)	Charges Battery Pack in about one hour. Includes automatic battery conditioning and test feature. Requires Power Supply (QPS100A) for the PTQ360 ordered separately.	254.00
499	PTS360	High Capacity Battery Pack.	Nickel Metal Hydride (NiMH) Battery Pack for all handsets.	101.00
500	QPS100A	Power Supply for Dual Charging Stand or Quick Charger.	Required for Dual Charging Stand (PTC400), Quick Charger (PTQ360), and MOG600.	8.00
501	QPS200A	Power Supply for Quad Chargers (GCX100, GCN100, GCL100)	Power Supply for Quad Chargers (GCX100, GCN100, GCL100)	30.00
502	SVP020	NetLink SVP Server - 20 User	Device to provide SpectraLink Voice Prioritization (SVP), the Quality of Service (QoS) mechanism for IP-based handsets. The NetLink SVP Server - 20 user is required if NetLink Telephony Gateways are not used and the total number of telephones does not ex	1,376.00
503	RCC400	Standard Base Station.	For use with Link 150 and Link 3000 systems. Includes ceiling clip for attachment to drop ceiling rails.	1,692.00
504	RCO400	Outdoor Base Station.	For use with Link 150 and Link 3000 systems in outdoor Base Station installations. Includes RCC400 with extended operating temperature range, weather-resistant enclosure, and mounting hardware.	2,339.00
505	MKR150	Rack Mount Kit.	Mounts a Link 150 MCU or NetLink Telephony Gateway in a standard 19 inch rack. One kit per MCU or Telephony Gateway is required for rack mounting. Multiple units should be mounted as close as possible in the rack.	66.00
506	MOG500	OAI Gateway for Link 150 M3 MCUs.	Open Application Interface (OAI) for custom feature integration. Requires a serial port connection to customer provided computer system with appropriate customer provided software. For use with SCx5xx (M3) MCUs only.	1,301.00
507	RCC410	Link 150 Standard Base Station.	For use with Link 150 MCUs only. Includes ceiling clip for attachment to drop ceiling rails	1,169.00
508	RCO410	Link 150 Outdoor Base Station.	For use with Link 150 MCUs only. Intended for outdoor Base Station installations. Includes RCC410 with extended operating temperature range, weather-resistant enclosure, and mounting hardware.	1,815.00
509	SCA508	Link 150 M3 MCU 8-port Analog Interface.	For use with analog line interfaces. See note 1.	2,868.00
510	SCA516	Link 150 M3 MCU 16-port Analog Interface.	For use with analog line interfaces. See note 1.	3,912.00
511	SCB508	Link 150 M3 MCU 8-port Executone Digital Interface.	For use with Executone IDS PBXs. See note 1.	3,390.00
512	SCD508	Link 150 M3 MCU 8-port Toshiba and Universal Digital In	Supports Toshiba, Comdial, Fujitsu, Inter-Tel, Lucent 2-wire, NEC, Nortel Norstar, and Siemens PBXs. Check with SpectraLink for specific make/model compatibility. See note 1.	2,868.00
513	SCD516	Link 150 M3 MCU 16-port Toshiba and Universal Digital I	Supports Toshiba, Comdial, Fujitsu, Inter-Tel, Lucent 2-wire, NEC, Nortel Norstar, and Siemens PBXs. Check with SpectraLink for specific make/model compatibility. See note 1.	3,912.00
514	SCF508	Link 150 M3 MCU 8-port 4-wire Universal Digital Interfa	Supports 4-wire Lucent Definity and Merlin PBXs. See note 1.	2,868.00
515	SCF516	Link 150 M3 MCU 16-port 4-wire Universal Digital Interf	Supports 4-wire Lucent Definity and Merlin PBXs. See note 1.	3,912.00
516	SCN508	Link 150 M3 MCU 8-port Nortel Meridian 1 and Universal	Supports Toshiba, Comdial, Fujitsu, Inter-Tel, Lucent 2-wire, NEC, and Siemens PBXs. Check with SpectraLink for specific make/model compatibility. See note 1.	3,593.00
517	SCN516	Link 150 M3 MCU 16-port Nortel Meridian 1 and Universal	Supports Toshiba, Nortel Meridian 1 and Norstar, Comdial, Fujitsu, Inter-Tel, Lucent 2-wire, NEC, and Siemens PBXs. Check with SpectraLink for specific make/model compatibility. See note 1.	4,566.00
518	SCP508	Link 150 M3 MCU 8-port Panasonic DBS Digital Interface.	For use with Panasonic DBS PBXs. See note 1.	3,390.00
519	SCP516	Link 150 M3 MCU 16-port Panasonic DBS Digital Interface	For use with Panasonic DBS PBXs. See note 1.	4,434.00
520	SCX516	Link 150 M3 MCU 16-port Mitel SX-Series Digital Interfa	For use with Mitel SX-series PBXs. See note 1.	4,434.00
521	CPA316	Link 3000 Analog Interface Module.	For use with analog line interfaces. See note 4.	5,348.00
522	CPD316	Link 3000 Toshiba and Universal Digital Interface Modul	Supports Toshiba, Comdial, Fujitsu, Inter-Tel, Lucent 2-wire, NEC, Nortel Norstar, and Siemens PBXs. Check with SpectraLink for specific make/model compatibility. See note 4.	5,348.00
523	CSC301	Link 3000 Single-Shelf System Controller.	Supports a single Link 3000 shelf. The Controller is placed in slots 1 & 2 on the shelf. No RJ-21 connectors are provided for inter-shelf links. See notes 2 & 3.	10,310.00
524	CSC320	Link 3000 Twenty-Shelf System Controller.	Supports up to 20 Link 3000 shelves. The Controller is placed in slots 1 & 2 of the primary system shelf. Four (4) RJ21 connectors are provided for 19 inter-shelf links. See notes 2 & 3.	24,674.00
525	CSO301	Link 3000 OAI Enabled Single-Shelf System Controller.	Supports a single Link 3000 shelf with OAI. The controller is placed in slots 1 & 2 of the shelf. No RJ-21 connectors are provided for inter-shelf links. See notes 2 & 3.	16,833.00
526	IDC100	DC Power Supply with Mounting Hardware & Instructions.	48 volt DC power supply per Link 3000 MCU shelf. Includes both rack and wall mounts, and and mounting hardware & instructions.	2,544.00
527	MCS300	Link 3000 Shelf.	Carries System Controller or Expansion Shelf Controller and up to 10 Interface Modules. Each shelf has 12 card slots and is designed for 19" rack or wall mounting. All wiring except power is connected to the front of the cards. Requires -48V DC power.	3,650.00
528	MKA320	Link 3000 Administration Kit with Modem.	Must be ordered with each Link 3000 system. Includes System Documentation and User Training CD, administration software, ESD grounding kit, and modem.	1,164.00
529	RCH400	Link 3000 Base Station.	For use with Link 3000 MCUs only. Includes ceiling clip for attachment to drop ceiling rails	1,692.00
530	MOG720	OAI Gateway for NetLink Telephony Gateways - up to 256.	256 user Open Application Interface (OAI) for custom feature integration. Requires a serial port connection to customer provided computer system with appropriate customer provided software. Gateway connects to the Ethernet LAN through an RJ-45 connector.	3,266.00
531	MOG730	OAI Gateway for NetLink Telephony Gateways - up to 512	512 user Open Application Interface (OAI) for custom feature integration. Requires a serial port connection to customer provided computer system with appropriate customer provided software. Gateway connects to the Ethernet LAN through an RJ-45 connector.	5,877.00
532	SVP100	NetLink SVP Server.	Provides Spectralink Voice Prioritization, the Quality of Service mechanism for IP-based handsets. NetLink SVP Server required if NetLink Telephony Gateways are not used or if more than 4 Telephony Gateways are used. Power supply ordered separately.	2,369.00
533	TGA108	NetLink Telephony Gateway 8-Port Analog Interface.	For use with analog station ports/line interfaces.	3,816.00
534	TGA116	NetLink Telephony Gateway 16-port Analog Interface.	For use with analog line interfaces.	5,160.00
535	TGB116	NetLink Telephony Gateway 16-port Executone IDS.	For use with Executone IDS PBXs.	5,160.00
536	TGD108	NetLink Telephony Gateway 8-Port Digital Interface.	For use with BWDKU and BDKU/BDKS digital station por interfaces.	3,816.00
537	TGD116	NetLink Telephony Gateway 16-port Toshiba.	Supports Toshiba, Comdial, Fujitsu, Inter-Tel, Lucent 2-wire, NEC, Nortel Norstar, Siemens PBXs. Check with SpectraLink for specific make/model compatibility.	5,160.00
538	TGF116	NetLink Telephony Gateway 16-port 4-wire Digital Inter.	Supports 4-wire Lucent Definity and Merlin PBXs.	5,160.00
539	TGN116	NetLink Telephony Gateway 16-port Nortel.	Supports Toshiba, Nortel Meridian 1 and Norstar, Comdial, Fujitsu, Inter-Tel, Lucent 2-wire, NEC, and Siemens PBXs. Check with SpectraLink for specific make/model compatibility.	5,811.00
540	TGP116	NetLink Telephony Gateway 16-port Panasonic DBS.	For use with Panasonic DBS PBXs.	5,160.00
541	TGX116	NetLink Telephony Gateway 16-port Mitel .	For use with Mitel SX-series PBXs.	5,160.00
542	TPS100A	Power Supply for TGx116, MOG7xx, and SVP100 .	For NetLink telephony gateway interfaces.	60.00
543	LICMAS-FFOPEN	FeatureFlex open license	FeatureFlex runtime license to run 3rd party FeatureFlex application and plain script FeatureFlex application	450.00

A		B		C		D
1	Part Number	Description		Comments		MSRP
				Strata ACD turnkey package includes ACD-BA10-SWA(Basic ACD 10 agent/1 VA port license, dongle, documentation, software, and CIX/CTX license (LIC-ACD)), ACD-CT2-PRO, and one ACD-D4PCI voice card. Requires customer supplied monitor.		4,902.00
544	ACD-BA10-PKG	Strata ACD turnkey (basic 10 agent, 1 VA port)				
				Strata ACD turnkey package includes ACD-BA20-SWA (Basic ACD 20 agent/2 VA port license, dongle, documentation, software, and CIX/CTX license (LIC-ACD)), ACD-CT2-PRO, and one ACD-D4PCI voice card. Requires customer supplied monitor.		5,544.00
545	ACD-BA20-PKG	Strata ACD turnkey (basic 20 agent, 2 VA port)				
				Strata ACD turnkey package includes ACD-EN20-SWA (Enhanced ACD 20 agent/2 VA port license, dongle, documentation, software, and CIX/CTX license (LIC-ACD)), ACD-CT2-PRO, and one ACD-D4PCI voice card. Requires customer supplied monitor.		6,188.00
546	ACD-EN20-PKG	Strata ACD turnkey (enhanced 20 agent, 2 VA port)				
				Strata ACD software package includes ACD-BA10-SW (basic 10agent/1 VA port), dongle, documentation, software, and CIX/CTX license (LIC-ACD). Used to build Strata ACD system on customer selected PC. Requires compatible Dialogic voice card(s) and PC platform		1,929.00
547	ACD-BA10-SWA	Strata ACD SW package (basic 10 agent, 1 VA port)				
				Strata ACD software package includes ACD-BA20-SW (Basic 20 agent/2 VA port), dongle, documentation, software, and CIX/CTX license (LIC-ACD). Used to build Strata ACD system on customer selected PC. Requires compatible Dialogic voice card(s) and PC platform		2,571.00
548	ACD-BA20-SWA	Strata ACD SW package (basic 20 agent, 2 VA port)				
				Strata ACD software package includes ACD-EN20-SW(Enhanced 20 agent/2 VA port), dongle, documentation, software, and CIX/CTX license (LIC-ACD). Used to build Strata ACD system on customer selected PC. Requires compatible Dialogic voice card(s) and PC platf		3,215.00
549	ACD-EN20-SWA	Strata ACD SW package (enhanced 20 agent, 2 VA port)				
				Strata ACD SW addon module includes Basic ACD 10 agent/1 VA port license only. Used for adding ACD application to existing NetPhone without ACD system.		1,500.00
550	ACD-BA10-ADDON	Strata ACD SW addon (basic 10 agent, 1 VA port)				
				Strata ACD SW addon module includes Basic ACD 20 agent/2 VA port license only. Used for adding ACD application to existing NetPhone without ACD system.		2,144.00
551	ACD-BA20-ADDON	Strata ACD SW addon (basic 20 agent, 2 VA port)				
				Requires Basic ACD License. One 20-agent add-on license required for each additional 20 agents and 10 groups in a Strata Basic ACD application.		525.00
552	ACD-BASC-ADDL20	Strata CIX/CTX Basic ACD 20-agent Add-on License.				
				Strata ACD SW addon module includes Enahanced ACD 20 agent/2 VA port license only. Used for adding ACD application to existing NetPhone without ACD system.		2,786.00
553	ACD-EN20-ADDON	Strata ACD SW addon (enhanced 20 agent, 2 VA port)				
				Requires Enhanced ACD License. One 20-agent add-on license required for each additional 20 agents and 10 groups in a Strata Enhanced ACD application.		825.00
554	ACD-ENHD-ADDL20	CIX/CTX Enhanced ACD 20-agent Add-on License.				
				Strata CIX/CTX ACD Upgrade to Enhanced ACD, adds 20 agents		
555	ACD-UPGR-ADDL20	Strata CIX/CTX ACD Upgrade to Enhanced ACD, adds 20 agents				
				Upgrades additional 20 agent/10-group Strata Basic ACD License to Enhanced ACD. Required for each additional 20-agents/10-groups beyond the first 20-agents/10-groups.		338.00
556	ACD-UPGR-ENHD	Strata CIX/CTX ACD Upgrade to Enhanced ACD, 1st 20 agents.				
				Upgrades 1st 20-agent/10-group Strata Basic ACD License to Enhanced ACD.		675.00
557	ACD-VA-PER PORT	Strata CIX/CTX ACD/IVR Voice Assistant Announcement License.				
				Requires Strata ACD Server or OAISYS Net Server. One Voice Assistant license required per announcement port.		570.00
				Small desktop system equipped with 2 half length PCI slots, Intel Celeron 2.0Ghz CPU, 512MB RAM, single 10/100baseT NIC, keyboard and mouse, Windows 2000 Professional. Uses a max. two SYS-D41PCI 4 port voice board only for ACD or IVR voice assistant ann		2,325.00
558	ACD-CT2-PRO	Strata ACD 2-slot (PCI) system				
				Tower system equipped with 4 PCI slots, 1 ISA slot, Intel Celeron 2.0GHz processor, 512MB RAM, 10/100baseT NIC, keyboard and mouse, Windows 2000 Server. Add optional voice boards as desired for ACD or IVR voice assistant announcement ports. See Sales Bull		5,400.00
559	ACD-CT4-SVR	Strata ACD 4-slot (PCI) system				
				Rackmount system equipped with 8 full size PCI slots, Intel Pentium 4 2.0GHz CPU, 512MB RAM, 10/100 Base-T Ethernet connection, keyboard and mouse, Windows 2000 Server. Add necessary number of voice cards for VA announcement or IVR operation.		7,853.00
560	ACD-CT8-SVR	Strata ACD 8-slot (PCI) system				
561	ACD-D4PCI	Half length PCI 4 port card				
				Half sized card (Reference Intel part # D4PCI) expands ACD system by four Voice Assistance ports.		1,170.00
				Supports 4 Voice Assistant ports in a Strata ACD Server PC. Requires corresponding number of Voice Assistant port Licenses.		1,125.00
562	ACD-DIALOG/4	Intel/Dialogic Non-SCbus 4-port Voice Assistant board.				
				Supports 2 Voice Assistant ports in a Strata ACD Server PC. Requires corresponding number of Voice Assistant port Licenses.		900.00
563	ACD-PROLINE/2V	Intel/Dialogic Non-SCbus 2-port Voice Assistant board.				
				Dialogic 12 port PCI analog voice card to be used for VA port that requires VA port license. Requires full length PCI slot and is not compatible with PCI-X.		3,470.00
564	CS-D/120JCT	12-port PCI analog voice card				
565	SYS-512MB-RAM1	512MB Random Access Memory Upgrade				
				Memory upgrade for Strata ACD CT2 system. As desired for replacement, upgrade, or spares.		215.00
566	SYS-512MB-RAM23	512MB Random Access Memory Upgrade				
				Memory upgrade for Strata ACD CT4 and CT8 systems. As desired for replacement, upgrade, or spares.		215.00
				As needed for system models ACD-CT2-PRO, ACD-CT4-SVR, SES-8-PRO, SES-48-PRO, SES-96R2-SVR, CS-Server 4PCI, CS-Server 8PCI, and CS-Server 16PCI.		107.00
567	SYS-CDROM-DRIVE	Spare CD/RW Drive				
				As needed for system models ACD-CT2-PRO, ACD-CT4-SVR, SES-8-PRO, SES-48-PRO, SES-96R2-SVR, CS-Server 4PCI, CS-Server 8PCI, and CS-Server 16PCI		201.00
568	SYS-IDE-HD	Spare IDE Hard drive				
				As needed for second network interface for ACD-CT2-PRO and ACD-CT4-SVR. Can also be used with models SES-8-PRO, SES-48-PRO, SES-96R2-SVR, CS-Server 4PCI, CS-Server 8PCI, and CS-Server 16PCI		162.00
569	SYS-NIC	Network Interface card				
				As needed for ACD-CT2-PRO, ATT-CT2-PRO, and SES-8-PRO		74.00
570	SYS-PS-SYSTEM-1	Spare Power Supply				
571	SYS-PS-SYSTEM-2	Spare Power Supply				
				As needed for CS-Server 4PCI, SES-48-PRO, and ACD-CT4-SVR		255.00
				Kit includes external USB modem and PCAnywhere software (Host version). Requires separate purchase of PCAnywhere client software (not available from Toshiba)		765.00
572	SYS-REMOTE-KIT	Remote maintenance kit for Strata CT2 system				
				Provides advanced call routing capabilities for ACD or CTI applications. Requires Strata ACD Server or OAISYS Net Server. One Call Router license required per system.		1,943.00
573	ACD-CALL RUTR	OAISYS Call Router License for Strata CIX/CTX.				
				Provides text messaging capabilities. Requires Strata ACD Server or OAISYS Net Server. One Chat license required for each user.		69.00
574	ACD-CHAT SEAT	OAISYS Chat Text Messaging License for Strata CIX/CTX.				
				Provides IVR operation with customer's existing ODBC database. Requires custom development quote from Computer Telephony Solutions, Inc. to create the IVR application. Requires Strata ACD Server or OAISYS Net Server.		3,525.00
575	ACD-IVR	OAISYS IVR Option with Database Assistant & Text Reader				
				Provides desktop call control, PC phone functionality, and Chat text messaging capabilities. Requires Strata ACD Server or OAISYS Net Server. One Net Phone/Chat license required for each user.		189.00
576	ACD-NET PH SEAT	OAISYS Net Phone & Chat License for Strata CIX/CTX.				
				Voice plug-in license to support VoIP for NetPhone. Requires the NetPhone license (ACD-NET PH SEAT) as well as IP end point license (LIC-CIX-IP-PORT).		80.00
577	ACD-NETPH-VO	Voice plug-in for NetPhone				
				Software kit for installing on customer-supplied PC. Recommend Windows 2000 Pro or Server or XP Pro. Package includes OAISYS Net Server and 3 seats of Net Phone (CTS-NETPH-PKG), dongle, and CIX/CTX license (LIC-ACD).		1,629.00
578	CTS-NETPH-PKGA	Software and License for Netserver & 3 Netphones.				
				Includes software, Insight documentation, and Symantec pcAnywhere software. Requires Strata ACD and runs on the ACD server PC. See Insight Installation Manual for configuration details and PC requirements.		3,750.00
579	INSIGHT-CIX	Insight Stand-alone software.				
580	INSIGHT-CIX+SUB	Insight Plus Sub-supervisor MIS client software.				
				Requires Insight Plus. See note 1.		3,375.00
				Includes software to upgrade Insight to Insight Plus. Requires Insight and reprogramming of existing activation key. Requires Strata ACD and runs on the ACD server PC. See note 1.		2,250.00
581	INSIGHT-CIX+UPG	Insight to Insight Plus Upgrade.				
				Upgrades Insight promo package (INSIGHT-CIX10) to INSIGHT-CIX. 10 InView license is preserved. Required for Insight Plus upgrade, additional agent and supervisor. Additional supervisor requires the separate supervisor license.		3,450.00
582	INSIGHT-CIX10UP	Insight promotion upgrade to Insight-CIX				
				Includes software to upgrade Insight DK to Insight. Requires existing Insight DK and reprogramming existing activation key. Req Strata ACD and customer-supplied Pentium PC. See Insight Installation Manual for configuration details and PC reqmts.		1,800.00
583	INSIGHTDKCIXUPG	Insight DK to Insight Upgrade.				
				Software can be loaded on any number of client PCs, but can only be used by 1 user at a time. See Note 2.		600.00
584	INVIEW1	inView client software for 1 user.				
				Software can be loaded on any number of client PCs, but can only be used by 10 simultaneously. See Note 2.		3,450.00
585	INVIEW10	inView client software for 10 users.				
				Software can be loaded on any number of client PCs, but can only be used by 20 simultaneously. See Note 2.		6,300.00
586	INVIEW20	inView client software for 20 users.				

A		B	C	D
1	Part Number	Description	Comments	MSRP
587	INVIEW30	inView client software for 30 users.	Software can be loaded on any number of client PCs, but can only be used by 30 simultaneously. See Note 2.	8,100.00
588	INVIEW40	inView client software for 40 users.	Software can be loaded on any number of client PCs, but can only be used by 40 simultaneously. See Note 2.	9,750.00
589	INVIEW5	inView client software for 5 users.	Software can be loaded on any number of client PCs, but can only be used by 5 simultaneously. See Note 2.	1,875.00
590	INVIEW50	inView client software for 50 users.	Software can be loaded on any number of client PCs, but can only be used by 50 simultaneously. See Note 2.	11,250.00
591	CTI-TASKE-AGENT	TASKE Contact agent license	License to add an agent in TASKE reporting.	215.00
592	CTI-TASKE-BASE	TASKE Contact base system	TASKE Contact software package includes 10 agents, 1 supervisor, and 1 year free upgrades/tech support.	5,355.00
593	CTI-TASKE-BPINT	TASKE Contact Blue Pumpkin integration	Plug-in for Blue Pumpkin Director Essential integration with TASKE.	4,286.00
594	CTI-TASKE-BPWF	TASKE Contact Blue Pumpkin Director integration	Provides an interface between TASKE Contact and Blue Pumpkin Director Enterprise or Director Professional. Used to transfer historical data for forecasting and scheduling and real-time data for agent adherence.	8,625.00
595	CTI-TASKE-CONV	TASKE Contact conversion from other PBX	Used to convert an existing site from one PBX to another. The result will be the equivalent number of licensed seats, Agent Desktops, and Supervisors, an Enterprise Supervisor as the original site.	5,355.00
596	CTI-TASKE-COREM	TASKE Contact COREMedia integration	Provide the reporting on the COREMedia COREDIRECT package by integrating with COREDIRECT product.	6,000.00
597	CTI-TASKE-ENTER	TASKE Enterprise software license	Allows the supervisor to manage multiple contact centers simultaneously. Requires TASKE Contact at each site and a TCP/IP network connection.	3,215.00
598	CTI-TASKE-IEXWF	TASKE Contact IEX TotalView integration	Provides an interface between TASKE Contact and IEX TotalView. Used to transfer historical data for forecasting and scheduling and real-time data for agent adherence.	8,625.00
599	CTI-TASKE-LBWF	TASKE Contact Left Bank integration	Provides an interface between TASKE Contact and Left Bank Solutions Monet. Used to transfer historical data for forecasting and scheduling and real-time data for agent adherence.	8,625.00
600	CTI-TASKE-MTSUP	myTaskeReporter additional supervisor	Supervisor client license for myTaskeReporter.	642.00
601	CTI-TASKE-MTUPG	myTaskeReporter upgrade to Taske Contact	Upgrade from myTaskeReporter to Taske Contact Base (10 agents, 1 supervisor). Additional agents and supervisors will require the separate license.	2,678.00
602	CTI-TASKE-SIGN	TASKE Contact Sign agent desktop license	Concurrent user license for an agent to view real-time contact center traffic conditions on the agent's computer desktop. It can be customized for each agent and configured to display Queue status information, performance parameters and other key measures	195.00
603	CTI-TASKE-SUP1	TASKE Supervisor client license	Concurrent user license for monitoring, reporting, database searches, database administration, and forecasting.	2,036.00
604	CTI-TASKE-SUP10	TASKE 10 Supervisor client license	Supervisor client license package including 10 supervisors.	10,178.00
605	CTI-TASKE-SUP3	TASKE 3 Supervisor client license pack	Supervisor client license package including 3 supervisors.	4,071.00
606	CTI-TASKE-SUP5	TASKE 5 Supervisor client license pack	Supervisor client license package including 5 supervisors.	6,105.00
607	CTI-TASKE-TRAN	TASKE Contact conversion from other PBX without data	Used to transfer the license for the site from one PBX to another. The result will be the equivalent number of licensed seats, Agent Desktops, and Supervisors, an Enterprise Supervisor as the original site without historical data preserved.	1,073.00
608	CTI-TASSUP-CONA	TASKE Contact Agent support	Annual maintenance for ongoing support and free upgrades per agent.	21.00
609	CTI-TASSUP-CONB	TASKE Contact Base support	Annual maintenance for ongoing support and free upgrades for smaller sites (guide line:less than 150 agents).	1,071.00
610	CTI-TASSUP-CONM	TASKE Contact Site support/month	Order number of months that makes the period align with Strata ACD.	354.00
611	CTI-TASSUP-CONR	TASKE Contact re-enlist site support	Order 1 if the maintenance for the license on your site has been expired for at least 3 months	1,071.00
612	CTI-TASSUP-CONS	TASKE Contact Site support	Annual maintenance for ongoing support and free upgrades. Recommended for larger TASKE Site (guide line:more than 150 agents) in lieu of the Base plus agent model.	4,286.00
613	CTI-TASSUP-MT	myTaskeReporter Total Care support	Annual maintenance for ongoing support and free upgrade for myTaskeReporter after the initial first year warranty.	644.00
614	CTI-TRACER-16P	Tracer 16 port voice board	16 port analog voice board.	4,490.00
615	CTI-TRACER-24A	Tracer 24 port voice board	24 port analog voice board.	5,786.00
616	CTI-TRACER-24P	Tracer single T1/PRI voice board	Single T1 or PRI voice board.	8,294.00
617	CTI-TRACER-48P	Tracer dual T1/PRI voice board	Dual T1 or PRI voice board.	12,557.00
618	CTI-TRACER-4P	Tracer 4 port voice board	4 port analog voice board.	1,532.00
619	CTI-TRACER-8P	Tracer 8 port voice board	8 port analog voice board.	2,540.00
620	CTI-TRACER-AD	Tracer advanced base package, promo price	Tracer Advanced Base Package (max. 96 digital/64 analog ports). Promotion price and free 5 Net Phone client license are effective through June 30, 2006. - Rack mount, Pentium 4, 512MB, 4PCI - Windows 2000 Pro - 80GB/120GB HD, up to 30,000 hours - DVD-RW f	5,609.00
621	CTI-TRACER-ADP	Tracer advanced plus package w/dual power supply, promo price	Advanced Plus Package w/dual PS (max. 192 digital/64 analog ports). Promotion price and free 5 Net Phone client license are effective through June 30, 2006. -Rack mount, Pentium 4, 1GB, 4 PCI -Win 2K/SQL Server w/5 licenses -120GB/200GB HD, up to 52,000 h	10,457.00
622	CTI-TRACER-ADPR	Tracer advanced plus pkg w/RAID1/dual power supply, promo price	Advanced Plus Package w/dual PS/RAID1 (max. 192 digital/64 analog ports). Promotion price and free 5 Net Phone client license are effective through June 30, 2006. -Rack mount, Pentium 4, 1GB, 4 PCI -Win 2K/SQL Server w/5 licenses -120GB/200GB HD, up to 52	11,502.00
623	CTI-TRACER-ADR	Tracer advanced base package w/RAID1, promo price	Tracer Advanced Base Package w/RAID1 (max. 96 digital/64 analog ports). Promotion price and free 5 Net Phone client license are effective through June 30, 2006. -Rack mount, Pentium 4, 512MB, 4 PCI -Windows 2000 Pro -80GB/120GB HD, up to 30,000 hours -DVD	6,440.00
624	CTI-TRACER-DEA	Tracer advanced dealer demo system - No card	Tracer Advanced Dealer Demo system up to 30,000 hours of storage. Voice cards needs to be purchased.	8,271.00
625	CTI-TRACER-DEMA	Tracer advanced dealer demo system	Tracer Advanced Dealer Demo system including 4 analog port trunks with up to 30,000 hours of storage.	9,771.00
626	CTI-TRACER-DEMS	Tracer standard dealer demo system	Tracer Standard Dealer Demo system including 4 analog port trunks with up to 14,000 hours of storage.	5,700.00
627	CTI-TRACER-DES	Tracer standard dealer demo system - No card	Tracer Standard Dealer Demo system up to 14,000 hours of storage. Voice cards needs to be purchased.	4,200.00
628	CTI-TRACER-RPT	Tracer reporting option (StreetView)	Optional software license to provide the reporting capability. Requires any model of Tracer system	3,215.00
629	CTI-TRACER-ST	Tracer standard package, promo price	Tracer Standard Base Package (max. 48 ports). Promotion price and free 5 Net Phone client license are effective through June 30, 2006. -Tower, Celeron, 256MB, 4 PCI -Windows 2000 Pro -80 GBHDD, up to 14,000 hours -CD-RW for archive storage -10 Replay Clie	3,654.00
630	CTI-TRACER-SUPP	Tracer Diamond support	Tracer Diamond Support for annual maintenance for Tracer Software only. This includes the technical support and free upgrades during the covered period after the initial warranty.	965.00
631	CTI-TRACER-VP	Tracer voice port license	HW maintenance is sold separateland contact CTS. Voice port license for monitoring trunk ports at the same time.	429.00

A		B		C		D
1	Part Number	Description		Comments		MSRP
632	CIX-100TSP	3rd Party TSPI Developer's kit for CIX100		Strata CIX/CTX100 System TAPI Telephony Service Provider Developers kit which includes the CSTA license, Activation Key and Telephone Service Provider Software CD-ROM. This is a valuable tool that allows developers, integrators, and application partners		857.00
633	CIX-100TSP-USB	TAPI TSP for CIX100 with USB dongle		Strata CIX/CTX100 System TAPI Telephony Service Provider Developers kit which includes the CSTA license, Activation Key (USB dongle) and Telephone Service Provider Software CD-ROM. This is a valuable tool that allows developers, integrators, and applicati		857.00
634	CIX-200TSP	TAPI TSP for CIX200		CIX200 System TAPI Telephony Service Provider which includes the CIX200 CSTA license, Activation Hardware Key (dongle) and Telephone Service Provider Software CD-ROM. This is required to run TAPI applications.		857.00
635	CIX-200TSP-USB	TAPI TSP for CIX200 with USB dongle		CIX200 System TAPI Telephony Service Provider which includes the CIX200 CSTA license, Activation Hardware Key (USB dongle) and Telephone Service Provider Software CD-ROM. This is required to run TAPI applications.		857.00
636	CIX-670TSP	3rd Party TSPI Developer's kit for CIX670		Strata CIX/CTX670 System TAPI Telephony Service Provider Developer's kit which includes the CSTA license, Activation Key and Telephone Service Provider Software CD-ROM. This is a valuable tool that allows developers, integrators, and application partners		1,286.00
637	CIX-670TSP-USB	TAPI TSP for CIX670 with USB dongle		Strata CIX/CTX670 System TAPI Telephony Service Provider which includes CSTA license, Activation Key (USB dongle) and Telephone Service Provider Software CD-ROM. This is a valuable tool that allows developers, integrators, and application partners to crea		1,286.00
638	BPCI1A	Integrated PC Interface Unit for 3000-series DKT.		Installs inside a 3000-series digital telephone. Provides a TAPI compatible USB port for DKT connection to a PC.		330.00
639	CIX-IG-CCACD-VB	Strata CIX ACD Installation Guide		Provides hardware and software installation instructions for the Strata CTX Call Center Solutions ACD system.		12.00
640	CIX-IM-IPATT-VA	Strata CIX IP Attendant Console Installation Guide.		CIX IP Attendant Console Installation and Programming Manual.		15.00
641	CIX-MA-IN/MT-VA	Strata CIX and CTX Installation and Maintenance Manual.		Provides all hardware information necessary to install and maintain Strata CIX200.		90.00
642	CIX-MA-PRGM1-VB	Strata CIX and CTX Programming Manual (Volume 1).		Provides all Programming information necessary to install and maintain Strata CIX200 using eManager. For Strategy ES voice mail programming on the MAS, see volume 2 in the Strategy Documentation section.		60.00
643	CIX-MA-PRGM2-VA	Strata CIX Programming Manual (Volume 2)		Provides all Programming information necessary to install and maintain Strata CIX Media Application Server (MAS) using eManager/Strategy ES.		45.00
644	CIX-MA-PRGM3-VB	Strata CIX Programming Manual (Volume 3) Appl. Implementation		Provides all the programming information for FeatureFlex, My Phone Manager, Info Manager, Alarm Notification, and Traffic Measurement and Reporting.		15.00
645	CTX-MA-GVMU-VB	Strata CTX28 GVMU Programming Manual.		Provides programming information necessary to install and maintain GVMU voice mail system		45.00
646	CIX-UG-STDTELVA	Strata CIX Standard Telephone User Guide.		Contains step-by-step instructions for operation of a standard DTMF/rotary telephone on Strata CIX systems.		0.00
647	CTX-UG-GVMU-VA	Strata CTX28 GVMU Voice Processing User Guide		Contains instructions for installation and use of GVMU Voice Processing.		14.00
648	CIX-CD-IPATT-VA	CIX IP Attendant Console Application and Documentation Library CD		CD-ROM that contains CIX IP Attendant Console Installation and Programming Manuals plus the IP Attendant Console application software.		15.00
649	CIX-CD-LBRY-VE	Strata CIX R4.1 and CTX28 Application and Documentation CD-ROM		CD-ROM that contains CIX Installation and Programming Manuals plus the eManager application software.		15.00
650	CS-SERVER-16PCI	Strata CS 16-slot (PCI) system.		Rackmount system equipped with 16 PCI slots, 1 ISA slot, Intel Pentium 4 2.0GHz processor, 512MB RAM, 10/100baseT NIC, keyboard and mouse, Windows 2000 Server, Dual redundant power supplies, CS application software & system server license. Requires trunk		11,543.00
651	CS-SERVER-4PCI	Strata CS 4-slot (PCI) system.		Tower system equipped with 4 PCI slots, 1 ISA slot, Intel Celeron 2.0GHz processor, 512MB RAM, 10/100baseT NIC, keyboard and mouse, Windows 2000 Professional, CS application software & system server license. Requires trunk & station licenses, interface ca		3,638.00
652	CS-SERVER-8PCI	Strata CS 8-slot (PCI) system.		Rackmount system equipped with 8 PCI slots, 1 ISA slot, Intel Pentium 4 2.0GHz processor, 512MB RAM, 10/100baseT NIC, keyboard and mouse, Windows 2000 Server, CS application software & system server license. Requires trunk & station licenses, interface c		8,063.00
653	CS-R7-SW-PACK	Release 7.0 System Server License for Software Kit.		Activates Strata CS system software on customer-provided server. One per system required when installing Strata CS as a software kit on customer-provided server equipment.		155.00
654	CS-TRUNK1 R7	Release 7.0 Single trunk license.		Activates server for 1 trunk.		270.00
655	CS-TRUNK23 R7	Release 7.0 23 trunk license.		Activates server for 23 trunks.		6,210.00
656	CS-TRUNK4 R7	Release 7.0 4 trunk license.		Activates server for 4 trunks.		1,080.00
657	CS-TRUNK8 R7	Release 7.0 8 trunk license.		Activates server for 8 trunks.		2,160.00
658	CS-STATION1 R7	Release 7.0 Single station license.		Activates server for 1 station.		149.00
659	CS-STATION24 R7	Release 7.0 24 station license.		Activates server for 24 stations.		3,510.00
660	CS-STATION8 R7	Release 7.0 8 station license.		Activates server for 8 stations		1,188.00
661	CS-CLIENT1 R7	Release 7.0 Single-Client license.		Activates server for 1 desktop Client.		149.00
662	CS-CLIENT24 R7	Release 7.0 24 Client license.		Activates server for 24 desktop Clients.		3,510.00
663	CS-CLIENT8 R7	Release 7.0 8 Client license.		Activates server for 8 desktop Clients.		1,188.00
664	CS-VOIP R7	Release 7.0 Voice Over Internet Protocol (VoIP) license		1 VoIP license required per VoIP connection. See Strata CS Installation & Maintenance Manual for requirements.		405.00
665	CS-CALCTRAGT1R7	1-agent License for Release 7.0 Call Center Queues.		Required to configure agents in queues for Strata CS Release 7.0 call center functions. Supports 1 agent. Additional agent licenses priced separately. Call Center Reporter priced separately.		405.00
666	CS-CALCTRAGT4R7	4-agent License for Release 7.0 Call Center Queues.		Required to configure agents in queues for Strata CS Release 7.0 call center functions. Supports 4 agents. Additional agent licenses priced separately. Call Center Reporter priced separately.		1,283.00
667	CS-CALCTRREPR7	Call Center Reporter 7.0 License.		Provides Call Center Reporter functionality for Strata CS Release 7.0 call center functions.		1,350.00
668	CS-CLASSIFIER2	Call Classifier 2.1 System License.		The Strata CS Call Classifier alerts Agents with information about their callers before they answer the call. This is useful for multi-tenant receptionists or call centers that answer calls for more than one business. See note below.		2,025.00
669	CS-PAGER	Persistant Pager System License.		This application notifies users to retrieve important voice mail messages in a timely manner. The system sends pages to a list of Users, in the order specified and continues to send pages until the voice mail message is accessed. See note below.		1,013.00
670	CS-SCOREBOARD	Scoreboard 1-user License.		This application gives call center managers the tools to track Queue and agent productivity from their PC, telephone, or wallboard. There are over 35 powerful statistics in addition to the built-in statistics of Strata CS Call Center. See note below.		1,350.00
671	CS-SMART DIALER	Smart Dialer System License.		This application provides automated outbound dialing for Agents. It is designed to retrieve phone numbers from a customer database and place calls during specified hours of the day. Customer data is pulled from an in-house database. See note below.		3,375.00
672	CS-CALCTRAGT1R6	1-agent License for Release 6.0 Call Center Queues.		Required to configure agents in queues for Strata CS Release 6.0 call center functions. Supports 1 agent. Additional agent licenses priced separately. Call Center Reporter priced separately.		405.00
673	CS-CALCTRAGT4R6	4-agent License for Release 6.0 Call Center Queues.		Required to configure agents in queues for Strata CS Release 6.0 call center functions. Supports 4 agents. Additional agent licenses priced separately. Call Center Reporter priced separately.		1,283.00
674	CS-CALCTRREPR6	Call Center Reporter 6.0 License.		Provides Call Center Reporter functionality for Strata CS Release6.0 call center functions.		1,350.00
675	CS-CLIENT1 R6	Release 6.0 Single-Client license.		Activates server for 1 desktop Client.		149.00
676	CS-CLIENT24 R6	Release 6.0 24 Client license.		Activates server for 24 desktop Clients.		3,510.00
677	CS-CLIENT8 R6	Release 6.0 8 Client license.		Activates server for 8 desktop Clients.		1,188.00
678	CS-STATION1 R6	Release 6.0 Single station license.		Activates server for 1 station.		149.00
679	CS-STATION24 R6	Release 6.0 24 station license.		Activates server for 24 stations.		3,510.00
680	CS-STATION8 R6	Release 6.0 8 station license.		Activates server for 8 stations		1,188.00
681	CS-TRUNK1 R6	Release 6.0 Single trunk license.		Activates server for 1 trunk.		270.00
682	CS-TRUNK23 R6	Release 6.0 23 trunk license.		Activates server for 23 trunks.		6,210.00
683	CS-TRUNK4 R6	Release 6.0 4 trunk license.		Activates server for 4 trunks.		1,080.00
684	CS-TRUNK8 R6	Release 6.0 8 trunk license.		Activates server for 8 trunks.		2,160.00
685	CS-VOIP R6	Release 6.0 Voice Over Internet Protocol (VoIP) license		1 VoIP license required per VoIP connection. See Strata CS Installation & Maintenance Manual for requirements.		405.00
686	CS-CALCTREPUPR7	Release 7.0 Call Center Reporter Upgrade License		Upgrades Call Center Reporter for Strata CS Release 7.0 call center.		705.00
687	CS-CALCTRUPG1R7	Release 7.0 Call Center 1-Agent License Upgrade.		Required to upgrade a Strata CS Call Center license to Release 7.0.		225.00

A		B		C		D
1	Part Number	Description		Comments		MSRP
688	CS-CALCTRUPG4R7	Release 7.0 Call Center 4-Agent License Upgrade.		Required to upgrade a Strata CS 4-Agent Call Center license to Release 7.0. Call Center Reporter priced separately.		713.00
689	CS-CLIENT1 UPG7	Release 7.0 Single-Client License Upgrade.		Required to upgrade a Strata CS single-Client license to Release 6.0.		83.00
690	CS-CLIENT24UPG7	Release 7.0 24-Client License Upgrade.		Required to upgrade a Strata CS 24-Client license to Release 6.0.		1,980.00
691	CS-CLIENT8 UPG7	Release 7.0 8-Client License Upgrade.		Required to upgrade a Strata CS 8-Client license to Release 6.0.		660.00
692	CS-R7-SW-PACK	Release 7.0 Software Application & Documentation CD-ROM		Required to upgrade a Strata CS to Release 7.0 software. Includes Release 7.0 server license.		155.00
693	CS-STATN1 UPGR7	Release 7.0 Single-Station License Upgrade.		Required to upgrade a Strata CS single-station license to Release 7.0.		83.00
694	CS-STATN24UPGR7	Release 7.0 24-Station License Upgrade.		Required to upgrade a Strata CS 24-station license to Release 7.0.		1,980.00
695	CS-STATN8 UPGR7	Release 7.0 8-Station License Upgrade.		Required to upgrade a Strata CS 8-station license to Release 7.0.		660.00
696	CS-TRUNK1 UPGR7	Release 7.0 Single-Trunk License Upgrade.		Required to upgrade a Strata CS single-trunk license to Release 7.0.		150.00
697	CS-TRUNK23UPGR7	Release 7.0 23-Trunk License Upgrade.		Required to upgrade a Strata CS 23-trunk license to Release 7.0.		3,450.00
698	CS-TRUNK4 UPGR7	Release 7.0 4-Trunk License Upgrade.		Required to upgrade a Strata CS 4-trunk license to Release 7.0.		600.00
699	CS-TRUNK8 UPGR7	Release 7.0 8-Trunk License Upgrade.		Required to upgrade a Strata CS 8- trunk license to Release 7.0.		1,200.00
700	CS-VOIP1 UPGR7	Release 7.0 Single IP Trunk License Upgrade.		Required to upgrade a Strata CS single IP trunk license to Release 7.0.		225.00
701	CS-VOIP15 UPGR7	Release 7.0 15 IP Trunk License Upgrade.		Required to upgrade a Strata CS IP trunk license to Release 7.0.		3,360.00
702	CS-VOIP4 UPGR7	Release 7.0 4 IP Trunk License Upgrade.		Required to upgrade a Strata CS 4 IP trunk license to Release 7.0.		900.00
703	CS-DKTU-KIT	Digital Station Card kit for Toshiba digital phones..		Supports 16 Toshiba 2000-series or 3000-series digital telephones.Installs in 1 PCI server slot. Includes DKTU power supply and power cable. Requires station termination cable CS-MSI CABLE. Maximum 11 DKTU cards per CS-Server 15PCI system. H.100 compatib		2,160.00
704	CS-8X16 BCP-P	8-trunk, 16-station analog Kit.		Includes CS-D/160SC-8LS ISA trunk card, CS-MSI/160PCI analog station card, BCP panel, cables and power module.		4,719.00
705	CS-4X8 BCP KIT	4-trunk, 8-station analog kit.		Includes CS-D/80-4LS trunk card, CS-MSI/80SC-GL analog station card, BCP panel, cables and power module.		3,143.00
706	CS-T1X48 KIT	T1 trunk, 48 analog station kit.		Includes CS-D/240SC-T1 trunk card, (2) CS-MSI/240SC-GL analog station cards, and power modules.		8,208.00
707	CS-BRI/80SC	8-port BRI interface trunk ISA card.		Installs in 1 ISA server slot.		4,485.00
708	CS-MSI/160SC-GL	16-port ISA station interface card.		Installs in 1 ISA server slot. Requires CS-MSI POWER power supply. See Power Supply Components section.		3,450.00
709	CS-MSI/240SC-GL	24-port ISA station interface card.		Installs in 1 ISA server slot. Requires CS-MSI POWER power supply. See Power Supply Components section.		4,253.00
710	CS-MSI/80SC-GL	8-port ISA station interface card.		Installs in 1 ISA server slot. Requires CS-MSI POWER power supply. See Power Supply Components section.		2,400.00
711	CS-SI/80SC-GBL	8 analog port ISA daughter card.		Added to CS-MSI/80SC-GL or CS-MSI/160SC-GL to provide 8 additional analog station ports.		959.00
712	CS-8X16 PCI	8-trunk, 16-station analog Kit.		Includes CS-D/120JCT PCI trunk card, CS-MSI/160PCI analog station card and power supply.		4,719.00
713	CS-D/120JCT	8-port Analog LS Trunk interface PCI card.		Installs in 1 PCI server slot.		3,470.00
714	CS-D/160-JCT	16-port voice resource PCI card.		Installs in 1 PCI server slot.		3,369.00
715	CS-D/240JCT-T1	24-port T1 Trunk PCI card.		Provides T1 or PRI Digital Interface and has sufficient resources for speech recognition applications. Installs in 1 PCI server slot.		6,480.00
716	CS-D/320-JCTU	32-port voice resource PCI card.		Installs in 1 PCI server slot.		5,934.00
717	CS-D/41JCT-LS	4-port Analog LS Trunk interface PCI card.		Installs in 1 PCI server slot.		1,614.00
718	CS-D/480JCT-2T1	48-port Dual T1 Trunk PCI card.		Installs in 1 PCI server slot.		10,260.00
719	CS-DI/SI 32	32-port PCI station interface card.		Installs in 1 PCI server slot. Requires CS-MSI POWER power supply. See Power Supply Components section.		6,615.00
720	CS-DI0408LSAR2	4 analog trunks,4 VOIP,8 stations or 12 VOIP PCI card		Alternate configurations can provide 9 conference resources, 8-12 shared or 12 dedicated voice resources. Installs in 1 PCI slot. When used as an analog combo board an extrenal power supply (CS-MSI-POWER) is required. Power supply is not required if used		3,657.00
721	CS-DISI16R2	Rev. 2 DISI card with 16 stations		Includes 16 conference resources supporting a max. of 5 conferences and a separate audio input for MOH device. Installs in 1 PCI slot. Requires CS-MSI POWER power supply. See Power Supply Components section.		4,212.00
722	CS-DISI24R2	Rev. 2 DISI card with 24 stations		Includes 16 conference resources supporting a max. of 5 conferences and a separate audio input for MOH device. Installs in 1 PCI slot. Requires CS-MSI POWER power supply. See Power Supply Components section.		5,883.00
723	CS-DISI32R2	Rev. 2 DISI card with 32 stations		Includes 16 conference resources supporting a max. of 5 conferences and a separate audio input for MOH device. Installs in 1 PCI slot. Requires CS-MSI POWER power supply. See Power Supply Components section.		7,554.00
724	CS-DM/IP241-PCI	24-port IP PCI card with 100BaseT NIC.		Installs in 1 PCI server slot.		9,720.00
725	CS-DM/V2400A	120-channel Conference Interface PCI card.		Provides 120 additional conference channels that can be shared throughout the Strata CS system. Maximum two 60-party conferences. Installs in 1 PCI server slot.		15,525.00
726	CS-HDSI/1200PCI	120-port PCI station interface assembly.		External assembly includes chassis, 120-port analog station interface, power supply, and connector to PCI interface that installs in 1 PCI server slot. Requires R5.0 software.		26,325.00
727	CS-HDSI/480PCI	48-port PCI station interface assembly.		External assembly includes chassis, 48-port analog station interface, power supply, and connector to PCI interface that installs in 1 PCI server slot. Requires R5.0 software.		12,150.00
728	CS-HDSI/720PCI	72-port PCI station interface assembly.		External assembly includes chassis, 72-port analog station interface, power supply, and connector to PCI interface that installs in 1 PCI server slot. Requires R5.0 software.		16,875.00
729	CS-HDSI/960PCI	96-port PCI station interface assembly.		External assembly includes chassis, 96-port analog station interface, power supply, and connector to PCI interface that installs in 1 PCI server slot. Requires R5.0 software.		21,600.00
730	CS-SI2400DB	24-port HDSI Daughter Card.		Added to any HDSI chassis to increase the analog station ports by 24, up to the HDSI chassis maximum of 120 stations.		4,854.00
731	CS-D/300PCI-E1	30-port E1 Trunk PCI card.		Installs in 1 PCI server slot.		8,175.00
732	CS-D/80PCI	8-port voice resource PCI card.		Installs in 1 PCI server slot.		1,763.00
733	CS-MSI/160PCI	16-port PCI station interface card.		Installs in 1 PCI server slot. Requires CS-MSI POWER power supply. See Power Supply Components section.		3,443.00
734	CS-MSI/80PCI	8-port PCI station interface card.		Installs in 1 PCI server slot. Requires CS-MSI POWER power supply. See Power Supply Components section.		2,363.00
735	CS-SI/80PCI	8 analog port PCI daughter card.		Added to CS-MSI-80PCI to provide 8 additional analog station ports.		959.00
736	CS-300W PS	300W ATX single power supply.		Used for replacements or spares with CS-SERVER 3, CS-SERVER 9, CS-SERVER 816, CS-SERVER A, and CS-SERVER A-T1.		240.00
737	CS-300W PS RDN	300W ATX redundant load sharing power supply.		Used for upgrade to redundant power supplies with CS-SERVER 9, CS-SERVER A, and CS-SERVER A-T1.		825.00
738	CS-400W CUSTOM	400W ATX single power supply.		Used for replacements or spares of single (non-redundant) power supplies with CS-SERVER 14/4 and CS-SERVER 15PCI.		555.00
739	CS-400W PS	400W ATX single power supply.		Used for replacements or spares with CS-SERVER B and CS-SERVER B-T1.		420.00
740	CS-400W PS RDN	400W ATX redundant load sharing power supply.		Used for upgrade to redundant power supplies with CS-SERVER 14/4 and CS-SERVER 15PCI.		1,110.00
741	CS-MSI POWER	MSI station card power supply.		1 required for each MSI card.		486.00
742	CS-UIP300-PS	CS-UIP300 Power Supply		Required for CS-UIP300 IP Telephone installations where power is not supplied to network devices by the customers network.		26.00
743	SYS-PS-RDN-SYS3	Optional Dual Redundant 300W Power Supply		Optional Dual Redundant 300W Power Supply for Strata CS Server 8PCI, as well as Strata ACD CT8 server. As desired for replacement or spares		1,373.00
744	SYS-PS-SYSTEM-2	Spare Power Supply		As needed for CS-Server 4PCI, SES-48-PRO, and ACD-CT4-SVR		255.00
745	SYS-PS-SYSTEM-3	Spare Power Supply		As needed for CS-Server 8PCI and SES-96R2		270.00
746	SYS-PS-SYSTEM-4	Spare Power Supply		As needed for CS-Server 16PCI		903.00
747	CS-C2210-E	Strata CS Analog telephone set.		Reserved for use with Strata CS. See the Strata CS General Description and the Strata CS-C2210-E Analog Telephone User Guide for more information.		111.00
748	CS-UIP300	Uniden IP Telephone for Strata CS		For IP telephone applications with Strata CS. Requires installation of the appropriate IP board in the Strata CS server. MAM require CS-UIP300. See the Uniden UIP300 Administrators Guide and Uniden UIP300 User Guide for user and installation procedures.		263.00

A		B		C		D
1	Part Number	Description		Comments		MSRP
749	CS-IDE RAID	Drive mirroring for CS-Server 3PCI,6, 9PCI, 15PCI		Includes 1 Promise Fasttrak PCI IDE RAID Controller, 2 AC-M41K Removable Hard Disk Kits, 2 Quantum 15GB IDE UDMA.		1,755.00
750	CS-RAID 1 KIT	18GB RAID 1 for CS-Server 3PCI,6, 9PCI, 15PCI		Includes 2 18GB IBM, 18GB SCSI 3, configured RAID 1 with Kingston hot swappable drive trays; Mylex DACPGM dual channel PCI to Ultra Wide SCSI RAID controller with 8MB cache, 32-bit RISC Intel i960r processor. Requires in 1 PCI server slot.		6,177.00
751	CS-RAID 5 KIT-E	Ext. RAID 5 add on to CS-Server 3PCI,6, 9PCI, 15PCI.		Mylex DACPGM dual channel PCI to Ultra Wide SCSI RAID controller with 8MB cache (expandable to 128MB), 32-bit RISC Intel i960r processor. 36GB with Kingston hot swappable drive trays (3 - 18GB IBM) & 1 hot spare 18GB hard disk. Requires 1 PCI server slot.		12,758.00
752	SYS-RAID1-SYS 2	RAID 1 kit for Strata CS Server 4PCI		Kit includes FastrakTX2000 RAID card, two Seagate ST380011A 80 gigabyte ATA hard drives, and SuperSwap 1000 drive enclosures. Can also be used with system models ACD-CT4-SVR and SES-48-PRO.		1,346.00
753	SYS-RAID5-SYS34	RAID 5 kit for Strata CS Server 8PCI and Server 16PCI		Kit includes MegaRaid SCSI 320-1 Single Channel U320 RAID card, three Seagate ST336607LC 36 gigabyte SCSI hard drives, BR-SCA23 Drive cannister		3,734.00
754	CS-BACKPLANE A	Backplane for CS-SERVER 9 and CS-SERVER A models.		As desired for replacements or spares for CS-SERVER 9, CS-SERVER, and ACS-SERVER A-T1.		600.00
755	CS-BACKPLANE B	Backplane for CS-SERVER B models.		As desired for replacements or spares for CS-SERVER B and CS-SERVER B-T1.		285.00
756	CS-BACKPLANE816	Backplane for CS-SERVER 3 and CS-SERVER 816.		As desired for replacements or spares.		255.00
757	CS-CPU SERVER A	Pentium CPU for CS-SERVER 9 and CS-SERVER A models.		As desired for replacements or spares for CS-SERVER 9, CS-SERVER A, and CS-SERVER A-T1.		615.00
758	CS-CPU SERVER B	Pentium CPU for CS-SERVER B models.		As desired for replacements or spares for CS-SERVER B and CS-SERVER B-T1.		825.00
759	CS-FAN CS-3	Replacement Fan for Strata CS-Server 3.		Used with CS-SERVER 3. As desired for replacements or spares.		90.00
760	CS-FAN CS-9	Replacement Fan for Strata CS-Server 9.		Used with CS-SERVER 9. As desired for replacements or spares.		60.00
761	CS-FAN HS	Replacement Fan Assembly for Strata CS-Server 14/4.		Used with CS-SERVER 14/4 or CS-SERVER 15PCI. As desired for replacements or spares.		135.00
762	CS-IDE HDD	IDE Hard Disk Drive with mounting tray.		Includes Windows operating system. Used with all Strata CS Server models. As desired for replacements or spares.		728.00
763	CS-SBC	Single Bus Control Card PICMG SBC 6011 440BX.		Includes 10/100 Mbps NIC, VGA monitor port, and mouse port. Used as desired for replacements or spares for CS-SERVER 9, CS-SERVER A, CS-SERVER B, CS-SERVER A-T1, CS-SERVER B-T1, CS-SERVER 14/4, and CS-SERVER 15PCI.		1,860.00
764	CS-SBC W/CPU816	Single Bus Control Card with AMD K62 500 CPU.		Includes 10/100 Mbps NIC, VGA monitor port, and mouse port. Used as desired for replacements or spares for CS-SERVER 3 and CS-SERVER 816 only.		1,305.00
765	SYS-CDROM-DRIVE	Spare CD/RW Drive		As needed for system models ACD-CT2-PRO, ACD-CT4-SVR, SES-8-PRO, SES-48-PRO, SES-96R2-SVR, CS-Server 4PCI, CS-Server 8PCI, and CS-Server 16PCI.		107.00
766	SYS-IDE-HD	Spare IDE Hard drive		As needed for system models ACD-CT2-PRO, ACD-CT4-SVR, SES-8-PRO, SES-48-PRO, SES-96R2-SVR, CS-Server 4PCI, CS-Server 8PCI, and CS-Server 16PCI		201.00
767	SYS-NIC	Network Interface card		As needed for CS-Server 4PCI, CS-Server 8PCI, and CS-Server 16PCI. Can also be used with models SES-8-PRO, SES-48-PRO, SES-96R2-SVR, ACD-CT2-PRO and ACD-CT4-SVR		162.00
768	CS-128M DIMM	128MB memory expansion module.		16X72 Kingston KVR100X72RC2/128 128MB ECC DIMM or equivalent, as desired for memory expansion, replacements, or spares. Pricing subject to change without notice due to volatility in the memory market.		215.00
769	CS-256M DIMM	256MB memory expansion module.		32X72 Kingston KVR100X72RC2/256 256MB ECC DIMM or equivalent, as desired for memory expansion, replacements, or spares. Pricing subject to change without notice due to volatility in the memory market.		344.00
770	SYS-512MB-RAM23	512MB Random Access Memory Upgrade		Memory upgrade for Strata CS Server 4PCI, 8PCI, and 16PCI, as well as the Strata ACD CT8 server. As desired for replacement, upgrade, or spares.		215.00
771	CS-ADAPTER	CTbus to SCbus adapter.		Required when using ISA and PCI cards in the same server.		83.00
772	CS-BCP-PANEL	RJ11 connector panel.		Terminates up to 8 loop start analog trunk and 24 analog station ports. Supports up to 4 power failure transfer stations.		848.00
773	CS-BREAKOUT BOX	BRI interface termination panel.		Requires CS-BRI PS/CABLE power supply and cable.		428.00
774	CS-CTBUS 12CONN	12 Connector CTBus Ribbon Cable.		Bus cable for Dialogic PCI Cards.		324.00
775	CS-CTBUS 16CONN	16 Connector CTBus Ribbon Cable.		Bus cable for Dialogic PCI Cards.		419.00
776	CS-CTBUS 4 CONN	4 Connector CTBus Ribbon Cable.		Bus cable for Dialogic PCI Cards.		135.00
777	CS-CTBUS 8 CONN	8 Connector CTBus Ribbon Cable.		Bus cable for Dialogic PCI Cards.		257.00
778	CS-DISI-BRKOUT	Breakout box for DISI analog station boards.		Required to provide RJ interface for CS-DISI16R2, CS-DISI24R2, and CS-DISI32R2 analog port boards.		510.00
779	CS-ISA/BCP TRNK	37-pin LSI trunk cable.		Cable for connection between boards and breakout box included.		392.00
780	CS-MSI CABLE	ISA MSI interface to BCP PANEL cable.		Connects loop start trunk card to BCP panel (ISA).		203.00
781	CS-PCI CAB KIT	PCI interface MSI and CS-D/120JCT-RMV Cable kit.		Terminates ISA station cards to BCP Panel or 66 block. Also required to terminate CS-DKTU digital station card.		243.00
782	CS-PCI/BCP CABL	PCI MSI interface to BCP PANEL cable.		Includes CS-PCI/BCP CABL and CS-PCI/BCP TRK cables in a single kit.		122.00
783	CS-PCI/BCP TRK	CS-D/120JCT-RMV to BCP PANEL cable.		Terminates PCI station cards to BCP Panel or 66 block.		122.00
784	CS-PEB-12	12 Connector SCBus Ribbon Cable.		Bus cable for Dialogic ISA Cards.		81.00
785	CS-PEB-16	16 Connector SCBus Ribbon Cable.		Bus cable for Dialogic ISA Cards.		81.00
786	CS-PEB-4	4 Connector SCBus Ribbon Cable.		Bus Cable for Dialogic ISA Cards.		81.00
787	CS-PEB-8	8 Connector SCBus Ribbon Cable.		Bus Cable for Dialogic ISA Cards.		81.00
788	CS-TAPE CLEAN	Seagate® tape cleaning kit for TR4 drives.		Used for system back up of server.		150.00
789	CS-TR4	4/8GB Atapi tape drive with kit.		Used for system backup of server.		432.00
790	CS-TR4 TAPE	Extra tape cartridge for TR4.				180.00
791	CS-TR5	10/20GB Atapi tape drive with kit.		Used for system backup of server.		582.00
792	CS-TR5 TAPE	Extra tape cartridge for TR5.				195.00
793	SCS-AG-ADM6-VA	Strata CS R6.0 Administrator Manual.		Provides programming instructions for the Strata CS release 6.0 software.		56.00
794	SCS-AG-CC-R6-VA	Strata CS R6.0 Call Center Administrator Guide.		Provides feature functionality and programming instructions for the Strata CS Call Center application		33.00
795	SCS-CD-LIBRY-VF	Strata CS R6.0 Documentation CD-ROM		Includes: General Description, Installation & Maintenance Manual, Administrator Manual, User Guide for ViewPoint (Client), Quick Reference Guide, Quick Reference Card, Call Center Administrator Manual, Telephone User Guides, Sales Bulletins, Technical Bul		15.00
796	SCS-MA-IM/R6-VA	Strata CS R6.0 Installation and Maintenance Manual		Describes the Strata CS components, and explains how to plan for and install all Strata CS components.		42.00
797	SCS-UG-CLIR6-VA	Strata CS R6.0 User Guide for ViewPoint (Client)		Contains step-by-step instructions on how to use the Strata CS Telephone Commands, ViewPoint (was Client) and ViewPoint Web Access (was Web Client) features.		38.00
798	SG-IVP8-R2-2SYS	Strategy IVP8 Rev.2 with 2 ports & 15 hrs of storage.		Can be installed into a card slot of these systems; Strata CTX 670/100, DK40i/40/16e, or DK424i/424/280.		1,898.00
799	SG-IVP8-R2-4SYS	Strategy IVP8 Rev.2 with 4 ports & 15 hrs of storage.		Can be installed into a card slot of these systems; Strata CTX 670/100, DK40i/40/16e, or DK424i/424/280.		2,348.00
800	SG-IVP8-R2-6SYS	Strategy IVP8 Rev.2 with 6 ports & 15 hrs of storage.		Can be installed into a card slot of these systems; Strata CTX 670/100, DK40i/40/16e, or DK424i/424/280.		2,648.00
801	SG-IVP8-R2-8SYS	Strategy IVP8 Rev.2 with 8 ports & 15 hrs of storage.		Can be installed into a card slot of these systems; Strata CTX 670/100, DK40i/40/16e, or DK424i/424/280.		3,023.00
802	SG-IVP8-R2-2UP4	2 to 4 Port Upgrade for Strategy IVP8 Rev.2 only.		Remote Upgrade. Requires telephone numbers and passwords.		900.00
803	SG-IVP8-R2-4UP6	4 to 6 Port Upgrade for Strategy IVP8 Rev.2 only.		Remote Upgrade. Requires telephone numbers and passwords.		1,050.00
804	SG-IVP8-R2-6UP8	6 to 8 Port Upgrade for Strategy IVP8 Rev.2 only.		Remote Upgrade. Requires telephone numbers and passwords.		1,200.00
805	SG-SPANISH	Optional Spanish system voice prompts for Strategy IVP8		As desired for installing neutral Spanish prompts on a Strategy IVP8 system. One copy required for each system upgrade.		450.00
806	SG-IVP8-R2-2	Strategy IVP8 R2 with 2 ports & 15 hrs of storage - no Doc. Pack.		As needed for spares. Can be installed into a card slot of these systems; Strata CIX/CTX100/200/670, DK40i/40/16e, or DK424i/424/280.		1,898.00
807	SG-IVP8-R2-4	Strategy IVP8 R2 with 4 ports & 15 hrs of storage - no Doc. Pack.		As needed for spares. Can be installed into a card slot of these systems; Strata CIX/CTX100/200/670, DK40i/40/16e, or DK424i/424/280.		2,348.00
808	SG-IVP8-R2-6	Strategy IVP8 R2 with 6 ports & 15 hrs of storage - no Doc. Pack.		As needed for spares. Can be installed into a card slot of these systems; Strata CIX/CTX100/200/670, DK40i/40/16e, or DK424i/424/280.		2,647.00
809	SG-IVP8-R2-8	Strategy IVP8 R2 with 8 ports & 15 hrs of storage- no Doc. Pack.		As needed for spares. Can be installed into a card slot of these systems; Strata CIX/CTX100/200/670, DK40i/40/16e, or DK424i/424/280.		3,022.00

1	A	B	C	D
	Part Number	Description	Comments	MSRP
810	SG-F-2-SYS	Strategy Flash with 2 ports and 4 hours of storage.	Requires Strata CTX/Strata DK station ports (2500 set) and DTMF receivers.	1,898.00
811	SG-F-4-SYS	Strategy Flash with 4 ports and 4 hours of storage.	Requires Strata CTX/Strata DK station ports (2500 set) and DTMF receivers.	2,348.00
812	SG-FL-R3UP3.3	Strategy Flash System Upgrade Software.	Required to upgrade from 3.0/3.1 to Release 3.3.	53.00
813	SG-F-2	Strategy Flash, 2 ports, 4 hours of storage - no Doc. Pack.	As needed for spares. Requires Strata station ports (2500 set) and DTMF receivers.	1,898.00
814	SG-F-4	Strategy Flash, 4 ports, 4 hours of storage - no Doc. Pack.	As needed for spares. Requires Strata station ports (2500 set) and DTMF receivers.	2,348.00
815	SG-F-P/S	Strategy Flash Power Supply.	As desired for replacement or spares.	83.00
816	SG-F-2UP4	Strategy Flash System 2 to 4 ports upgrade.	Remote upgrade. Requires telephone numbers and passwords.	750.00
817	SG-DK-R2UP3.3	Strategy DK System Upgrade Software.	Required to upgrade Strategy DK from R2 to R3.3.	53.00
818	SG-DK-R3UP3.3	Strategy DK System Upgrade Software.	Required to upgrade Strategy DK from R3.1/R3.2 to R3.3.	53.00
819	SG-DK-2UP4	Strategy DK 2 to 4 Port Upgrade.	Remote Upgrade. Requires telephone numbers and passwords.	1,500.00
820	SG-DK-4UP6	Strategy DK 4 to 6 Port Upgrade.	Remote upgrade. Requires telephone numbers and passwords.	1,950.00
821	SG-DK-6UP8	Strategy DK 6 to 8 Port Upgrade.	Remote upgrade. Requires telephone numbers and passwords.	2,100.00
822	IES16-04-SYS	Strategy iES16, with 4 ports, UM + 5 seats, cable and doc pack.	Includes Unified Messaging Feature Group with 5 client seats, Cable Pack, Strategy Advisor CD, Documentation CD, User Guide, and Quick Reference pack. 2GB Compact Flash storage provides 100 hours storage. Installs exclusively into a card slot of a Strata	3,807.00
823	IES16-08-SYS	Strategy iES16 with 8 ports, UM + 5 seats, cable and doc pack	Includes Unified Messaging Feature Group with 5 client seats, Cable Pack, Strategy Advisor CD, Documentation CD, User Guide, and Quick Reference pack. 2GB Compact Flash storage provides 100 hours storage. Installs exclusively into a card slot of a Strata	7,230.00
824	IES16-12-SYS	Strategy iES16 with 12 ports, UM + 5 seats, cable and doc pack.	Includes Unified Messaging Feature Group with 5 client seats, Cable Pack, Strategy Advisor CD, Documentation CD, User Guide, and Quick Reference pack. 2GB Compact Flash storage provides 100 hours storage. Installs exclusively into a card slot of a Strata	10,290.00
825	IES16-16-SYS	Strategy iES16 with 16 ports, UM + 5 seats, cable and doc pack.	Includes Unified Messaging Feature Group with 5 client seats, Cable Pack, Strategy Advisor CD, Documentation CD, User Guide, and Quick Reference pack. 2GB Compact Flash storage provides 100 hours storage. Installs exclusively into a card slot of a Strata	13,125.00
826	IES32-04-SYS	Strategy iES32 with 4 ports, UM, Fax, plus cable and doc pack.	PROMOTION - Until December 31, 2005 this part number includes a 4 port iES32 with Unified Messaging, 30 UM client seats, and Fax Feature Group factory enabled. Also includes Cable Pack, Strategy Advisor CD, Documentation CD, User Guide, and Quick Referen	4,905.00
827	IES32-08-SYS	Strategy iES32 with 8 ports, UM, Fax, plus cable and doc pack.	PROMOTION - Until December 31, 2005 this part number includes an 8 port iES32 with Unified Messaging, 30 UM client seats, and Fax Feature Group factory enabled. Also includes Cable Pack, Strategy Advisor CD, Documentation CD, User Guide, and Quick Refere	8,205.00
828	IES32-12-SYS	Strategy iES32 with 12 ports, UM, Fax, plus cable and doc pack.	PROMOTION - Until December 31, 2005 this part number includes a 12 port iES32 with Unified Messaging, 30 UM client seats, and Fax Feature Group factory enabled. Also includes Cable Pack, Strategy Advisor CD, Documentation CD, User Guide, and Quick Refere	11,655.00
829	IES32-16-SYS	Strategy iES32 with 16 ports, UM, Fax, plus cable and doc pack.	PROMOTION - Until December 31, 2005 this part number includes a 16 port iES32 with Unified Messaging, 30 UM client seats, and Fax Feature Group factory enabled. Also includes Cable Pack, Strategy Advisor CD, Documentation CD, User Guide, and Quick Refer	14,805.00
830	IES32-20-SYS	Strategy iES32 with 20 ports, UM, Fax, plus cable and doc pack.	PROMOTION - Until December 31, 2005 this part number includes a 20 port iES32 with Unified Messaging, 30 UM client seats, and Fax Feature Group factory enabled. Also includes Cable Pack, Strategy Advisor CD, Documentation CD, User Guide, and Quick Refer	15,555.00
831	IES32-24-SYS	Strategy iES32 with 24 ports, UM, Fax, plus cable and doc pack.	PROMOTION - Until December 31, 2005 this part number includes a 24 port iES32 with Unified Messaging, 30 UM client seats, and Fax Feature Group factory enabled. Also includes Cable Pack, Strategy Advisor CD, Documentation CD, User Guide, and Quick Refere	18,405.00
832	IES32-28-SYS	Strategy iES32 with 28 ports, UM, Fax, plus cable and doc pack.	PROMOTION - Until December 31, 2005 this part number includes a 28 port iES32 with Unified Messaging, 30 UM client seats, and Fax Feature Group factory enabled. Also includes Cable Pack, Strategy Advisor CD, Documentation CD, User Guide, and Quick Refere	20,955.00
833	IES32-32-SYS	Strategy iES32 with 32 ports, UM, Fax, plus cable and doc pack.	PROMOTION - Until December 31, 2005 this part number includes a 32 port iES32 with Unified Messaging, 30 UM client seats, and Fax Feature Group factory enabled. Also includes Cable Pack, Strategy Advisor CD, Documentation CD, User Guide, and Quick Refere	23,205.00
834	SES-48-PRO-SYS	Strategy ES48 with Wndows 2000 Professional, UM + 5 seats	Mid tower system equipped with 4 PCI slots, 1 ISA slot, Intel Celeron 2.0Ghz CPU, 512MB RAM, 10/100baseT NIC, keyboard and mouse, Windows 2000 Professional. Add optional Feature Groups and voice/fax boards as desired. See Sales Bulletin and System 2 Ins	6,180.00
835	SES-8-PRO-SYS	Strategy ES8 with Windows 2000 Professional, UM + 5 seats	Small desktop system equipped with 2 half length PCI slots, Intel Celeron 2.0Ghz CPU, 256MB RAM, single 10/100baseT NIC, keyboard and mouse, Windows 2000 Professional. Uses a max. two SYS-D4PCI 4 port voice board only. Add optional Feature Groups as des	2,438.00
836	SES-96R2-SYS	Strategy ES96R2, Wiindows 2000 Server, UM + 5 seats	Rackmount system equipped with 8 PCI slots, 1 ISA slot, Intel Pentium 4 2.0Ghz processor, 512MB RAM, 10/100baseT NIC, keyboard and mouse, Windows 2000 Server. Add optional Feature Groups and voice/fax boards as desired. See Sales Bulletin and System 3	9,188.00
837	IES32-UP-4PORT	Strategy iES32 and iES16 Four Port Remote Upgrade	Remote upgrade performed by Toshiba to increase voice port capacity in either a Strategy iES32 or iES16 by 4 ports. Requires remote access to be enabled on the system, see SES I&M for remote access set up of the IES32. For more than 16 ports on a Strateg	4,050.00
838	SES-FG-ASR-AA	Auto Speech Recognition Auto Attendant. See Notes 1-3	This Feature Group includes the first 2 channels. Maximum 8 Channels. Requires exclusive use of SES-D41JCT-LS or SES-D120JCT-LS voice boards to provide echo cancellation. Other Dialogic voice boards do not provide echo cancelling and cannot be used. ASR	2,250.00
839	SES-FG-FAX	Fax Server Feature Group. Remote upgrade. See Notes 1~4	Strategy iES32 fax capacity is 2 channels for every 8 voice ports, with a max. of 8 channels at 32 voice ports. No additional hardware required. Standalone Strategy ES fax capacity based on quantity of fax boards (channels). Requires Fax board (SES-GFAX)	3,000.00
840	SES-FG-TTS-ETI	Text-To-Speech Feature Group.	This Feature Group uses ETI Eloquence TTS to provide 2 channels of Text To Speech for reading email messages. REQUIRES Release 4 Strategy ES/IES32 system software and the Unified Messaging (UM) Feature Group to be installed. Max. 8 Channels.	2,418.00
841	SES-FG-UM	Unified Messaging Feature Group.	Standardly available on all Strategy ES and iES32 models running a Windows Server operating system, shipping after September 8, 2003. Required for interface to customer-supplied e-mail server. Feature Group includes the first 5 seats. Each UM client sea	2,250.00
842	SES-SPANISH	Optional Spanish system voice prompts for Strategy ES/IES32/MAS	As desired for installing neutral Spanish prompts on a Strategy iES32, ES standalone, or Media Application Server system. One copy required for each system upgrade.	450.00
843	SES-UM-10-SEATS	10 Seat Unified Messaging Upgrade. See Notes 1-3	Remote upgrade performed by Toshiba TSD. Requires UM Feature Group. Unified Messaging Seat Upgrades are added incrementally in the Strategy ES. The UM Feature Group includes 5 UM client seats. With SES-UM-10-SEATS, total UM seats would be 15 (5 + 10).	750.00
844	SES-UM-25-SEATS	25 Seat Unified Messaging Upgrade. See Notes 1-3	Remote upgrade performed by Toshiba TSD. Requires UM Feature Group. Unified Messaging Seat Upgrades are added incrementally in the Strategy ES. The UM Feature Group includes 5 UM client seats. With SES-UM-25-SEATS, total UM seats would be 30 (5 + 25).	1,125.00
845	SES-UM-50-SEATS	50 Seat Unified Messaging Upgrade. Remote upgrade. See	Remote upgrade performed by Toshiba TSD. Requires UM Feature Group. Unified Messaging Seat Upgrades are added incrementally in the Strategy ES. The UM Feature Group includes 5 UM client seats. With SES-UM-50-SEATS, total UM seats would be 55 (5 + 50).	2,700.00
846	SES-UM-UNLIMIT	Unlimited Seat Unified Messaging Upgrade. See Notes 1-3	Remote upgrade performed by Toshiba TSD. Requires UM Feature Group.	7,500.00
847	SES-UP-ASR-AA-2	2 Channel upgrade for ASR AA. See Notes 1-3.	Remote upgrade performed by Toshiba TSD. Requires ASR AA Feature Group and SES-DL-P4-SC voice board. Maximum 8 Channels .	1,125.00
848	SES-UP-PORT-96	96 Voice Port Upgrade. Remote upgrade. See Notes 1~3.	Allows some Strategy ES systems to be expanded from a maximum of 48 voice ports to a maximum of 96 voice ports. Not all models have the slot capacity to support 96 ports. See Strategy ES GD for details. Requires voice boards as desired.	1,690.00
849	SES-UP-TTS-ETI	2 Channel upgrade for ETI Text To Speech ONLY.	Upgrade for ETI Eloquence TTS software ONLY! Do not order if TextTalk TTS (SES-FG-TTS/EM-H) has previously been installed. Requires prior installation of SES-FG-TTS-ETI. Maximum 8 Channels.	2,418.00
850	IES32-UP-DB	Strategy iES32 Port Upgrade Daughter Board.	Required to increase voice port capacity beyond 16 ports. This board ships preconfigured with 4 ports.	4,800.00
851	SES-ANT-3000/50	Dialogic Antares 3000/50 Resource board	Required to enable ASR AA feature on D/160SC-LS voice boards.	11,850.00
852	SES-D120JCT-LS	12-Port Voice Board (PCI). Intel Ref # D/120JCT-LS.	Expands Strategy ES48 and 96R2 systems by 12 Ports. With SES Release 4.6 and higher this board will also support 4 channels of SoftFax. NOTE: This board does not support BOTH SoftFax and ASR. Therefore, care should be used when configuring a system with	9,562.00

A		B	C	D
1	Part Number	Description	Comments	MSRP
853	SES-D41JCT-LS	4-Port Voice Board (PCI). Intel Ref # D/41JCT-LS.	Expands Strategy ES48 and 96R2 systems by 4 Ports. With SES Release 4.6 and higher this board will also support 4 channels of SoftFax. This board will support both 4 channels of SoftFax and 4 channels of ASR.	3,750.00
854	SES-GFAX-CP12SC	12-Channel Fax Board (ISA) – GammaFax.	Expands Basic System by 12 Fax Channels. Requires SCbus Voice Board & Fax Server Feature Group.	8,925.00
855	SES-GFAX-CP6SC	6-Channel Fax Board (ISA) – GammaFax.	Expands Basic System by 6 Fax Channels. Requires SCbus Voice Board & Fax Server Feature Group.	4,800.00
856	SG-DL-P16	ISA 16-Port Voice Board. Intel Ref # D/160SC-LS.	Expands Basic Systems by 16 ports. Strategy ES: Scbus connectivity with GammaFax boards for Fax Server features and with Antares board for ASR features. NOTE: Do not use this board to support host-based ASR or TTS.	12,750.00
857	SG-DL-P2	Non-SCbus 2-port voice board. Intel Ref# Proline/2v	Expands system by 2 ports.	1,988.00
858	SG-DL-P4	Non-SCbus 4-port voice board. Intel Ref# Dialog/4	Expands system by 4 ports.	3,150.00
859	SYS-D4PCI	PCI 4 port card for Strategy ES8, ES48, ES96R2	Half sized card (Reference Intel part # D4PCI) expands system by 4 voice ports. Does not support the Fax and ASR AA Feature Groups.	1,170.00
860	IES32-SS-R4	Strategy iES32 Release 4 Software and Prompts.	Software CD ROM for spares. Included with every Strategy iES32 system shipped.	83.00
861	IES32-SS-R46	Strategy iES32 & iES16 Release 4.6 Software, Prompts	Software CD ROM containing Strategy ES 4.6 software and voice prompts exclusively for the Strategy iES32 and iES16 systems. Required to upgrade existing systems to Release 4.6, also included with every system shipped..	83.00
862	SES-128MB-D	Strategy ES80 128MB Memory DIMM Module.	As desired for replacement or spares.	1,013.00
863	SES-128MB-S	Strategy ES96 128MB Memory (one pair 64MB) SIMM Modules	As desired for replacement or spares.	1,013.00
864	SES-A-CB	Strategy ES96 Cables.	As desired for replacement or spares.	60.00
865	SES-A-FAN	Strategy ES96 Metal Case Fan.	As desired for replacement or spares.	68.00
866	SES-A-MC	Strategy ES96 Metal Case.	As desired for replacement or spares.	1,208.00
867	SES-A-PB	Strategy ES96 Passive Backplane.	As desired for replacement or spares.	338.00
868	SES-A-PS	Strategy ES96 Power Supply (110/220VAC).	As desired for replacement or spares.	233.00
869	SES-A-SBC-200	Strategy ES96 Single Board Computer (SBC) - Pentium 200	As desired for replacement or spares.	2,138.00
870	SES-A-VC	Strategy ES96 Video Controller - 2MB.	As desired for replacement or spares.	158.00
871	SES-B-CB	Strategy ES80 Cables.	As desired for replacement or spares.	60.00
872	SES-B-MB	Strategy ES80 Motherboard - Pentium 200MHZ.	As desired for replacement or spares.	1,245.00
873	SES-B-MC	Strategy ES80 Metal Case.	As desired for replacement or spares.	383.00
874	SES-B-PS	Strategy ES80 Power Supply (110/220VAC).	As desired for replacement or spares.	165.00
875	SES-CDD	CDROM Drive.	As desired for replacement or spares.	278.00
876	SES-CPU-HSINK	Strategy ES96 and ES80 Pentium CPU Heat Sink.	As desired for replacement or spares.	68.00
877	SES-FD	Strategy ES96 and ES80 Floppy Disk Drive.	As desired for replacement or spares.	158.00
878	SES-HD-DWR	IDE Hard Disk Drive Drawer.	As desired for replacement or spares.	165.00
879	SES-HD-IDE	IDE Hard Disk Drive.	As desired for replacement or spares.	726.00
880	SES-MODEM-V90	Internal Modem.	As desired for replacement or spares.	368.00
881	SES-MOUSE	Model A&B Mouse - PS2.	As desired for replacement or spares.	75.00
882	SES-NIC-UTP	Strategy ES80, 96, & 96R Network Interface Card 10/100.	As desired for replacement or spares.	248.00
883	SES-SAM	Strategy ES Activation Module (SAM).	Required as replacement part only. See Notes 3 and 4.	9,000.00
884	SES-SAM-C1-4	Strategy ES Activation Module (SAM) for Strategy ES4	Required as replacement part only. See Notes 3 and 4. Exclusively for the Strategy ES4. Do not install on any other Strategy ES model.	6,000.00
885	SES-SS-R46-PACK	Strategy ES Release 4.6 Software, Prompts, & Intel software.	Bundled packet of four Software CD ROMs containing Strategy ES 4.6 software and voice prompts, plus Intel software required for upgrading systems to Release 4.6. Strategy ES software disks also shipped with each system.	83.00
886	SYS-512MB-RAM1	512MB Random Access Memory Upgrade	Memory upgrade for Strategy ES8. As desired for replacement, upgrade, or spares.	215.00
887	SYS-512MB-RAM23	512MB Random Access Memory Upgrade	Memory upgrade for Strategy ES48 and ES96R2. As desired for replacement or spares	215.00
888	SYS-CDROM-DRIVE	Spare CD/RW Drive	As needed for system models ACD-CT2-PRO, ACD-CT4-SVR, SES-8-PRO, SES-48-PRO, SES-96R2-SVR, CS-Server 4PCI, CS-Server 8PCI, and CS-Server 16PCI.	107.00
889	SYS-IDE-HD	Spare IDE Hard drive	As needed for system models ACD-CT2-PRO, ACD-CT4-SVR, SES-8-PRO, SES-48-PRO, SES-96R2-SVR, CS-Server 4PCI, CS-Server 8PCI, and CS-Server 16PCI	201.00
890	SYS-PS-RDN-SYS3	Optional Dual Redundant 300W Power Supply	Optional Dual Redundant 300W Power Supply for ES96R2. As desired for replacement or spares	1,373.00
891	SYS-PS-SYSTEM-1	Spare Power Supply	As needed for ACD-CT2-PRO, ATT-CT2-PRO, and SES-8-PRO	74.00
892	SYS-PS-SYSTEM-2	Spare Power Supply	As needed for CS-Server 4PCI, SES-48-PRO, and ACD-CT4-SVR	255.00
893	SYS-PS-SYSTEM-3	Spare Power Supply	As needed for CS-Server 8PCI and SES-96R2	270.00
894	IES32-CBL-PACK	Cables Required for Toshiba Proprietary Integration CTX to iES32.	Ships as a bundled part with new iES32 system orders. Includes the iES32 Installation Guide.	66.00
895	SES-IDE-RAID	RAID kit for dual IDE drive mirroring.	Only supported on SES-96-SVR & SES-96R-SVR models. Includes Promise Fasttrak PCI IDE RAID Controller, two - 15 gigabyte IDE UDMA drives preloaded with Windows NT Server 4.0. This is a non-stocked item. Please allow 15 business days for delivery	2,025.00
896	SES-MON-14	VGA 14" Color Monitor.		577.00
897	SES-RAID5 KIT-E	External RAID level 5 kit. Compatible with all Strategy	Kit includes rackmountable 4U chassis, PCI interface board, four hot-swappable SCSI hard drives, and dual redundant power supplies. This is a non-stocked item. Please allow 15 business days for delivery.	14,363.00
898	SES-REMOTE-KIT	Remote maintenance kit for Strategy ES4	Strongly suggested for the Strategy ES4 model for remote maintenance and troubleshooting. Includes 56K internal PCI modem and PCAnywhere client software.	540.00
899	SES-SCBTERMKIT	SC Bus Terminator Kit	Required when connecting PCI based voice boards with ISA based fax boards in Strategy ES48 and ES96R2 systems.	33.00
900	SES-TAPE-DRIVE	Backup Tape Drive - 10 Gigabytes.	Required for Strategy ES system database backup.	1,057.00
901	SES-TAPE-KIT-8GB	Backup Tape Drive - Cleaning Kit.		210.00
902	SG-D/160-CABLE	Adapter cable for SG-DL-P16 and CS-D/160SC-8LS boards.	Required for connection of the D/160SC-LS board to a 25 pin amphenol interface.	255.00
903	SYS-NIC	Network Interface card	As needed for SES-8-PRO, SES-48-PRO, and SES-96R2-SVR. Can also be used with models ACD-CT2-PRO, ACD-CT4-SVR, CS-Server 4PCI, CS-Server 8PCI, and CS-Server 16PCI.	162.00
904	SYS-RAID1-SYS 2	RAID 1 kit Strategy ES48	Kit includes FasttrakTX2000 RAID card, two Seagate ST380011A 80 gigabyte ATA hard drives, and SuperSwap 1000 drive enclosures. Can also be used with system models CS-SERVER 4PCI and ACD-CT4-SVR.	1,346.00
905	SYS-RAID5-SYS34	RAID 5 kit for Strategy ES96R2	Kit includes MegaRaid SCSI 320-1 Single Channel U320 RAID card, three Seagate ST336607LC 36 gigabyte SCSI hard drives, BR-SCA23 Drive cannister	3,734.00
906	SYS-REMOTE-KIT	Remote maintenance kit for Strategy ES8	Kit includes external USB modem and PCAnywhere software (Host version). Requires separate purchase of PCAnywhere client software (not available from Toshiba)	765.00
907	SG-256MB-UP	Pre-formatted Smart Modular Technologies 256MB CompactF	This upgrade provides Strategy IVP8 with 16 hours of voice storage and Strategy Flash with 22 hours.	257.00
908	SG-ADMCBL	Four connector (2 ea. DB-9 and 2 ea. DB-25).	Recommended for remote and local access on Strategy IVP8, Flash, and DK systems. Also requires portable PC or PC and modems.	128.00
909	SG-IVP8-R2-512M	Pre-formatted 512MB Compact Flash cards for IVP8 Rev.2	This upgrade provides just over 30 hours of voice storage for Strategy IVP8 Rev.2 systems ONLY. This upgrade is currently not supported on other Strategy products..	536.00
910	SG-IVP8-2UP4	IVP8 2 to 4 Port Upgrade	Remote Upgrade. Requires telephone numbers and passwords.	900.00
911	SG-IVP8-4UP6	IVP8 4 to 6 Port Upgrade	Remote Upgrade. Requires telephone numbers and passwords.	1,050.00
912	SG-IVP8-6UP8	IVP8 6 to 8 port Upgrade	Remote Upgrade. Requires telephone numbers and passwords.	1,200.00
913	STG-MA-ESALL-VC	Strategy ES Installation and Maintenance Manual.	Contains all hardware and programming information necessary to install and maintain a Strategy ES system.	75.00
914	STG-MA-FL/18-VA	Strategy Flash/IVP8 Installation and Maintenance Manual	Contains all hardware and programming information necessary to install and maintain a Strategy Flash or IVP8 system.	75.00
915	STG-UG-ESALL-VC	Strategy ES User Guide. Includes iES32 documentation.	Contains step-by-step instructions for operation of the Strategy ES system.	12.00

A		B	C	D
1	Part Number	Description	Comments	MSRP
916	STG-UG-FL/18-VA	Strategy User Guide.	Contains step-by-step instructions for operation of the Strategy Flash, IVP8 and Strategy DK systems.	12.00
917	STG-QR-ESALL-VB	Strategy ES Quick Reference Guide (package of 60).	A wallet-size flow diagram for operation of the Strategy ES system.	15.00
918	STG-QR-FL/18-VA	Strategy Quick Reference Guide (package of 21).	A wallet-size flow diagram for operation of the Strategy Flash, IVP8 and Strategy DK systems	8.00
919	STG-CD-ALLIB-VC	Strategy Voice Processing Library CD-ROM.	Contains: Documentation for all Strategy products. Includes documentation for Legacy products Release 4.	15.00
920	1-AP	ONEAC Model 1-AP Analog Line Protector Porta Base.	Use for PCOU, RCOU/RCOS, RGLU, and RCIU/RCIS as required for lightning protection.	23.00
921	1-DP	ONEAC Model 1-DP Digital Line Protector Porta Base.	Use for RDDU, REMU, PDKU, RDSU, PEKU, PESU, DSTI, RATU, RDTU, and RPTU as required for lightning protection.	24.00
922	350-032	ONEAC Grounding Strap for 66 Block.	One needed with each 66 Block when equipped with 6-AP195, 6-AP, or 6-DP line protectors	13.00
923	5S-AP	ONEAC Model 5S-AP Analog Line Protector 5-pin Base.	Use for RSTU, PSTU, RDSU, RSTS, BSTI, PCOU, RCOU/RCOS, RGLU, RCIU/RCIS as required for lightning protection.	23.00
924	5S-DP	ONEAC Model 5S-DP Digital Line Protector 5-pin Base.	Use for RDDU, REMU, PDKU, RDSU, PEKU, PESU, DSTI, RATU, RDTU, RPTU as required for lightning protection.	23.00
925	6-AP	ONEAC Model 6-AP Analog Line Protector 66 Block.	Use for PCOU, RCOU/RCOS, RGLU, RCIU/RCIS as required for lightning protection.	24.00
926	6-AP195	ONEAC Model 6-AP-195 Analog Line Protector 66 Block.	Use for RSTU, PSTU, RDSU, RSTS, BSTI as required for lightning protection.	24.00
927	6-DP	ONEAC Model 6-DP Digital Line Protector 66 Block.	Use for RDDU, REMU, PDKU, RDSU, PEKU, PESU, DSTI, RATU, RDTU, RPTU as required for lightning protection.	24.00
928	RJ-AP11	ONEAC Analog Line Protector (1 pr,2 wire) modular.	Use for analog single line fax machines, modems, and telephones RJ11 connected (in/out) as required for lightning protection.	41.00
929	RJ-AP14	ONEAC Analog Line Protector (2 pair,4 wire) modular.	Use for analog 2-line fax machines, modems, and telephones RJ14 connected (in/out) as required for lightning protection.	54.00
930	RJ-AP45	ONEAC Analog Line Protector (4 pair,8 wire) modula.	Use for analog 4-line fax machines, modems, and telephones RJ61 connected (in/out) as required for lightning protection.	83.00
931	RJ-DP11	ONEAC RJ11 Digital Line Protector (1 pr,2 wire) modular	Use for digital single line fax machines, modems, and telephones RJ11 connected (in/out) as required for lightning protection.	41.00
932	RJ-DP14	ONEAC RJ14 Digital Line Protector (2 pr,4 wire) modular	Use for ISDN (2-pair) and digital 2-line modems, and telephones RJ14 connected (in/out) as required for lightning protection.	54.00
933	RJ-DP45	ONEAC RJ45 Digital Line Protector (4 pr,8 wire) modular	Use for ISDN BRI (4-pair), digital 4-line modems, and telephones RJ61 connected (in/out) as required for lightning protection.	83.00
934	RJ-DP48C	ONEAC RJ48C Digital Line Protector(2 pr,4 wire) modular	Use for T1, T2, and ISDN PRI (2-pair) RJ48 connected (in/out) as required for lightning protection.	69.00
935	RJ-DSP10E	ONEAC Data Line Protector (2 pr,4 wire) modular.	Use for 10BaseT Ethernet as required for lightning protection.	54.00
936	011-000G	ONEAC Model CP1115, 1440 VA Power Conditioner.	Use for CIX/CTX670 (6 cabinets), or Strata CIX/CTX670 (6 cabinets) with Strategy, or Strata CIX/CTX670 (7 cabinets), or Strata CIX/CTX670 (7 cabinets) with Strategy as required for power conditioning.	1,184.00
937	011-058G	ONEAC Model 1920 VA Power Conditioner up to 5 cabinets.	120V Input; plugs and recepticals match Strata CIX/CTX straight blad plugs and recepticals. Use for Strata CIX/CTX670 with 3 to 5 cabinets as required for power conditioning.	1,490.00
938	011-095G	ONEAC Model 1920 VA Power Conditioner up to 7 cabinets.	208/240V Input; plugs and recepticals match Strata CIX/CTX straight blad plugs and recepticals - 6-20P, (4)5-15R, (1)6-20R. Use as required for PwrCond/Isolated Grnd Ckt or Strata CIX/CTX670 with 6 or 7 cabinet systems	1,940.00
939	350-055	ONEAC Ground Bar Strip used with UPS/Power Conditioner.	For replacement, spares, or use as required with power conditioners that do not come with a ground bar.	17.00
940	PC075AT-S1SW	ONEAC Model PC075AT, 75 VA Power Conditioner. Includes	Use for Strata DK8 and DK14 as required for power conditioning.	149.00
941	PC1000A-S4SW	ONEAC Model PC1000A, 1000 VA Power Conditioner.	Use for Strata CIX/CTX 670 (5 cabinets), or Strata CIX/CTX670 (5 cabinets) with Strategy as required for power conditioning.	903.00
942	PC120AT-S1SW	ONEAC Model PC120AT, 120 VA Power Conditioner.	Use for Strata CTX28 as required for power conditioning.	203.00
943	PC240AT-S2SW	ONEAC Model PC240AT, 240 VA Power Conditioner.	Use for Strata CTX28 with Strategy, or CIX/CTX100, CIX/CTX100-S or CIX/CTX670 (1 cabinet). Use for Strategy Voice Mail 4/4 Lite, 6/6 Lite, 16/24 as required for power conditioning.	315.00
944	PC360AT-S4SW	ONEAC Model PC360AT, 385 VA Power Conditioner.	Use for Strata CIX/CTX100, CIX/CTX100-S or CIX/CTX670 (1 cabinet) with Strategy, or Strata DK280, DK424, DK424i (2 cabinet) as required for power conditioning.	431.00
945	PC550AT-S4SW	ONEAC Model PC550AT, 550 VA Power Conditioner.	Use for Strata CIX/CTX670 (2 cabinets) with Strategy, or Strata CIX/CTX670 (3 cabinets) as required for power conditioning.	542.00
946	PC750A-S4SW	ONEAC Model PC750A, 750 VA Power Conditioner.	Use for Strata CIX/CTX670 (3 cabinets) with Strategy, or Strata CIX/CTX670 (4 cabinets), or Strata CIX/CTX670 (4 cabinets) with Strategy as required for power conditioning.	719.00
947	ON1000XAU-SN	ONEAC 1000VA UPS with Power Conditioner.	Use for power conditioning and UPS power backup for Strategy ES and Strata CS systems, includes built-in Communication Interface .Univ Mt (Rack/Tower)	1,527.00
948	ON1500XAU-SN	ONEAC 1500VA UPS with Power Conditioner.	Use for power conditioning and UPS power backup for Strategy ES and Strata CS systems, includes built-in Communication Interface .Univ Mt (Rack/Tower)	2,003.00
949	ON2000XAU-SN	ONEAC ON2000, 2000VA ExtRun, Stand-alone UPS, Pwr.Cond.	Includes built-in Communication Interface. Use for power conditioning and UPS power backup for Strategy ES and Strata CS systems. Allow 7-10 days for delivery.	2,925.00
950	ON400A-SN	ONEAC 400 VA UPS with Serial Port Interface.	Toshiba approved UPS required on all Strategy ES systems, See Strategy ES General Description for warranty details.	968.00
951	ON400XA-WL-GNK	ONEAC ON400, 400VA ExtRun, Wall Mount UPS, Pwr. Cond.	Includes built-in Communication Interface. Use for power conditioning and UPS power backup for Strategy ES and Strata CS systems. Allow 7-10 days for delivery.	1,509.00
952	ON600XA-WL-GNK	ONEAC ON600, 600VA ExtRun, Wall Mount UPS, Pwr.Cond.	Includes built-in Communication Interface. Use for power conditioning and UPS power backup for Strategy ES and Strata CS systems. Allow 7-10 days for delivery.	1,665.00
953	ON700XAU-SN	ONEAC 700VA UPS with Power Conditioner.	Use for power conditioning and UPS power backup for Strategy ES and Strata CS systems, includes built-in Communication Interface .Univ Mt (Rack/Tower)	1,220.00
954	ONE200XA-W-SV	ONEAC ,200VA, Wall Mount UPS, Power Cond. 1 Batt.	Use for power conditioning and UPS power backup for Strategy ES and Strata CS systems. Allow 7-10 days for delivery.	837.00
955	ONE300A-SB	ONEAC ON300, 300VA, UPS, Power Cond.	Includes built-in Communication Interface. Use for power conditioning and UPS power backup for Strategy ES and Strata CS systems. Allow 7-10 days for delivery.	794.00
956	ONE300A-SV	ONEAC ON300, 300VA, UPS, Power Cond. 1 Batt.	Use for power conditioning and UPS power backup for Strategy ES and Strata CS systems. Allow 7-10 days for delivery.	452.00
957	ONE300DA-SV	ONEAC ON300, 300VA, UPS, Power Cond. 2 Batt	Use for power conditioning and UPS power backup for Strategy ES and Strata CS systems. Allow 7-10 days for delivery.	513.00
958	ONE400DA-SB	ONEAC ON400, 400VA, UPS, Power Cond.	Includes built-in Communication Interface. Use for power conditioning and UPS power backup for Strategy ES and Strata CS systems. Allow 7-10 days for delivery.	908.00
959	ONE400DA-SV	ONEAC ON400, 400VA, UPS, Power Cond.	Use for power conditioning and UPS power backup for Strategy ES and Strata CS systems. Allow 7-10 days for delivery.	864.00
960	ONXBC-417	Battery Pack for ONEAC Stand-alone UPS.	Use for additional UPS power backup time on ON600, ON900, and ON2000 ExtRun Stand-alone UPS models. Allow 7-10 days for delivery.	894.00
961	ONXBCU-417	Extended Battery Pack for ON-series ONEAC UPS.	Use for additional UPS power backup time on ON600, ON900, and ON2000 ExtRun Stand-alone UPS models. Allow 7-10 days for delivery.	740.00
962	ONXBC-WL-217	Battery Pack for ONEAC Wall Mount UPS.	Use up to 6 batteries for additional UPS power backup time on ONE200XA-W-SV and ONE300XA-W-SV ExtRun Wall Mount UPS models. Allow 7-10 days for delivery.	387.00
963	004-305	ONEAC ONEGRAPH Power Quality Monitor.	Measures time, amplitude, and duration of AC disturbances and transient activity for 120V circuits; bar graph printout.	3,257.00
964	431-167	ONEAC ONEGRAPH Hard Shipping Case.	Hard shell case for the ONEGRAPH Power Monitor.	201.00
965	IF-BASIC	Basic Interface Card (ONEAC ON400XRA-GO only).	Use with Shutdown/communication Software for UPS communications on ON400XRA-GO (all other models have built-in communication interface).	101.00
966	SK-WINNTMOP	Shutdown/communication Software for ON-series UPS (Wind	Use for unattended server shutdown, pager alert, UPS status and event log for Strategy and HMIS. Also includes serial cable for connection between UPS and Toshiba system	155.00
967	01-SSC-5310	Global VPN Client Windows - 1 License	SonicWALL Global VPN Client Windows - 1 License - Requires TZ or PRO product.	89.00
968	01-SSC-5311	Global VPN Client Windows - 10 License	SonicWALL Global VPN Client Windows - 10 License - Requires TZ or PRO product.	614.00
969	01-SSC-5313	Global VPN Client Windows - 50 License	SonicWALL Global VPN Client Windows - 50 License - Requires TZ or PRO product.	1,059.00
970	01-SSC-5314	Global VPN Client Windows - 100 License	SonicWALL Global VPN Client Windows - 100 License - Requires TZ or PRO product.	1,415.00

	A	B	C	D
1	Part Number	Description	Comments	MSRP
971	01-SSC-5316	Global VPN Client Windows - 5 License	SonicWALL Global VPN Client Windows - 5 License - Requires TZ or PRO product.	383.00
972	01-SSC-5440	PRO 2040 - Enhanced w/ 1 year 8x5	SonicWALL PRO 2040 with Sonic OS Enhanced Firmware Upgrade, 1 year SonicWALL 8 x 5 Support and Advanced Replacement Warranty. Unlimited nodes, 4 Interfaces, 200mbps MAX stateful throughput, 150 MAX 3DES/AES VPN tunnels. Includes SonicOS Enhanced with Obje	4,899.00
973	01-SSC-5441	TZ-170 10 node - Enhanced w/ 1 year 8x5	SonicWALL TZ-170 10 node with Sonic OS Enhanced Firmware Upgrade Includes 1 year SonicWALL 8 x 5 Support and Advance Replacement Warranty. 10 nodes, 1 WAN interface, 1 optional interface, 5 port LAN switch. 90mbps MAX stateful throughput, 5 MAX 3DES/AES	969.00
974	01-SSC-5566	TZ 170 Series 10 to 25 Node Upgrade Bundle	SonicWALL TZ 170 Series 10 to 25 Node Upgrade Bundle- Requires TZ-170 10 Node	534.00
975	01-SSC-5567	TZ 170 Series 25 to Unrestricted Node Upgrade	SonicWALL TZ 170 Series 25 to Unrestricted Node Upgrade- Requires TZ-170 with 25 Nodes	711.00
976	01-SSC-5751	GAV / IPS for TZ 170 UNR Series 1 year	SonicWALL Gateway Anti-Virus and Intrusion Prevention Service for TZ 170 Series 1 year - Requires TZ-170 with unlimited nodes	881.00
977	01-SSC-5752	GAV/IPS - TZ170 10-25 1y	SonicWALL Gateway Anti-Virus and Intrusion Prevention Service for TZ 170 Series 10 Node and 25 node 1 year - Requires TZ-170 with 10 or 25 nodes	347.00
978	01-SSC-5757	GAV / IPS for PRO 2040 1 year	SonicWALL Gateway Anti-Virus and Intrusion Prevention Service for PRO 2040 1 year - Requires PRO 2040	1,770.00
979	SMC6708L2	Standalone 8-port 10/100 Managed Switch	As today's network need diverse applications such as video, data, and voice, QoS is also delivered on this TigerSwitch™ thru IEEE802.1Q VLAN's, GVRP and priority queuing that ensures the smooth delivery of mission critical data.	482.00
980	SMC6709GL2	Standalone 8-port 10/100 + 1 1000BASE-SX Managed Switch	As today's network need diverse applications such as video, data, and voice, QoS is also delivered on this TigerSwitch™ thru IEEE802.1Q VLAN's, GVRP and priority queuing that ensures the smooth delivery of mission critical data.	644.00
981	SMC6824-C	1 Meter Long Stacking Cable	1 Meter Long Stacking Cable	119.00
982	SMC6824FMSC	1-port 100Base-FX SC MMF Fibre Module for SMC6824M	1 Port 100Base-FX SC Multimode Fiber (MMF) - Used to uplink via multimode fiber connection to a fiber backbone	500.00
983	SMC6824FSSC	1-port 100BASE-FX SC SMF Fibre Module for SMC6824M	1 Port 100Base-FX SC Single Mode Fiber (SMF) - Used to uplink via single mode fiber connection to a fiber backbone	1,194.00
984	SMC6824GB	1-port 1000BASE-X SC GBIC Module for SMC6824M	1 Port Expansion Module to be used with SMCBGSSCX1, SMCBGZSCX1, or SMCBGLSCX1. This allows for the use of Small Form Plug (SFP) miniGbics	498.00
985	SMC6824GT	1-port Gigabit 100/1000BASE-T Module for SMC6824M	1 Port Gigabit 100/1000BASE-T Ethernet Expansion Module - Used to connect via Cat. 5E or higher to a copper backbone	524.00
986	SMC6824M	Stackable 24 10/100 Mbps ports w/two expansion slots	The SMC6824M advanced features include VLANs, GVRP VLAN, QoS for real-time multimedia data across the network, IGMP, and LACP to facilitate linking aggregation. A reliable and secure networking environment is guaranteed with RADIUS, SSH, SSL, and HTTPS.	1,026.00
987	SMC6824MPE	Stackable 24 10/100 Mbps + PoE Fast Ethernet Switch	The SMC6824MPE advanced features include Power-over-Ethernet (802.11af compliant) VLANs, GVRP VLAN, QoS, IGMP, and LACP to facilitate linking aggregation. A reliable and secure networking environment is guaranteed with RADIUS, SSH, SSL, and HTTPS.	2,357.00
988	SMC6824S	Stacking Kit for SMC6824M (1 module, 1 stacking cable)	SMC6824M Gigabit Stack Kit - Used to stack the SMC6824M or SMC6824MPE up to eight units high for a total of 192 ports of ethernet	345.00
989	SMCBGSLCX1	Gigabit Interface Converters (GBIC) 10Km Transceiver	10Km 1000BASE-LX GBIC Transceiver, based on 9/10 micron fibre (Used with the SMC6824GB)	339.00
990	SMCBGSSCX1	Gigabit Interface Converters (GBIC) 550m Transceiver	550m 1000BASE-SX GBIC Transceiver, based on 50 micron fibre (Used with the SMC6824GB)	467.00
991	SMCBGZSCX1	Gigabit Interface Converters (GBIC) 70Km Transceiver	70Km 1000BASE-ZX GBIC Transceiver, based on 9 micron fibre (Used with the SMC6824GB)	4,524.00
992	SMCPWR-INJ3	EliteConnect Power Injector (802.3af Compliant)	EliteConnect Power Injector (802.3af Compliant) - Used to make any device into a Power-over-Ethernet supported device	135.00
993	SMCRPU600W	Redundant Power Supply for up to 4 SMC6824M	Redundant Power Supply for up to 4 SMC6824M	1,191.00
994	SMC2532W-B	2.4GHz 802.11b 200mW Wireless PC Card w/WPA,LEAP,802.1x	2.4GHz 802.11b 200mW PC Card supports advanced level security and RADIUS authentication through 802.1x, EAP-MD5, EAP-TLS, EAP-TTLS and LEAP for user authentication to ensure that only authorized users access the resources of the wireless network.	119.00
995	SMC2552W-G	2.4GHz 802.11g Wireless Access Point	The SMC2552W-G is a 2.4GHz 802.11g w/enterprise-level advanced authentication and encryption security features, including WPA, WEP encryption, AES, 802.1x, MAC address authentication, and up to 16 VLANs.	599.00
996	SMC2582W-B	2.4GHz 802.11b 11Mbps Wireless Bridge	SMC2582W-B is a Wireless Bridge designed to connect two separate Local Area Networks via 802.11b technology. This enterprise product also allows for the attachment of expternal high gain antennas to increase distance reception	675.00
997	SMC2586W-G	2.4GHz 802.11g 54Mbps Wireless Bridge	SMC2586W-G is a Wireless Bridge designed to connect two separate Local Area Networks via 802.11g technology. This enterprise product also allows for the attachment of expternal high gain antennas to increase distance reception	890.00
998	SMC2888W-M	2.4/5Ghz 802.11a/b/g Wireless Outdoor Bridge (Master)	Designed to bridge two or more wired LAN's (usually located in different buildings), while simultaneously providing wireless access to local or mobile users. The EliteConnect™ Universal 2.4Ghz/5Ghz Dual-Band Outdoor AP/Bridge incorporates a dual radio sys	1,695.00
999	SMC2888W-S	2.4/5Ghz 802.11a/b/g Wireless Outdoor Bridge (Slave)	Designed to bridge two or more wired LAN's (usually located in different buildings), while simultaneously providing wireless access to local or mobile users. The EliteConnect™ Universal 2.4Ghz/5Ghz Dual-Band Outdoor AP/Bridge incorporates a dual radio sys	1,695.00
1000	SMCAMP-500	500mW Power Over Ethernet Amplifier	SMCAMP-500 is a 2.4GHz 802.11b 500mW Power over Ethernet Amplifier for SMC's High Gain Antenna solutions. It is PoE compatible (using SMCAMP-INJ) and supports all long-range applications and can be used with the SMC2582W-B/SMC2586W-G.	953.00
1001	SMCAMP-500G	500mW Power Over Ethernet Amplifier	SMCAMP-500G is a 2.4GHz 802.11b/g 500mW Power over Ethernet Amplifier for SMC's High Gain Antenna solutions. It is PoE compatible (using SMCAMP-INJ) and supports all long-range applications and can be used with the SMC2582W-B/SMC2586W-G.	848.00
1002	SMCAMP-INJ	IEEE 802.3af Power Injector for Amplifier	SMCAMP-INJ - IEEE 802.3af Power Injector that provides power to an SMCAMP-250 Amplifier up to 100 m (328 feet) away using a standard Category 5 cable. The SMCAMP-INJ requires access to only a standard 12 V power and a Category 5 network connection.	153.00
1003	SMCANT-CAB25	25" LMR 195 Cable with SMA-Female to N-Male Connectors	SMCANT-CAB25 - 25" antenna cable that extends the distance between SMC products. Used w/SMC's Access Point/Bridge at a greater distance from an SMCANT-DI105, SMCANT-DI135, or SMCANT-DI145 high-gain antenna.	57.00
1004	SMCANT-CAB25F	25' LMR 400 Cable w/ RP-TNC-Female to N-Male Connectors	SMCANT-CAB25F - 25' antenna cable that extends the distance between SMC's access point/bridge and works with SMCANT-DI105, SMCANT-DI135, or SMCANT-DI145 high-gain antennas. Connectors optimized for use with SMC's line of high-gain antennas are included.	147.00
1005	SMCANT-CAB50F	50' LMR 400 Cable w/ RP-TNC-Female to N-Male Connectors	SMCANT-CAB50F - 50' antenna cable extends the distance between SMC's AP/Bridge and high-gain antenna.Works with SMCANT-DI105, SMCANT-DI135, or SMCANT-DI145 high-gain antenna. Connectors optimized for use with SMC's line of high-gain antennas, included.	198.00
1006	SMCANT-CAB50FNN	50' LMR 400 Cable w/ N-Male to N-Male Connectors	50' LMR 400 Antenna Cable with N-Male to N-Male Connectors	203.00
1007	SMCANT-CAB75F	75' LMR 400 Cable w/ RP-TNC-Female to N-Male Connectors	SMCANT-CAB75F - 75' antenna extends the distance between SMC's AP/Bridge and high-gain antenna.It works with SMCANT-DI105, SMCANT-DI135, or SMCANT-DI145 high-gain antenna and comes with the appropriate connectors.	260.00
1008	SMCANT-CAB78	78" LMR 400 Cable w/ RP-TNC-Female to N-Male Connectors	SMCANT-CAB78 - 78" antenna cable that extends the distance between SMC products.The SMCANT-CAB78 works with the SMCANT-DI105, SMCANT-DI135, or SMCANT-DI145 high-gain antenna. Connectors/bolts included	72.00
1009	SMCANT-CEILINGBOX	2.4GHz High Gain Antenna Ceiling Box Kit (1 Watt)	SMCANT-CEILINGBOX - 2.4Ghz Ceiling Box Kit that extends the operating range and enhances the throughput up to 30,000 sq feet. A 5 dBi Omni-Directional High Gain Antenna, 100 mWi Amplifier, SMCAMP INJ Power Injector, and Power over Ethernet are included	1,667.00
1010	SMCANT-DI105	Wireless High Gain 10.5dBi Antenna	The SMCANT-DI105 is a 10.5dBi directional antenna extends the distancesor improves structural penetration for point-to-point and point-to-multipoint applications. SMCANT-DI105 provides a reach of up to 3.5 miles for use with the SMC2582W-B/SMC2586W-G	405.00
1011	SMCANT-DI135	Wireless High Gain 13.5dBi Antenna	The SMCANT-DI135 is a 13.5dBi directional antenna extends the distance or improves structural penetration for point-to-point or point-to-multipoint applications. The SMCANT-DI135 provides a 7-mile reach for use with the SMC2582W-B/SMC2586W-G.	453.00

A		B		C		D
1	Part Number	Description		Comments		MSRP
1012	SMCANT-DI145	Wireless High Gain 14.5dBi Antenna		The SMCANT-DI145 is a 14.5 dBi directional antenna that improves structural penetration for point-to-point applications. The SMCANT-DI145 provides a reach of up to 9 miles for use with the SMC2582W-B/SMC2586W-G		500.00
1013	SMCANT-DI215	Wireless High Gain 21.5dBi Parabolic Dish Antenna		The SMCANT-DI215 is a 21.5 dBi parabolic dish antenna. SMCANT-D215 has the narrowest 21.5 dBi. With this far-reaching gain, this parabolic dish antenna provides a point-to-point reach of up to 20 miles for use with the SMC2582W-B/SMC2586W-G		1,476.00
1014	SMCANT-DIFP11	Wireless High Gain 11dBi Flat Panel Antenna		The SMCANT-DIFP11 is a 11dBi Flat Panel Antenna designed for the 802.11b & 802.11g, 2.4 GHz frequency. This indoor/outdoor antenna uses circular polarization technology and has a point-to-point range of up to 9 miles for use with the SMC2582W-B/SMC2586W-G		119.00
1015	SMCANT-DS	Antenna Desktop Stand		The SMCANT-DS EZ-Connect Antenna Deskstand can be used with SMCANT-DI105, SMCANT-DI135, and SMCANT-DI145 high-gain antennas. Users can freely place SMC's family of high-gain antennas in a horizontal or vertical position against a building structure.		44.00
1016	SMCANT-KIT	Wireless High-gain Ant Kit. (25" cable, desktop stand)		SMCANT-KIT includes a high-gain 10.5 dBi wide-dispersion antenna, a 25" cable and a desktop stand that are easy to use and install. With a gain of 10.5 dBi, it can reach distances up to 3.5 miles for use with the SMC2582W-B/SMC2586W-G		476.00
1017	SMCANT-LP	Lightning Protector		SMC Lightning Protector		119.00
1018	SMCANT-MA	Antenna Mounting Arm		The SMCANT-MA Antenna Mounting Arm can be used with SMCANT-DI105, SMCANT-DI135, and SMCANT-DI145. The it includes nuts, screws, and a mounting brace to allow Antennas can be placed in a horizontal or vertical position against a building structure.		72.00
1019	SMCANT-OOM10	Wireless High Gain 10 dBi Omni-Directional Antenna		The SMCANT-OOM8 is a wireless high-gain 10 dBi omnidirectional antenna that extends the range of wireless data transmissions, giving your wireless clients extensive roaming access. Can be used with the SMC2552W-G		219.00
1020	SMCANT-OOM8	Wireless High Gain 8 dBi Omni-Directional Antenna		The SMCANT-OOM8 is a wireless high-gain 8 dBi omnidirectional antenna that extends the range of wireless data transmissions, giving your wireless clients extensive roaming access. Can be used with the SMC2552W-G		170.00
1021	SMCHMANT-4	2.4 GHz 6dBi Omni Directional Home/Indoor Antenna		EZ Connect™ 2.4 GHz Omni Directional Home Antenna (SMCHMANT-4) provides extended range for wireless network hardware. This new 6dBi directional antenna supports all 2.4 GHz Wi Fi standards, including IEEE 802.11b, and the new high performance 802.11g.		44.00
1022	SMCHMANT-6	2.4 GHz 6dBi Directional Home/Indoor Antenna		EZ Connect™ 2.4 GHz Directional Home Antenna (SMCHMANT-6) provides extended range wireless network hardware. This 6dBi directional antenna supports all 2.4 GHz Wi Fi standards, including IEEE 802.11b, 802.11b+, and the new high performance 802.11g.		59.00



EPS060043 NETWORKS, EQUIPMENT AND SERVICES

Annual Service Plans Offer Form

Offeror Company Name: **Copper State Communications**

Services Offered

Offerors are permitted to submit Annual Service Plans such as maintenance, warranty, etc by submitting a percent of manufacturer list price. For each manufacturer, Offerors shall indicate the Annual Service Plans being offered in the following format:

Manufacturer Offeror Response

Description of Annual Service Plan

Toshiba Value Plus Extended Warranty plan is a manufacturer's direct extended hardware warranty providing up to seven years of investment protection. This Value Plus warranty plan is a 61 month or 84 month hardware warranty coverage purchased at original point of sale. This program provides for the replenishment of defective covered equipment. It does not include any on site labor costs for diagnosis, replacement and reprogramming of the defective equipment. Additional equipment may be added during the warranty period to be coterminous with the original warranty term. This coverage may only be cancelled within 30 days of the original activation date. Covered Products:

- Strata CIX100
- Strata CIX100-S
- Strata CIX200
- Strata CIX670
- Strata CTX28
- Strata IVP8
- Strata iES32
- Strata 2000-series IP telephones
- Strata 3000-series digital telephones when used in conjunction with a Strata CIX and CTX system
- Strata 3200-series digital telephones when used in conjunction with a Strata CIX and CTX system

Percent of Manufacturer List Price

Toshiba does not publish a List Price for this coverage. The pricing is derived by determining the list prices of the eligible individual (not package) items to be covered. The list price is then multiplied by 3.0% for 61 month coverage and 3.5% for 84 month coverage. Copper State Communications then offers this plan at 95% of above pricing.

Is the Annual Service Plan for maintenance performed by software? If so, indicate if the software is a product of the manufacturer or the vendor.

No

See next page for an additional Annual Service Plan Option



Copper State Communications Provided Annual Service Plan

In addition to the manufacturer's plan, Copper State Communications offers its own annual service plan. This plan can either stand alone or augment a manufacturer's plan. The Copper State plan includes on site diagnosis to determine what is wrong, replacement of defective parts, loaner parts when necessary, no trouble found, carrier trouble identification and resolution, wiring repairs, jack, handset and wall cord replacement all inclusive for one annual charge. When used to augment a purchased manufacturer's maintenance plan, Copper State charges 2.75% of the list price of the covered items per year. When used as a stand alone plan Copper State charges 5.65% of the list price of the covered items per year.